AUTHOR INDEX

VOLUME 73, 1994

British Journal of Anaesthesia

ARS = Anaesthetic Research Society Abstracts

C = Correspondence

E = Editorial

R = Book Review

e = Erratum

ABBOUD, T. *see* ABOULEISH, E. 336–341
ABDULATIF, M. Muscle blood flow and neuromuscular block, (*C*) 726
ABDULATIF, M. *see* NAGUIB, M. 484–489
ABOULEISH, E., ABBOUD, T., LECHEVALIER, T., ZHU, J., CHALIAN, A. and ALFORD, K. Rocuronium (Org 9426) for Caesarean section 336–341
VAN ACKERN, K. *see* WASCHKE, K. F. 522–528
ADAMS, A. P. Breathing system disconnections 46–54
AGARWAL, A. Hypertonic saline prehydration before spinal anaesthesia, (*C*) 429
AGARWAL, A., MAHESHWARI, A. and KAUSHIK, S. Adrenaline-induced hypotension in neurosurgery, (*C*) 277
AGNES, S. *see* PERILLI, V. 695–696
AGOSTON, S. *see* LEUWER, M., (*ARS*) 716P
AHMED, K. Intra-tracheal adrenaline, (*C*) 427–428
AIDA, S., FUJIWARA, N. and SHIMOJI, K. Differential regional effects of ketamine on spontaneous and glutamate-induced activities of single CNS neurones in rats 388–394
AITKENHEAD, A. R. The pattern of litigation against anaesthetists 10–21
AITKENHEAD, A. R. *see* GIRLING, K. J., (*ARS*) 263–264P; SINGH, P. 145–148
ALAHUHTA, S. *see* KARINEN, J. 751–757
ALBRECHT, D. M. *see* WASCHKE, K. F. 522–528
ALFORD, A. M. *see* EDWARDS, N. D. 537–539
ALFORD, K. *see* ABOULEISH, E. 336–341
AL-GHAMDI, A. *see* NAGUIB, M. 484–489
ALLMAN, K. G., MUIR, A., HOWELL, S. J., HEMMING, A. E., SEAR, J. W. and FOËX, P. Resistant hypertension and preoperative silent myocardial ischaemia in surgical patients 574–578
ALLT-GRAHAM, J. *see* HEDLEY, R. M. 227–236
AMAHA, K. *see* SAITOH, Y. 416–417
ANALOUEI, A. *see* WHITE, J. L. 214–219
ANDREWS, P. J. D. *see* SOUTER, M. J., (*ARS*) 713–714P
ARENDT-NIELSEN, L. *see* PETERSEN-FELIX, S. 326–330
ARIMURA, S. *see* HIGUCHI, H. 239–240
ARMITAGE, E. N. *see* WILDSMITH, J. A. W., (*R*) 126
ARMSTRONG, M. A. *see* MCBRIDE, W. T., (*ARS*) 717P
ASAI, T., BARCLAY, K., POWER, I. and VAUGHAN, R. S. Cricoid pressure and the LMA: efficacy and interpretation, (*C*) 863–865
ASBURY, A. J. Anaesthetic simulators, (*C*) 867
ASBURY, A. J Simulators for general anaesthesia, (*E*) 285–286
ASBURY, A. J. *see* GEDDES, S. M. 345–349
ASHBURN, M. A. *see* STANLEY, T. E., (*R*) 869
ASHCROFT, G. S. and MASTERSON, G. R. Interleukin-6 and wound healing, (*C*) 426
ASHFORD, P. *see* LOGAN, A. St C., (*ARS*) 718–719P
ATCHESON, R. and LAMBERT, D. G. Update on opioid receptors, (*E*) 132–134
ATCHESON, R. *see* LAMBERT, D. G., (*ARS*) 271P
ATKINSON, R. S. The problem of the unsafe anaesthetist 29–30
AVOLIO, A. W. *see* PERILLI, V. 695–696
AZIZ, L., ONO, K., OHTA, Y., MORITA, K. and HIRAKAWA, M. Effect of hypothermia on the *in vitro* potencies of neuromuscular blocking agents and on their antagonism by neostigmine 662–666

BABA, H. *see* FUJIOKA, H. 350–356
BACON, P. J., PICKWORTH, A. J., JONES, J. G. and MENON, D. K. Plasma antioxidant activity in smokers, (*ARS*) 721–722P
BACON, P. J. *see* TEW, D. N., (*ARS*) 267–268P
BAK, P. *see* PETERSEN-FELIX, S. 326–330
BANIC, A. *see* SIGURDSSON, G. H. 826–832
BANKS, I. C. and TACKLEY, R. M. A standard set of terms for critical incident recording? 703–708
BARAKA, A. Hypertonic saline prehydration before spinal anaesthesia, (*C*) 429–430; Influence of surface cooling and rewarming on whole-body oxygen supply–demand balance 418–420
BARCLAY, K. *see* ASAI, T., (*C*) 863–865
BARKER, J. P. Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, (*C*) 120–121
BARRIE, J. *see* MEAKIN, G., (*C*) 121–122
BARRIE, J. R., CAMPBELL, I. T., MEAKIN, G. and BEATTY, P. C. W. Determination of rebreathing for the M & IE Carden Ventmasta during spontaneous ventilation in "A" mode, (*ARS*) 275P
BARRIE, J. R., MEAKIN, G., CAMPBELL, I. T., BEATTY, P. C. W. and HEALY, T. E. J. Efficiency of the Carden "Ventmasta" in A and D modes during controlled ventilation in children 453–457
BARROW, P. M., HUGHES, D. G. and REDFERN, N. Influence of droperidol on nausea and vomiting during patient-controlled analgesia, (*C*) 567
BARROWCLIFFE, M. P. *see* LEWIS, I. H. 244–246
BASHA, H. M. *see* SHALABLY, M. M., (*ARS*) 710P
BASKETT, P., LINDNER, K. and CHAMBERLAIN, D. Intra-tracheal adrenaline, (*C*) 427
BAURAIN, M. J., DERNOVOI, B. S., D'HOLLANDER, A. A. and HENNART, D. A. Comparison of neostigmine-induced recovery with spontaneous recovery from mivacurium-induced neuromuscular block 791–794
BAYLY, P. J. M. and THICK, M. Reversal of post-reperfusion coagulopathy by protamine sulphate in orthotopic liver transplantation 840–842
BEATTY, P. C. W. *see* BARRIE, J. R., (*ARS*) 275P; 453–457; MEAKIN, G., (*C*) 121–122
BEHL, S. *see* THOMAS, S., (*ARS*) 269–270P
BELL, J., SARTAIN, J., WILKINSON, G. A. L. and SHERRY, K. M. Propofol and fentanyl anaesthesia for patients with low cardiac output state undergoing cardiac surgery: comparison with high-dose fentanyl anaesthesia 162–166
BELLAMY, M. C., GOOD, H. F. and WEBSTER, N. R. Changes in cytokines and cardiovascular variables with liver graft reperfusion in humans, (*ARS*) 717–718P
BELLAMY, M. C. *see* VALENTINE, J. 543–544
BELLVER, J. *see* DE ANDRÉS, J. 747–750
BENGTSON, J. P. *see* BENGTSSON, J. 140–144
BENGTSSON, A. *see* BENGTSSON, J. 140–144
BENGTSSON, J., BENGTSSON, A., STENQVIST, O. and BENGTSON, J. P. Effects of hyperventilation on the inspiratory to end-tidal oxygen difference 140–144
BENNETT, A. *see* HALL, P. A. 471–474; WILKES, M. P. 738–743
BENNETT, J., RAMACHANDRA, V., WEBSTER, J. and CARLI, F. Prevention of hypothermia during hip surgery: effect of passive compared with active skin surface warming 180–183
VAN DEN BERG, A. A. Which routine antiemetic: ondansetron or prochlorperazine? (*C*) 280
BERRY, A. and BRIMACOMBE, J. Risk of aspiration with the laryngeal mask, (*C*) 565–566
BERRY, A. *see* BRIMACOMBE, J., (*C*) 862–863
BETHUNE, D. W. *see* MOORS, A. H. 782–785
BHANUMURTHY, S. *see* LOAN, P. B., (*ARS*) 715P

BINGHAM, R. *see* STODDART, P. A. 559–563
BION, J. *see* DOBB, G. J., (*R*) 433
BJERRING, P. *see* PETERSEN-FELIX, S. 326–330
BLANLŒIL, Y. *see* BOULAY, K. 475–478
BÖCKER, R. *see* WANDEL, C. 658–661
BODY, D. I. B. Civil and criminal actions against anaesthetists 83–92
BOEKE, A. J. Neostigmine and postoperative nausea, (*C*) 726
BOER, F., BOVILL, J. G., BURM, A. G. L. and HAK, A. Effect of ventilation on first-pass pulmonary retention of alfentanil and sufentanil in patients undergoing coronary artery surgery 458–463
BOEY, S. K. and CARRIE, L. E. S. Withdrawal forces during removal of lumbar extradural catheters 833–835
BÖHM, M. *see* SCHMIDT, U. 204–208
BÖHM, S. *see* SCHMIDT, U. 204–208
BÖHRER, H. *see* WANDEL, C. 658–661
BOLDT, J., SCHINDLER, E., OSMER, Ch., WITTSTOCK, M., STERTMANN, W. A. and HEMPELMANN, G. Influence of different anticoagulation regimens on platelet function during cardiac surgery 639–644
BOLINCHES, R. *see* DE ANDRÉS, J. 747–750
BONEBAKKER, A. E., BONKE, B. and JELICIC, M. Memory for auditory material presented during anaesthesia, (*C*) 122–123
BONKE, B. *see* BONEBAKKER, A. E., (*C*) 122–123
BOUDJEMA, K. *see* STEIB, A. 645–648
BOULAY, K., BLANLŒIL, Y., BOURVEAU, M., GEAY, G. and MALINOVSKY, J.-M. Effects of oral ranitidine, famotidine and omeprazole on gastric volume and pH at induction and recovery from general anaesthesia 475–478
BOURVEAU, M. *see* BOULAY, K. 475–478
BOUSSOFARA, M. *see* RAUCOULES-AIMÉ, M. 443–449
BOVILL, J. G. *see* BOER, F. 458–463; CHOPRA, V. 287–292; 293–297
BOYD, A. H., VAN MIERT, M. M., EASTWOOD, N. B., PARKER, C. J. R. and HUNTER, J. M. Pharmacodynamics of rocuronium in patients with hepatic cirrhosis, (*ARS*) 262P
BOYD, A. H. *see* PARKER, C. J. R., (*C*) 123–124
BOYLAN, J. F. *see* KAVANAGH, B. P. 184–189
BRADARIOLO, S. *see* PERILLI, V. 695–696
BRAIN, A. I. J. Risk of aspiration with the laryngeal mask, (*C*) 278–279; Risk of aspiration with the laryngeal mask, (***e***) (*C*) 729
BRAMPTON, W. J. *see* YOUNG, J. D. 499–502
BRAND, R. *see* CHOPRA, V. 293–297
BREIVIK, H. *see* PETERSEN-FELIX, S. 326–330
BRENNAN, D. The role of the expert at trial 98–100
BRENNAN, L. *see* STODDART, P. A. 559–563
BRIGHOUSE, D. *see* BURDEN, R. J. 838–839
BRIMACOMBE, J. Laparoscopy and the laryngeal mask airway, (*C*) 121
BRIMACOMBE, J. and BERRY, A. Cricoid pressure and the LMA: efficacy and interpretation, (*C*) 862–863
BRIMACOMBE, J. *see* BERRY, A., (*C*) 565–566
BROCK-UTNE, J. G. Postoperative delirium, (*C*) 565
BROCKWAY, M. *see* MANSFIELD, M., (*C*) 430
VAN DEN BROEK, L., WIERDA, J. M. K.H., SMEULERS, N. J. and PROOST, J. H. Pharmacodynamics and pharmacokinetics of an infusion of Org 9487, a new short-acting steroidal neuromuscular blocking agent 331–335
BROMLEY, L. M. *see* HODGSON, P. E., (*ARS*) 719P
BROWN, D. *see* HIGHLEY, D. A., (*ARS*) 713P
BROWNE, A. *see* WANDEL, C. 658–661
BRUNNER, M. D. *see* RENWICK, S. R., (*C*) 282
BRYAN, A. *see* POLLARD, B. J., (*ARS*) 716P
BRYDEN, F. M., MCFARLANE, H., TUNSTALL, M. E. and ROSS, J. A. S. Isoflurane for removal of chest drains after cardiac surgery, (*ARS*) 712–713P
BRYDON, C. *see* MCHALE, S. P., (*C*) 428
BRYDON, C. W. *see* MCHALE, S. P., (*C*) 122
BUGGY, D., HUGHES, N. and GARDINER, J. Posterior column sensory impairment during ambulatory extradural analgesia in labour 540–542
BUGGY, D. J., WALL, C. and CARTON, E. G. Preoperative or postoperative diclofenac for laparoscopic tubal ligation 767–770
BUNTING, H. E. *see* MCCONAGHY, P. 596–599
BUNTING, P. *see* STICKLE, B. R., (*ARS*) 709P
BURCHARDI, H. *see* DOBB, G. J., (*R*) 433
BURDEN, R. J., JANKE, E. L. and BRIGHOUSE, D. Hyperventilation-induced unconsciousness during labour 838–839
BURM, A. G. L. *see* BOER, F. 458–463
BUYCK, H. C. E. *see* ROBINSON, B. J. 167–173
BYRNE, A. J. Anaesthetic simulators, (*C*) 867

CAIRNS, D. T. *see* DRUMMOND, G. B., (*ARS*) 272P
CALDWELL, J. E. *see* MCLOUGHLIN, C. 194–198
CAMPBELL, D. J., SMART, D. and LAMBERT, D. G. Effects of halothane and nitrous oxide on carbachol stimulated inositol(1,4,5)trisphosphate formation in SH-SY5Y cells, (*ARS*) 274–275P
CAMPBELL, D. N. *see* LEWIS, I. H. 244–246
CAMPBELL, F. and COLLETT, B. J. Chronic pelvic pain, (*E*) 571–573
CAMPBELL, I. T. *see* BARRIE, J. R., (*ARS*) 275P; 453–457; VOHRA, S. B., (*ARS*) 723P
CAMPKIN, N. *see* SONI, N., (*C*) 277
CARDAN, E. An impression of British anaesthesia by a visiting Romanian doctor, (*C*) 278
CARLI, F. *see* BENNETT, J. 180–183
CARRIE, L. E. S. *see* BOEY, S. K. 833–835
CARSON, K. *see* HUGHES, D., (*ARS*) 274P
CARTON, E. G. *see* BUGGY, D. J. 767–770
CARTWRIGHT, D. P. *see* TIGHE, K. E., (*ARS*) 721P
CASEY, W. *see* CHAMBERS, F. A. 437–439
CASS, L. *see* CASS, N., (*R*) 283
CASS, N. and CASS, L. *Pharmacology for Anaesthetists*, (*R*) 283
CASTAGNETO, M. *see* PERILLI, V. 695–696
CHAKRABARTI, M. K. *see* KNOWLES, M. G. 517–521
CHALIAN, A. *see* ABOULEISH, E. 336–341
CHAMBERLAIN, D. *see* BASKETT, P., (*C*) 427
CHAMBERS, F. A., LEE, J., SMITH, J. and CASEY, W. Post-circumcision analgesia: comparison of topical analgesia with dorsal nerve block using the midline and lateral approaches 437–439
CHAMBERS, F. A., O'TOOLE, D. P., CORCORAN, M. O. and KEANE, P. W. Effects of preoperative methoxamine on blood loss and haemodynamic variables during transurethral prostatic resection under spinal anaesthesia 624–627
CHANG, C.-L. *see* TSAI, Y.-C. 667–672
CHARRON, B. *see* MEYER, P.-G. 795–800
CHARTERS, P. *see* HODGSON, C. A., (*ARS*) 265–266P
CHERRIE, J. *see* HIGHLEY, D. A., (*ARS*) 713P
CHOI, H. *see* SAKAMOTO, M. 384–387
CHOPRA, V., ENGBERS, F. H. M., GEERTS, M. J., FILET, W. R., BOVILL, J. G. and SPIERDIJK, J. The Leiden anaesthesia simulator 287–292
CHOPRA, V., GESINK, B. J., DE JONG, J., BOVILL, J. G., SPIERDIJK, J. and BRAND, R. Does training on an anaesthesia simulator lead to improvement in performance? 293–297
CHRISTENSEN, A. M., WILLEMOES-LARSEN, H., LUNDBY, L. and JAKOBSEN, K. B. Postoperative throat complaints after tracheal intubation 786–787
CLARK, V., MCGRADY, E., SUGDEN, C., DICKSON, J. and MCLEOD, G. Speed of onset of sensory block for elective extradural Caesarean section, (*C*) 866
CLARKE, R. S. J. *see* DEVLIN, E. G. 315–317; HILL, D. A., (*ARS*) 266–267P
CLUTTON-BROCK, T. H. *see* WILKES, M. P. 738–743
CLYBURN, P. and ROSEN, M. Accidental oesophageal intubation 55–63
COHEN, A. M. and MULVEIN, J. Obstetric anaesthetic management in a patient with the Fontan circulation 252–255
COLEMAN, D. *see* MCCONAGHY, P., (*C*) 866–867
COLLETT, B. J. *see* CAMPBELL, F., (*E*) 571–573
COLLIS, R. E. *see* HARDING, S. A. 545–547
CONNOLLY, F. *see* MCCOY, E. P., (*ARS*) 264P
CONNOLLY, F. M., LOAN, P. B., MCCOY, E. P. and MIRAKHUR, R. K. Antagonism of mivacurium block with edrophonium from various degrees of spontaneous recovery, (*ARS*) 723–724P
CONNOLLY, F. M. *see* LOAN, P. B., (*ARS*) 715P
CONROY, J. M. and DORMAN, B. H., (editors) *Anesthesia for Orthopedic Surgery*, (*R*) 870
COOPER, G. M. *see* MALINS, A. F., (*C*) 121
CORCORAN, M. O. *see* CHAMBERS, F. A. 624–627
CRABB, I. J. *see* NEWTON, D. E. F., (*ARS*) 720P
CRITCHLEY, L. A. H., STUART, J. C., SHORT, T. G. and GIN, T. Haemodynamic effects of subarachnoid block in elderly patients 464–470
CROCKARD, A. D. *see* MCBRIDE, W. T., (*ARS*) 717P
CROOKE, J. W. Risk of aspiration with the laryngeal mask, (*C*) 279
CROSS, M. R. *see* STODDART, P. A., (*ARS*) 276P
CROSSLEY, A. W. A. *see* TIGHE, K. E., (*ARS*) 721P
CROZIER, T. A. Interleukin-6 and wound healing, (*C*) 426
CURRAN, J. *see* DENNIS, A. 450–452
CUTTAREE, H. *see* MEYER, P.-G. 795–800

DABORN, A. K. *see* PHILLIPS, S. 529–536
DAMBACHER, M. *see* KEYL, C. 157–161; (***e***) 872

DARLING, J. R., MCBRIDE, D. R., TRINICK, T. R., MURRAY, J. M. and FEE, J. P. H. Comparison of the effects of sevoflurane with those of isoflurane on hepatic glutathione-S-transferase concentrations after body surface surgery, (*ARS*) 268P
DAVIES, J. M. and ROBSON, R. The view from North America and some comments on "Down Under" 105–117
DE ANDRÉS, J., BELLVER, J. and BOLINCHES, R. Comparison of continuous spinal anaesthesia using a 32-gauge catheter with anaesthesia using a single-dose 24-gauge atraumatic needle in young patients 747–750
DE CASTRO, J. L. Tracheal intubation without neuromuscular block, (*C*) 862
DELLINGER, R. P. *see* DOBB, G. J., (*R*) 433
DELPY, D. T. *see* OWEN-REECE, H., (*ARS*) 267P
DENDA, S. *see* FUJIOKA, H. 350–356
DENNIS, A., CURRAN, J., SHERRIFF, J. and KINNEAR, W. Effects of passive and active smoking on induction of anaesthesia 450–452
DERNOVOI, B. S. *see* BAURAIN, M. J. 791–794
DESGRAND, D. A. *see* MARSH, D. F., (*ARS*) 709–710P
DEVLIN, E. G., CLARKE, R. S. J., MIRAKHUR, R. K. and MCNEILL, T. A. Effect of four i.v. induction agents on T-lymphocyte proliferations to PHA *in vitro* 315–317
DEVLIN, J. C. *see* HEAD-RAPSON, A. G., (*ARS*) 262–263P; 613–618
D'HOLLANDER, A. A. *see* BAURAIN, M. J. 791–794
DICKSON, J. *see* CLARK, V., (*C*) 866
DIERDORF, S. F. *see* STOELTING, R. K., (*R*) 283
DINGWALL, R. and FENN, P. Is NHS Indemnity working and is there a better way? 69–77
DOB, D. Postoperative delirium, (*C*) 431
DOBB, G. J., BION, J., BURCHARDI, H. and DELLINGER, R. P., (editors) *Current Topics in Intensive Care 1*, (*R*) 433
DOBSON, P. M. S. *see* EDWARDS, N. D. 537–539
DOI, M. *see* IKEDA, T. 479–483
DOLENSKA, S. Suxamethonium-induced myalgia, (*C*) 118
DOLISI, C. *see* RAUCOULES-AIMÉ, M. 443–449
DONALDSON, M. D. J. *see* RICHARD, B. M., (*C*) 432
DONNELLY, M. B. *see* HUGHES, D., (*ARS*) 274P
DORMAN, B. H. *see* CONROY, J. M., (*R*) 870
DORSCH, J. A. and DORSCH, S. E. *Understanding Anesthesia Equipment: Construction, Care and Complications*, 3rd Edn, (*R*) 433
DORSCH, S. E. *see* DORSCH, J. A., (*R*) 433
DOYLE, A. R. and ROGERS, J. E. G. Plasma endotoxin-like activity during cardiopulmonary bypass, (*C*) 428–429
DRAPER, H. *see* SCOTT, W. E., (*R*) 728–729
DRUMMOND, G. B. and CAIRNS, D. T. Do propofol and etomidate interact kinetically during induction of anaesthesia? (*ARS*) 272P
DRUMMOND, G. B. *see* FOO, I. T. H., (*ARS*) 264–265P; MORTON, C. P. J. 135–139; RUTHERFORD, J. S. 579–582
DUTHIE, D. J. R. *see* MOORS, A. H. 782–785
DYAR, O. J. *see* YOUNG, J. D. 511–516

EASTWOOD, N. B. *see* BOYD, A. H., (*ARS*) 262P
ECKENHOFF, R. G. and FAGAN, D. Inhalation anaesthetic competition at high-affinity cocaine binding sites in rat brain synaptosomes 820–825
ECOFFEY, C. *see* JAMALI, S., (*C*) 282
EDMONDS JR, H. L. *see* YLI-HANKALA, A. 174–179
EDWARDS, M. D. *see* LEES, G., (*ARS*) 261P
EDWARDS, N. D., ALFORD, A. M., DOBSON, P. M. S., PEACOCK, J. E. and REILLY, C. S. Myocardial ischaemia during tracheal intubation and extubation 537–539
EGER, E. I. Muscle blood flow and neuromuscular block, (*C*) 726
EICHWEDE, F. *see* HOLTHUSEN, H. 440–442
ELAKARY, I. M. *see* SHALABLY, M. M., (*ARS*) 710P
ELDOR, J. Combined spinal–extradural analgesia in the delivery room, (*C*) 426
ELLIS, F. R. *see* SMITH, P. D., (*ARS*) 714P
EL-SANBARY, M. *see* NAGUIB, M. 484–489
ELTON, R. J. and HOWELL, R. S. C. The sitting position in neurosurgical anaesthesia: a survey of British practice in 1991 247–248
ELWELL, C. E. *see* OWEN-REECE, H., (*ARS*) 267P
EMMANUEL, E. R. Post-sacral extradural catheter abscess in a child 548–549
ENGBERS, F. H. M. *see* CHOPRA, V. 287–292
ENZAN, K. *see* MITSUHATA, H. 779–781
ERDMANN, E. *see* SCHMIDT, U. 204–208
ERSKINE, R. J., MURPHY, P. J. and LANGTON, J. A. Sensitivity of upper airway reflexes in cigarette smokers: effect of abstinence 298–302
ESSMAN, E. T. and FURLONG, M. W. *Going Under: Preparing Yourself for Anaesthesia*, (*R*) 126–127
EZRI, T., SZMUK, P. and SOROKER, D. Alfentanil and propofol for difficult intubation? (*C*) 279

FAGAN, D. *see* ECKENHOFF, R. G. 820–825
FEE, J. P. H. *see* DARLING, J. R., (*ARS*) 268P; GRACE, D. 628–633
FENN, P. *see* DINGWALL, R. 69–77
FERNANDO, R. A. G. *see* PATEL, M., (*C*) 865–866
FERREIRA, J. F. *see* FLEYFEL, M. 249–251
FIELDS, H. L. and LIEBESKIND, J. C., (editors) *Pharmacological Approaches to the Treatment of Chronic Pain: New Concepts and Critical Issues*, (*R*) 728
FILET, W. R. *see* CHOPRA, V. 287–292
FINCH, J. Professional liability: what the law actually is 3–9
FINFER, S. R. *see* YOUNG, J. D. 499–502
FISH, K. J. *see* GABA, D. M., (*R*) 568; RICE, S. A., (*R*) 868–869
FISHER, W. and SMITH, D. C. EEMG response in awake subjects, (*ARS*) 261–262P
FITZPATRICK, G. *see* HUGHES, D., (*ARS*) 274P
FLEMING, N. W. and LEWIS, B. K. Cholinesterase inhibitors do not prolong neuromuscular block produced by mivacurium 241–243
FLEYFEL, M., FERREIRA, J. F., GONZALEZ DE LINARES, H., MERLIER, O. and HARCHAOUI, A. Cardiac tamponade after intrapericardial diaphragmatic hernia 249–251
FOËX, P. *see* ALLMAN, K. G. 574–578; SEAR, J. W. 303–308
FOO, I. T. H., WARREN, P. M. and DRUMMOND, G. B. Domperidone, isoflurane and the ventilatory response to hypoxia, (*ARS*) 264–265P
FOSTER, P. ACTH treatment for post-lumbar puncture headache, (*C*) 429
FREDMAN, B. *see* NATHANSON, M. H., (*ARS*) 722P
FREY, A. *see* KEYL, C. 157–161; (*e*) 872
FREYS, G. *see* STEIB, A. 645–648
FROST, C. L. *see* LAMBERT, D. G., (*ARS*) 271P
FRUHSTORFER, H. and HEISLER, M. Dose–response relation of ornipressin with regard to vasoconstriction in human skin 220–224
FUJIOKA, H., SHIMOJI, K., TOMITA, M., DENDA, S., TAKADA, T., HOMMA, T., UCHIYAMA, S., TAKAHASHI, H., TOBITA, T. and BABA, H. Spinal cord potential recordings from the extradural space during scoliosis surgery 350–356
FUJIWARA, N. *see* AIDA, S. 388–394
FUKUDA, H. *see* MITSUHATA, H. 779–781
FURLONG, M. W. *see* ESSMAN, E. T., (*R*) 126–127

GABA, D. M., FISH, K. J. and HOWARD, S. K. *Crisis Management in Anesthesiology*, (*R*) 568
GABBOTT, D. *see* SASADA, M., (*C*) 428
GAJRAJ, N. M. *see* NATHANSON, M. H. 690–691; PACE, N. A. 688–689
GALLANT, B. *see* RASHIQ, S., (*ARS*) 270P
GALLETLY, D. C. *see* MCHUGH, G. J. 836–837; ROBINSON, B. J. 167–173
GARDINER, J. *see* BUGGY, D. 540–542
GASTAUD, P. *see* RAUCOULES-AIMÉ, M. 443–449
GAVAGHAN, D. *see* YOUNG, J. D. 511–516
GEAY, G. *see* BOULAY, K. 475–478
GEDDES, S. M., GRAY, W. M. and ASBURY, A. J. Skin conductance responses in patients sedated with midazolam or propofol 345–349
GEERTS, M. J. *see* CHOPRA, V. 287–292
GENGENWIN, N. *see* STEIB, A. 645–648
GERMON, T. J., KANE, N. M., MANARA, A. R. and NELSON, R. J. Near-infrared spectroscopy in adults: effects of extracranial ischaemia and intracranial hypoxia on estimation of cerebral oxygenation 503–506
GESINK, B. J. *see* CHOPRA, V. 293–297
GHALY, R. G. *see* YOUSSEF, M. E., (*ARS*) 276P
GHOSH, S., SNOW, D. J., MOORS, A. H., ODURO, A. and LATIMER, R. D. Inhaled nitric oxide after cardiac surgery, (*C*) 564–565
GIN, T. *see* CRITCHLEY, L. A. H. 464–470
GINSBURG, R. *see* LIPPMANN, M., (*C*) 281
GIRLING, K. J., MAHAJAN, R. P. and AITKENHEAD, A. R. Lung volume changes after partial paralysis with vecuronium *vs* tubocurarine priming in healthy patients, (*ARS*) 263–264P
GIRLING, K. J., OHAISEADHA, C. O. and REID, M. F. Overpressure isoflurane at Caesarean section: a study of isoflurane concentrations, (*C*) 277
GÖDICKE, J. *see* WULF, H. 364–370
GOLDSTONE, J. *see* OWEN-REECE, H., (*ARS*) 267P
GONZALEZ DE LINARES, H. *see* FLEYFEL, M. 249–251
GOOD, H. F. *see* BELLAMY, M. C., (*ARS*) 717–718P
GOODE, H. F., WALKER, B. E., HOWDLE, P. D. and WEBSTER, N. R. Nitric oxide synthase activity in peripheral blood neutrophils in sepsis, (*ARS*) 710–711P

GOODMAN, N. W. Ventilatory response to hypoxia, (*C*) 565
GOODMAN, N. W. and JOHNSON, C. *600 MCQ's in Anaesthesia: Basic Sciences*, 2nd Edn, (*R*) 126
GOSLING, A. J. *see* LOGAN, A. St C., (*ARS*) 718–719P
GOTHARD, J. W. W., (editor) *Anaesthesia for Thoracic Surgery*, 2nd Edn, (*R*) 728
GOUDSOUZIAN, N. G. and SAVARESE, J. J. Antagonizing residual neuromuscular block with neostigmine and atropine, (*C*) 725
GRACE, D., MILLIGAN, K. R., MORROW, B. J. and FEE, J. P. H. Co-administration of pethidine and clonidine: a spinal anaesthetic technique for total hip replacement 628–633
GRACE, M. *see* RASHIQ, S., (*ARS*) 270P
GRAVENSTEIN, N. *see* KIRBY, R. R., (*R*) 872
GRAY, W. M. *see* GEDDES, S. M. 345–349
GREEN, J. L. *see* SPENCER, E. M. 649–654
GREENSLADE, G. L. *see* TOOLEY, M. A., (*C*) 119
GRIMAUD, D. *see* RAUCOULES-AIMÉ, M. 443–449
GROSS, Y. *see* O'KEEFE, D. 843–846
GROVES, P. A. and ORIOL, N. E. The extradural sieve, (*C*) 430–431
GYI, A., O'CALLAGHAN, C. and LANGTON, J. A. Effect of halothane on cilia beat frequency of ciliated human respiratory epithelium *in vitro* 507–510
GYI, A. *see* SELWYN, D. A., (*ARS*) 269P

HAESELER, G. *see* LEUWER, M., (*ARS*) 716P
HAK, A. *see* BOER, F. 458–463
HALL, P. *see* WILKES, M. P. 738–743
HALL, P. A., BENNETT, A., WILKES, M. P. and LEWIS, M. Spinal anaesthesia for Caesarean section: comparison of infusions of phenylephrine and ephedrine 471–474
HALSALL, P. J. *see* SMITH, P. D., (*ARS*) 714P
HARCHAOUI, A. *see* FLEYFEL, M. 249–251
HARDING, S. A., COLLIS, R. E. and MORGAN, B. M. Meningitis after combined spinal–extradural anaesthesia in obstetrics 545–547
HASEGAWA, J. *see* MITSUHATA, H. 779–781
HATCH, D. J. *see* HODGSON, P. E., (*ARS*) 714–715P; PHILLIPS, S. 529–536; STODDART, P. A. 559–563
HEAD-RAPSON, A. G., DEVLIN, J. C., PARKER, C. J. R. and HUNTER, J. M. Clearance of the three isomers of mivacurium in hepatic cirrhosis, (*ARS*) 262–263P; Pharmacokinetics of the three isomers of mivacurium and pharmacodynamics of the chiral mixture in hepatic cirrhosis 613–618
HEALY, T. E. J. *see* BARRIE, J. R. 453–457
HEDLEY, R. M. and ALLT-GRAHAM, J. Heat and moisture exchangers and breathing filters 227–236
HEINE, M. F., TILLET, E. D., TSUEDA, K., LOYD, G. E., SCHROEDER, J. A., VOGEL, R. L. and YLI-HANKALA, A. Intra-articular morphine after arthroscopic knee operation 413–415
HEINE, M. F. *see* YLI-HANKALA, A. 174–179
HEISLER, M. *see* FRUHSTORFER, H. 220–224
HEMMING, A. E. *see* ALLMAN, K. G. 574–578
HEMPELMANN, G. *see* BOLDT, J. 639–644
HENDERSON, G. *see* HIGHLEY, D. A., (*ARS*) 713P
HENDLEY, B. and LAURENCE, A. S. Infusion or inhalation anaesthesia for day-case cystoscopy, (*ARS*) 711P
HENEGHAN, C. Consent to medical treatment: what should the patient be told? 25–28
HENNART, D. A. *see* BAURAIN, M. J. 791–794
HENNEBERG, S. W. Nitrous oxide and bowel function, (*C*) 125
HERZIG, S., RUHNKE, L. and WULF, H. Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 1. Cardiodepressant effects in isolated organs 357–363
HERZIG, S. *see* WULF, H. 364–370
HIGHLEY, D. A., BROWN, D., CHERRIE, J., HENDERSON, G., KIRKLAND, K. and ROSS, J. A. S. Assessment of biochemical and haematological tests as measures of occupational nitrous oxide exposure, (*ARS*) 713P
HIGUCHI, H., ARIMURA, S., SUMIKURA, H., SATOH, T. and KANNO, M. Urine concentrating ability after prolonged sevoflurane anaesthesia 239–240
HILL, D. A., MCAULEY, D. M. and CLARKE, R. S. J. Gastric emptying during extradural opioid–bupivacaine infusions in labour—comparison of alfentanil with diamorphine, (*ARS*) 266–267P
HINDLE, A. T. Recent developments in the physiology and pharmacology of 5-hydroxytryptamine 395–407
HINDLE, A. T. and HOPKINS, P. M. Does 5-HT affect the rat phrenic nerve diaphragm preparation? (*ARS*) 268–269P
HIRABAYASI, Y. *see* MITSUHATA, H. 779–781
HIRAKAWA, M. *see* AZIZ, L. 662–666
HIRSCH, N. P. *see* PATERSON, I. G. 494–498; RUSSELL, S. H., (*C*) 124
HOBBS, G. J. *see* LEESON-PAYNE, C. G. 788–790
HODGSON, C. A., JONES, A. S. and CHARTERS, P. Effect of mouth opening and neck posture on peak nasal inspiratory flow rate, (*ARS*) 265–266P
HODGSON, P. E., REHDER, K. and HATCH, D. J. *In-vitro* comparison of the pharmacodynamics of ketamine in neonatal and adult porcine airways, (*ARS*) 714–715P
HODGSON, P. E., WOODS, K. M. and BROMLEY, L. M. Administration of nebulized intranasal midazolam to healthy adult volunteers: a pilot study, (*ARS*) 719P
HOLLWAY, T. *see* PHILIPS, S., (*C*) 277–278
HOLTHUSEN, H., EICHWEDE, F., STEVENS, M., WILLNOW, U. and LIPFERT, P. Pre-emptive analgesia: comparison of preoperative with postoperative caudal block on postoperative pain in children 440–442
HOLZMANN, A. *see* SCHMIDT, H., (*ARS*) 273–274P
HOMMA, T. *see* FUJIOKA, H. 350–356
HONKAVAARA, P., SAARNIVAARA, L. and KLEMOLA, U.-M. Prevention of nausea and vomiting with transdermal hyoscine in adults after middle ear surgery during general anaesthesia 763–766
HOOD, J. R. *see* PATERSON, I. G. 494–498
HOPE, A. T. *see* SMITH, D. C. 342–344
HOPKINS, P. M. Effect of suxamethonium on intracellular calcium ion concentration of isolated rat skeletal muscle, (*ARS*) 717P
HOPKINS, P. M. *see* HINDLE, A. T., (*ARS*) 268–269P; SMITH, P. D., (*ARS*) 714P
HOWARD, S. K. *see* GABA, D. M., (*R*) 568
HOWDLE, P. D. *see* GOODE, H. F., (*ARS*) 710–711P
HOWELL, R. S. C. *see* ELTON, R. J. 247–248
HOWELL, S. J. *see* ALLMAN, K. G. 574–578
HUANG, K. C. *see* SIMPSON, P. M., (*C*) 124–125
HUGHES, C. G. The impact of European legislation 101–104
HUGHES, D., DONNELLY, M. B., CARSON, K., SHANAHAN, E. and FITZPATRICK, G. Minor morbidity after day-case anaesthesia: propofol–isoflurane *vs* propofol–enflurane, (*ARS*) 274P
HUGHES, D. G. *see* BARROW, P. M., (*C*) 567
HUGHES, N. *see* BUGGY, D. 540–542
HULL, C. J. The expert report 93–97
HULL, C. J. *see* SOROOSHIAN, S. S., (*ARS*) 275–276P
HUMPHRIES, C. and MCCONACHIE, I. Tracheal intubation without neuromuscular block in children, (*C*) 431–432
HUNTER, D. *see* LEITH, S. 552–558
HUNTER, J. M. *see* BOYD, A. H., (*ARS*) 262P; HEAD-RAPSON, A. G., (*ARS*) 262–263P; 613–618
HUTTON, P. and PRYS ROBERTS, C., (editors) *Monitoring in Anaesthesia and Intensive Care*, (*R*) 568
HWANG, N. C. Auto-PEEP, high frequency jet ventilation, (*C*) 430

IKEDA, K. *see* IKEDA, T. 479–483; KATOH, T. 322–325
IKEDA, T., DOI, M., MORITA, K. and IKEDA, K. Effects of midazolam and diazepam as premedication on heart rate variability in surgical patients 479–483
IMRIE, M. *see* LEE, J. J. 421–425
INABA, H., KOCHI, A. and YOROZU, S. Plasma endotoxin-like activity during cardiopulmonary bypass, (*C*) 429
IP-YAM, P. C. *see* THOMAS, S., (*ARS*) 269–270P
ITO, Y. *see* YAMAZAKI, M. 209–213

JACKSON, E., TAN, S., YARWOOD, G. and SURY, M. R. J. Increasing the length of the expiratory limb of the Ayre's T-piece: implications for remote mechanical ventilation in infants and young children 154–156
JACKSON, I. J. B. *see* LEITH, S. 552–558
JAFFE, R. A. and SAMUELS, S. I., (editors) *Anesthesiologists Manual of Surgical Procedures*, (*R*) 871–872
JAKOBSEN, K. B. *see* CHRISTENSEN, A. M. 786–787
JALKANEN, L. *see* MERETOJA, O. A. 605–607
JAMALI, S., ECOFFEY, C. and RAVUSSIN, P. Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, (*C*) 282
JANKE, E. L. *see* BURDEN, R. J. 838–839
JARREAU, M.-M. *see* MEYER, P.-G. 795–800
JELICIC, M. *see* BONEBAKKER, A. E., (*C*) 122–123
JENKINS, I. R. Inhaled nitric oxide after cardiac surgery, (*C*) 564
JEWKES, C. *see* SEAR, J. W. 303–308
JOHNSON, A. L. M. *see* SKELLY, A. M., (*ARS*) 272–273P
JOHNSON, C. *see* GOODMAN, N. W., (*R*) 126
JOHNSON, E. R. *see* PACE, N. A. 688–689
JOLLY, D. T. *see* RASHIQ, S., (*ARS*) 270P
JONES, A. S. *see* HODGSON, C. A., (*ARS*) 265–266P
JONES, J. G. Perception and memory during general anaesthesia 31–37

JONES, J. G. *see* BACON, P. J., (*ARS*) 721–722P; PICKWORTH, A. J., (*ARS*) 723P; SAPSFORD, D. J., (*C*) 119; TEW, D. N., (*ARS*) 267–268P; YOUNG, Y., (*ARS*) 271–272P
JONES, R. M. *see* LEES, G., (*ARS*) 261P; PLATT, M. W., (*ARS*) 263P; STODDART, P. A., (*ARS*) 276P
JONES, R. P. *see* PINNOCK, C. A., (*R*) 870
DE JONG, J. *see* CHOPRA, V. 293–297
JORDAN, C. *see* NEWTON, D. E. F., (*ARS*) 720P
JOUPPILA, P. *see* KARINEN, J. 751–757
JOUPPILA, R. *see* KARINEN, J. 751–757

KAHRAMAN, S. Suxamethonium-induced myalgia, (*C*) 118
KAMITANI, K. *see* YAMAZAKI, M. 209–213
KANE, N. M. *see* GERMON, T. J. 503–506
KANNO, M. *see* HIGUCHI, H. 239–240
KANO, T. *see* SAKAMOTO, M. 384–387
KARASAWA, S. *see* NOMOTO, Y. 318–321
KARINEN, J., RÄSÄNEN, J., PAAVILAINEN, T., ALAHUHTA, S., JOUPPILA, R. and JOUPPILA, P. Uteroplacental and fetal haemodynamics and cardiac function of the fetus and newborn after crystalloid and colloid preloading for extradural Caesarean section anaesthesia 751–757
KASHIMOTO, S., NAKAMURA, T., NONAKA, A., KUME, M., OGUCHI, T. and KUMAZAWA, T. Effects of artificial blood (FC-43 emulsion) on myocardial energy metabolism in the rat heart–lung preparation 380–383
KATOH, T., UCHIYAMA, T. and IKEDA, K. Effect of fentanyl on awakening concentration of sevoflurane 322–325
KATZ, J. *see* KAVANAGH, B. P. 184–189
KAUSHIK, S. *see* AGARWAL, A., (*C*) 277
KAVANAGH, B. P., KATZ, J., SANDLER, A. N., NIERENBERG, H., ROGER, S., BOYLAN, J. F. and LAWS, A. K. Multimodal analgesia before thoracic surgery does not reduce postoperative pain 184–189
KEANE, P. W. *see* CHAMBERS, F. A. 624–627
KEEGAN, M. A. *see* VOHRA, S. B., (*ARS*) 723P
KELLY, J. G. *see* O'KEEFE, D. 843–846
KENNEDY, N. *see* MCCONAGHY, P., (*C*) 866–867
KEY, A. *see* SELWYN, D. A., (*ARS*) 269P
KEYL, C., LEMBERGER, P., RÖDIG, G., DAMBACHER, M. and FREY, A. Hypoxaemia and myocardial ischaemia on the night before coronary bypass surgery 157–161; Hypoxaemia and myocardial ischaemia on the night before coronary bypass surgery, (*e*) 872
KIEN, N. D. *see* REITAN, J. A. 371–379
KIM, Y. D. *see* WHITE, J. L. 214–219
KINNEAR, W. *see* DENNIS, A. 450–452
KIRBY, R. R. and GRAVENSTEIN, N., (editors) *Clinical Anesthesia Practice*, (*R*) 872
KIRKLAND, K. *see* HIGHLEY, D. A., (*ARS*) 713P
KIRVELÄ, M., YLI-HANKALA, A. and LINDGREN, L. QT dispersion and autonomic function in diabetic and non-diabetic patients with renal failure 801–804
VAN KLARENBOSCH, J., MEYER, J. and DE LANGE, J. J. Tracheal rupture after tracheal intubation 550–551
KLEMOLA, U.-M. *see* HONKAVAARA, P. 763–766
KLEPPER, I. D. *see* SLADE, J. M. 634–638
KNIGHTON, J. D. *see* YOUNG, J. D. 499–502
KNIGHTS, D. *see* SINGH, P. 145–148
KNOWLES, M. G., WANG, C., CHAKRABARTI, M. K. and WHITWAM, J. G. Comparison of clonidine with fentanyl on phrenic nerve activity and their interaction in anaesthetized rabbits 517–521
KOCHI, A. *see* INABA, H., (*C*) 429
KOCHI, T. *see* NISHINO, T. 583–586
KONIECZKO, K. M. *see* NEWTON, D. E. F., (*ARS*) 720P
KRUPP, A. *see* LEUWER, M., (*ARS*) 716P
KUMAZAWA, T. *see* KASHIMOTO, S. 380–383
KUME, M. *see* KASHIMOTO, S. 380–383
KUSCHINSKY, W. *see* WASCHKE, K. F. 522–528

LACK, J. A., STUART-TAYLOR, M. and TECKLENBURG, A. An anaesthetic minimum dataset and report format 256–260
LAMBERT, D. G., ATCHESON, R., FROST, C. L. and ROWBOTHAM, D. J. Comparison of the effects of thiopentone and propofol on the uptake and release of [^{3}H]noradrenaline in SH-SY5Y human neuroblastoma cells, (*ARS*) 271P
LAMBERT, D. G. *see* ATCHESON, R., (*E*) 132–134; CAMPBELL, D. J., (*ARS*) 274–275P
DE LANGE, J. J. *see* VAN KLARENBOSCH, J. 550–551
LANGTON, J. A. *see* ERSKINE, R. J. 298–302; GYI, A. 507–510; SELWYN, D. A., (*ARS*) 269P
LARSSON, J. E. and WAHLSTRÖM, G. Optimum rate of administration of propofol for induction of anaesthesia in rats 692–694
LASZLO, G. *Pulmonary Function: A Guide for Clinicians*, (*R*) 868
LATIMER, R. D. *see* GHOSH, S., (*C*) 564–565
LAURENCE, A. S. *see* HENDLEY, B., (*ARS*) 711P; SMITH, S. O., (*ARS*) 711–712P; STICKLE, B. R., (*ARS*) 709P; TEALE, K. F. H., (*ARS*) 270P
LAWS, A. K. *see* KAVANAGH, B. P. 184–189
LECHEVALIER, T. *see* ABOULEISH, E. 336–341
LEE, J. *see* CHAMBERS, F. A. 437–439
LEE, J. J., IMRIE, M. and TAYLOR, V. Anaesthesia and tuberous sclerosis 421–425
LEE, K.-C. *see* TSAI, Y.-C. 667–672
LEE, T.-S. End-tidal partial pressure of carbon dioxide does not accurately reflect Pa_{CO_2} in rabbits treated with acetazolamide during anaesthesia 225–226
LEES, G., MUNDAY, I. T., EDWARDS, M. D. and JONES, R. M. *In vitro* potency and mode of action of Anq 9040, a novel fast acting neuromuscular blocking agent, (*ARS*) 261P
LEESON-PAYNE, C. G., NICOLL, J. M. V. and HOBBS, G. J. Use of ketorolac in the prevention of suxamethonium myalgia 788–790
LEITH, S., WHEATLEY, R. G., JACKSON, I. J. B., MADEJ, T. H. and HUNTER, D. Extradural infusion analgesia for postoperative pain relief 552–558
LEMBERGER, P. *see* KEYL, C. 157–161; (*e*) 872
LESLIE, K. *see* MCLOUGHLIN, C. 194–198
LETHEREN, M. A. *see* STICKLE, B. R., (*ARS*) 709P
LEUWER, M., MOTSCH, J., SCHLEDT, U., KRUPP, A., HAESELER, G., NITSCHMANN, P., AGOSTON, S. and PIEPENBROCK, S. Dose–response, time course of action and recovery of Org 9426 (rocuronium) in infants during halothane anaesthesia, (*ARS*) 716P
LEVY, D. M., WILLIAMS, O. A., MAGIDES, A. D. and REILLY, C. S. Gastric emptying is delayed at 8–12 weeks' gestation 237–238
LEVY, S. *see* STEIB, A. 645–648
LEWIS, B. K. *see* FLEMING, N. W. 241–243
LEWIS, I. H. Influence of droperidol on nausea and vomiting during patient-controlled analgesia, (*C*) 566–567
LEWIS, I. H., CAMPBELL, D. N. and BARROWCLIFFE, M. P. Effect of nabilone on nausea and vomiting after total abdominal hysterectomy 244–246
LEWIS, M. *see* HALL, P. A. 471–474; WILKES, M. P. 738–743
LIBAN, J. B. *see* MCHALE, S. P., (*C*) 122; (*C*) 428
LIEBESKIND, J. C. *see* FIELDS, H. L., (*R*) 728
LIN, S.-S. *see* TSAI, Y.-C. 667–672
LINDAHL, S. Ventilatory response to hypoxia, (*C*) 565
LINDGREN, L. *see* KIRVELÄ, M. 801–804; TÖRN, K. 411–412
LINDNER, K. *see* BASKETT, P., (*C*) 427
LIPFERT, P. *see* HOLTHUSEN, H. 440–442
LIPPMANN, M. Carcinoid syndrome and anaesthesia, (*C*) 282
LIPPMANN, M. and GINSBURG, R. Ketorolac for post-thoracotomy pain relief, (*C*) 281
LITTLEWOOD, D. G. *see* SANDERSON, P. 744–746
LOACH, A., (editor) *Orthopaedic Anaesthesia*, 2nd Edn, (*R*) 869–870
LOAN, P. B., BHANUMURTHY, S., MIRAKHUR, R. K., MCCOY, E. P., MCMURRAY, T. J. and CONNOLLY, F. M. Haemodynamic effect of mivacurium under high dose fentanyl anaesthesia: comparison with atracurium, (*ARS*) 715P
LOAN, P. B. *see* CONNOLLY, F. M., (*ARS*) 723–724P; MCCOY, E. P., (*ARS*) 264P
LOGAN, A. St C., ASHFORD, P. and GOSLING, A. J. Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion in children: prospective evaluation of two techniques, (*ARS*) 718–719P
LOGAN, M. Breathing systems: effect of fresh gas flow rate on enflurane consumption 775–778
LOGAN, M. *see* THORPE, C. M. 408–410
LOGAN, M. R. *see* RUTHERFORD, J. S. 579–582
LOYD, G. E. *see* HEINE, M. F. 413–415
LUDBROOK, J. *see* SECHER, N., (*R*) 729
LUGRIN, D. *see* RAUCOULES-AIMÉ, M. 443–449
LUNDBY, L. *see* CHRISTENSEN, A. M. 786–787
LUZ, C. M. *see* SCHMIDT, H., (*ARS*) 273–274P
LYONS, B. *see* TARPEY, J., (*C*) 564
LYONS, S. M. *see* MCBRIDE, W. T., (*ARS*) 717P
LYTLE, J. *see* STODDART, P. A., (*ARS*) 276P

MCAULEY, D. M. *see* HILL, D. A., (*ARS*) 266–267P
MCAULIFFE, G. L., SANDERS, D. J. and MILLS, P. J. Effect of humidification on inhalation induction with isoflurane in children 587–589
MCBRIDE, D. R. *see* DARLING, J. R., (*ARS*) 268P
MCBRIDE, W. T., ARMSTRONG, M. A., CROCKARD, A. D., MCMURRAY, T. J. and LYONS, S. M. Selective reduction in

leucocyte antigen expression after high-dose fentanyl administration at cardiac surgery, (*ARS*) 717P
McConachie, I. *see* Humphries, C., (*C*) 431–432
McConaghy, P. and Bunting, H. E. Assessment of intubating conditions in children after induction with propofol and varying doses of alfentanil 596–599
McConaghy, P., Kennedy, N. and Coleman, D. Perioperative management of diabetes mellitus, (*C*) 866–867
McCoy, E. P., Connolly, F., Loan, P. B. and Mirakhur, R. K. Influence of duration of stimulation on measurement of the onset of neuromuscular block, (*ARS*) 264P
McCoy, E. P. *see* Connolly, F. M., (*ARS*) 723–724P
McCoy, E. P. *see* Loan, P. B., (*ARS*) 715P; Maddineni, V. R. 608–612
McCrirrick, A. Overpressure isoflurane at Caesarean section: a study of isoflurane concentrations, (*C*) 277
McCrirrick, A. and Monk, C. M. Intra-tracheal adrenaline, (*C*) 427
Macdonald, A. G. A brief historical review of non-anaesthetic causes of fires and explosions in the operating room 847–856
Macdonald, R. Problems with regional anaesthesia: hazards or negligence? 64–68
McFarlane, H. *see* Bryden, F. M., (*ARS*) 712–713P
McGrady, E. *see* Clark, V., (*C*) 866
McGuinness, K. *see* Vohra, S. B., (*ARS*) 723P
McHale, S. P., Liban, J. B., Brydon, C. and Wood, M. L. B. Blind nasotracheal intubation and trauma victims, (*C*) 428
McHale, S. P., Liban, J. B., Brydon, C. W. and Wood, M. L. B. Nasotracheal intubating skills, (*C*) 122
McHugh, G. J., Robinson, B. J. and Galletly, D. C. Leg elevation compared with Trendelenburg position: effects on autonomic cardiac control 836–837
Mackenzie, J. W. Attenuation of emetic side effects of patient controlled analgesia, (*C*) 281; Attenuation of emetic side effects of patient-controlled analgesia, (*e*) 872
McKeown, D. *see* Sanderson, P. 744–746
McLellan, I. Mishap and negligence, (*C*) 726
McLeod, G. *see* Clark, V., (*C*) 866
McLoughlin, C., Leslie, K. and Caldwell, J. E. Influence of dose on suxamethonium-induced muscle damage 194–198
McMurray, T. J. *see* Loan, P. B., (*ARS*) 715P; McBride, W. T., (*ARS*) 717P
McNeill, T. A. *see* Devlin, E. G. 315–317
Maddineni, V. R., Mirakhur, R. K., McCoy, E. P. and Sharpe, T. D. E. Neuromuscular and haemodynamic effects of mivacurium in elderly and young adult patients 608–612
Madej, T. H. *see* Leith, S. 552–558
Maekawa, N. *see* Mikawa, K. 600–604
Magalini, S. C. *see* Perilli, V. 695–696
Magboul, M. A. *see* Naguib, M. 484–489
Magides, A. D. *see* Levy, D. M. 237–238
Mahajan, R. P. *see* Girling, K. J., (*ARS*) 263–264P; Singh, P. 145–148
Maheshwari, A. *see* Agarwal, A., (*C*) 277
Major, E. *see* Taylor, T. H., (*R*) 127
Malinovsky, J.-M. *see* Boulay, K. 475–478
Malins, A. F. and Cooper, G. M. Laparoscopy and the laryngeal mask airway, (*C*) 121
Manara, A. R. *see* Germon, T. J. 503–506
Mansfield, M. and Brockway, M. Auto-PEEP, high frequency jet ventilation, (*C*) 430
Mapleson, W. W. Nitrous oxide uptake and elimination, (*C*) 865
Marr, I. L. *see* Uyanik, A., (*ARS*) 712P
Marsh, D. F., Desgrand, D. A., Temple, M. and Pickering, R. M. Morphine metabolites after i.v. diamorphine and morphine in patients with renal failure, (*ARS*) 709–710P
Marsh, D. F. and Scott, R. C. Anaesthesia in myotonic dystrophy, (*C*) 124
Martin, E. *see* Schmidt, H., (*ARS*) 273–274P; Wandel, C. 658–661
Martlew, R. *see* Smith, S. O., (*ARS*) 711–712P
Masterson, G. R. *see* Ashcroft, G. S., (*C*) 426
Masuda, A. *see* Saitoh, Y. 416–417
Matsumoto, S. *see* Mitsuhata, H. 779–781
May, A. E. The Confidential Enquiry into Maternal Deaths 1988–1990, (*E*) 129–131
Meakin, G., Barrie, J. and Beatty, P. C. W. Fresh gas requirements during spontaneous ventilation, (*C*) 121–122
Meakin, G. *see* Barrie, J. R., (*ARS*) 275P; 453–457
Menon, D. *see* Tew, D. N., (*ARS*) 267–268P
Menon, D. K. *see* Bacon, P. J., (*ARS*) 721–722P; Young, Y., (*ARS*) 271–272P
Meretoja, O. A., Taivainen, T., Jalkanen, L. and Wirtavuori, K. Synergism between atracurium and vecuronium in infants and children during nitrous oxide–oxygen–alfentanil anaesthesia 605–607
Meretoja, O. A., Taivainen, T. and Wirtavuori, K. Pharmacodynamics of mivacurium in infants 490–493; Pharmacodynamics of mivacurium in infants, (*e*) 872
Meretoja, O. A. *see* Taivainen, T. 590–595
Merlier, O. *see* Fleyfel, M. 249–251
Merrett, K. L. *see* Platt, M. W., (*ARS*) 263P
Messahel, B. F. Total tracheal obliteration after intubation with a low-pressure cuffed tracheal tube 697–699
Mettler, D. *see* Sigurdsson, G. H. 826–832
Meyer, J. *see* van Klarenbosch, J. 550–551
Meyer, L. v. *see* Schmidt, U. 204–208
Meyer, P.-G., Cuttaree, H., Charron, B., Jarreau, M.-M., Perie, A.-C. and Sainte-Rose, C. Prevention of venous air embolism in paediatric neurosurgical procedures performed in the sitting position by combined use of MAST suit and PEEP 795–800
van Miert, M. M. *see* Boyd, A. H., (*ARS*) 262P
Mikawa, K., Nishina, K., Maekawa, N., Takao, Y. and Obara, H. Effects of oral nizatidine on preoperative gastric fluid pH and volume in children 600–604
Miller, J. D. *see* Souter, M. J., (*ARS*) 713–714P
Milligan, K. R. *see* Grace, D. 628–633
Mills, P. J. *see* McAuliffe, G. L. 587–589
Mirakhur, R. K. *see* Connolly, F. M., (*ARS*) 723–724P; Devlin, E. G. 315–317; Loan, P. B., (*ARS*) 715P; McCoy, E. P., (*ARS*) 264P; Maddineni, V. R. 608–612
Mitsuhata, H., Saitoh, J., Saitoh, K., Fukuda, H., Hirabayasi, Y., Shimizu, R., Hasegawa, J., Matsumoto, S. and Enzan, K. Methylmethacrylate bone cement does not release histamine in patients undergoing prosthetic replacement of the femoral head 779–781
Momose, Y. *see* Yamazaki, M. 209–213
Monk, C. M. *see* McCrirrick, A., (*C*) 427
Moore, D. C. Single-use "pencil point" needles that develop a "concorde nose" are not Whitacre needles, (*C*) 280
Moore, D. C., Mulroy, M. F. and Thompson, G. E. Peripheral nerve damage and regional anaesthesia, (*E*) 435–436
Moore, P. G. *see* Reitan, J. A. 371–379
Moors, A. H., Pickett, J. A., Woolman, P. S., Bethune, D. W. and Duthie, D. J. R. Convective warming after hypothermic cardiopulmonary bypass 782–785
Moors, A. H. *see* Ghosh, S., (*C*) 564–565
Morgan, B. M. *see* Harding, S. A. 545–547
Morita, K. *see* Aziz, L. 662–666; Ikeda, T. 479–483
Morrow, B. J. *see* Grace, D. 628–633
Morton, C. P. J. and Drummond, G. B. Change in chest wall dimensions on induction of anaesthesia: a reappraisal 135–139
Morton, N. S. *see* Steyn, M., (*C*) 862
Mostafa, S. M. *see* Ng, H. W. K., (*C*) 119–120
Motsch, J. *see* Leuwer, M., (*ARS*) 716P
Mottram, S. D. *see* Selwyn, D. A., (*ARS*) 269P
Muir, A. *see* Allman, K. G. 574–578
Müller-Ehmsen, J. *see* Schmidt, U. 204–208
Mulroy, M. F. *see* Moore, D. C., (*E*) 435–436
Mulvein, J. *see* Cohen, A. M. 252–255
Munday, I. T. *see* Lees, G., (*ARS*) 261P; Platt, M. W., (*ARS*) 263P; Stoddart, P. A., (*ARS*) 276P
Munglani, R. *see* Sapsford, D. J., (*C*) 119
Murphy, P. J. *see* Erskine, R. J. 298–302
Murphy, W. G. *see* Thorpe, C. M. 408–410
Murray, J. M. *see* Darling, J. R., (*ARS*) 268P
Murty, G. E. *see* Singh, P. 145–148
Mushambi, M. C. *see* Williamson, K., (*E*) 731–733
Myers, A. K. *see* White, J. L. 214–219
Myint, Y., Peacock, J. E. and Reilly, C. S. Induction of anaesthesia with eltanolone at different rates of infusion in elderly patients 771–774

Naguib, M., Abdulatif, M., Al-Ghamdi, A., Selim, M., Seraj, M., El-Sanbary, M. and Magboul, M. A. Interactions between mivacurium and atracurium 484–489
Nakamura, T. *see* Kashimoto, S. 380–383
Narshy, W. K. *see* Shalably, M. M., (*ARS*) 710P
Nathanson, M. H., Fredman, B., Smith, I. and White, P. F. Recovery profiles after outpatient anaesthesia: sevoflurane *vs* desflurane, (*ARS*) 722P
Nathanson, M. H., Gajraj, N. M. and Newson, C. D. Tracheal intubation in a manikin: comparison of supine and left lateral positions 690–691
Nelson, R. J. *see* Germon, T. J. 503–506
Newson, C. D. *see* Nathanson, M. H. 690–691
Newton, D. E. F., Thornton, C., Crabb, I. J., Konieczko, K. M. and Jordan, C. Remifentanil reduces auditory and somatosensory evoked responses during isoflurane anaesthesia in a dose-dependent manner, (*ARS*) 720P

NG, H. W. K., WALLEY, T. J. and MOSTAFA, S. M. Comparison of thermodilution, thoracic electrical bioimpedance and Doppler ultrasound cardiac output measurement, (*C*) 119–120
NÍ CHONCHUBHAIR, Á. *see* O'KEEFFE, S. T. 673–687
NICOLL, J. M. V. *see* LEESON-PAYNE, C. G. 788–790
NIERENBERG, H. *see* KAVANAGH, B. P. 184–189
NIMMO, W. S., ROWBOTHAM, D. J. and SMITH, G., (editors) *Anaesthesia*, 2nd Edn, (*R*) 870–871
NISHIKAWA, T. *see* TANAKA, M. 758–762
NISHINA, K. *see* MIKAWA, K. 600–604
NISHINO, T. and KOCHI, T. Effects of surgical stimulation on the apnoeic thresholds for carbon dioxide during anaesthesia with sevoflurane 583–586
NITSCHMANN, P. *see* LEUWER, M., (*ARS*) 716P
NOMOTO, Y., KARASAWA, S. and UEHARA, K. Effects of hydrocortisone and adrenaline on natural killer cell activity 318–321
NONAKA, A. *see* KASHIMOTO, S. 380–383
NORTON, A. C. *see* RAPHAEL, J. H., (*e*) 125

OATES, J. D. L. *see* PARKER, C. J. R., (*C*) 123–124
OBARA, H. *see* MIKAWA, K. 600–604
O'CALLAGHAN, C. *see* GYI, A. 507–510
ODURO, A. *see* GHOSH, S., (*C*) 564–565
O'FLAHERTY, D. *Capnography*, (*R*) 868
OGUCHI, T. *see* KASHIMOTO, S. 380–383
OHAISEADHA, C. O. *see* GIRLING, K. J., (*C*) 277
O'HERLIHY, C. *see* O'KEEFE, D. 843–846
OHSUMI, H. *see* SAKAMOTO, M. 384–387
OHTA, Y. *see* AZIZ, L. 662–666
O'KEEFE, D., O'HERLIHY, C., GROSS, Y. and KELLY, J. G. Patient-controlled analgesia using a miniature electrochemically driven infusion pump 843–846
O'KEEFFE, S. T. and NÍ CHONCHUBHAIR, Á. Postoperative delirium in the elderly 673–687
O'KELLY, S. W., SMITH, D. C. and PILKINGTON, S. N. Auditory evoked response and paediatric anaesthesia, (*ARS*) 719–720P
OLKKOLA, K. T. and TAMMISTO, T. Assessment of the interaction between atracurium and suxamethonium at 50% neuromuscular block using closed-loop feedback control of infusion of atracurium 199–203
ONO, K. *see* AZIZ, L. 662–666
OOI, R. *see* SONI, N., (*C*) 277
ORIOL, N. E. *see* GROVES, P. A., (*C*) 430–431
OSMER, Ch. *see* BOLDT, J. 639–644
O'TOOLE, D. P. *see* CHAMBERS, F. A. 624–627
OTTENI, J. C. *see* STEIB, A. 645–648
OWEN-REECE, H., ELWELL, C. E., SMITH, M., DELPY, D. T., WYATT, J. S. and GOLDSTONE, J. Use of near infra-red spectroscopy to estimate cerebral blood flow in conscious subjects and during general anaesthesia, (*ARS*) 267P

PAAVILAINEN, T. *see* KARINEN, J. 751–757
PACE, N. A., GAJRAJ, N. M., PENNANT, J. H., VICTORY, R. A., JOHNSON, E. R. and WHITE, P. F. Use of the laryngeal mask airway after oesophageal intubation 688–689
PARKER, C. J. R., OATES, J. D. L., BOYD, A. H. and THOMAS, J. D. Memory for auditory material presented during anaesthesia, (*C*) 123–124
PARKER, C. J. R. *see* BOYD, A. H., (*ARS*) 262P; HEAD-RAPSON, A. G., (*ARS*) 262–263P; 613–618
PARKIN, I. G. *see* SMITH, C., (*ARS*) 722–723P
PATEL, M. and FERNANDO, R. A. G. Speed of onset of sensory block for elective extradural Caesarean section, (*C*) 865–866
PATERSON, I. G., HOOD, J. R., RUSSELL, S. H., WESTON, M. D. and HIRSCH, N. P. Mivacurium in the myasthenic patient 494–498
PAWELCZYK, J. *see* SECHER, N., (*R*) 729
PAYNE, J. P. Awareness and its medicolegal implications 38–45
PEACOCK, J. E. *see* EDWARDS, N. D. 537–539; MYINT, Y. 771–774; VEALL, G. R. Q., (*ARS*) 272P
PELOSI, G. *see* PERILLI, V. 695–696
PENNANT, J. H. *see* PACE, N. A. 688–689
PERIE, A.-C. *see* MEYER, P.-G. 795–800
PERILLI, V., AVOLIO, A. W., SOLLAZZI, L., AGNES, S., BRADARIOLO, S., MAGALINI, S. C., PELOSI, G. and CASTAGNETO, M. Pulmonary gas exchange during orthotopic liver transplantation 695–696
PETERSEN-FELIX, S., ARENDT-NIELSEN, L., BAK, P., BJERRING, P., BREIVIK, H., SVENSSON, P. and ZBINDEN, A. M. Ondansetron does not inhibit the analgesic effect of alfentanil 326–330
PHILIPS, S. and HOLLWAY, T. Adrenaline-induced hypotension in neurosurgery, (*C*) 277–278
PHILLIPS, S., DABORN, A. K. and HATCH, D. J. Preoperative fasting for paediatric anaesthesia 529–536
PICKARD, J. D. *see* YOUNG, Y., (*ARS*) 271–272P
PICKERING, R. M. *see* MARSH, D. F., (*ARS*) 709–710P
PICKETT, J. A. *see* MOORS, A. H. 782–785
PICKWORTH, A. J., JONES, J. G. and SAPSFORD, D. J. Characteristics of the steady-state auditory evoked potential in awake subjects, (*ARS*) 723P
PICKWORTH, A. J. *see* BACON, P. J., (*ARS*) 721–722P
PIEPENBROCK, S. *see* LEUWER, M., (*ARS*) 716P
PIERSON, R. N. *see* TEW, D. N., (*ARS*) 267–268P
PILKINGTON, S. N. *see* O'KELLY, S. W., (*ARS*) 719–720P
PINNOCK, C. A. and JONES, R. P. *MCQ Tutor in Anaesthesia: Part I. FRCA*, (*R*) 870
PIPER, I. R. *see* SOUTER, M. J., (*ARS*) 713–714P
PLATT, M. W., MUNDAY, I. T., MERRETT, K. L., WESTON, M. D. and JONES, R. M. Mivacurium in young adult and elderly patients, (*ARS*) 263P
POLLARD, B. J., BRYAN, A. and WILLARD, T. Varying stimulus train patterns during neuromuscular block with atracurium and vecuronium, (*ARS*) 716P
POTTER, F. *see* SUTCLIFFE, N. P., (*ARS*) 265P
POWER, I. Ketorolac for post-thoracotomy pain relief, (*C*) 281
POWER, I. *see* ASAI, T., (*C*) 863–865
POWERS, M. J. Record-keeping in anaesthesia: what the law requires 22–24; The coroner's inquest 78–82
PROOST, J. H. *see* VAN DEN BROEK, L. 331–335
PRYS ROBERTS, C. *see* HUTTON, P., (*R*) 568

RÄIHÄ, L. *see* TAIVAINEN, T. 590–595
RAMACHANDRA, V. *see* BENNETT, J. 180–183
RAMADAN, M. I. *see* SHALABLY, M. M., (*ARS*) 710P
RAPHAEL, J. H. and NORTON, A. C. Antiemetics in laparoscopic surgery, (*e*) 125
RÄSÄNEN, J. *see* KARINEN, J. 751–757
RASHID, A. *see* THOMAS, S., (*ARS*) 269–270P
RASHIQ, S., GALLANT, B., GRACE, M. and JOLLY, D. T. Recovery characteristics after induction with thiopentone and propofol, (*ARS*) 270P
RAUCOULES-AIMÉ, M., LUGRIN, D., BOUSSOFARA, M., GASTAUD, P., DOLISI, C. and GRIMAUD, D. Intraoperative glycaemic control in non-insulin-dependent and insulin-dependent diabetes 443–449
RAVUSSIN, P. *see* JAMALI, S., (*C*) 282
READ, J. *see* SANDERSON, P. 744–746
READ, M. S. *see* SLADE, J. M. 634–638
REDFERN, N. *see* BARROW, P. M., (*C*) 567
REHDER, K. *see* HODGSON, P. E., (*ARS*) 714–715P
REICHART, B. *see* SCHMIDT, U. 204–208
REID, J. *see* TAN, S. 619–623
REID, M. F. *see* GIRLING, K. J., (*C*) 277
REILLY, C. S. *see* EDWARDS, N. D. 537–539; LEVY, D. M. 237–238; MYINT, Y. 771–774
REITAN, J. A., KIEN, N. D., MOORE, P. G. and WHITE, D. A. Regional myocardial function during contiguous ischaemia in an anaesthetized canine model: comparison of six methods of measurement 371–379
RENWICK, S. R. and BRUNNER, M. D. Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, (*C*) 282
RICE, S. A. and FISH, K. J., (editors) *Anesthetic Toxicity*, (*R*) 868–869
RICHARD, B. M. and DONALDSON, M. D. J. Ketamine and muscle spasm, (*C*) 432
RICHES, P. G. *see* YENTIS, S. M. 805–811
RICHMOND, C. E. Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy 190–193
RILEY, B. Nasotracheal intubating skills, (*C*) 122
ROBINSON, B. J., BUYCK, H. C. E. and GALLETLY, D. C. Effect of propofol on heart rate, arterial pressure and digital plethysmograph variability 167–173
ROBINSON, B. J. *see* MCHUGH, G. J. 836–837
ROBSON, R. *see* DAVIES, J. M. 105–117
RÖDIG, G. *see* KEYL, C. 157–161; (*e*) 872
ROGER, S. *see* KAVANAGH, B. P. 184–189
ROGERS, J. E. G. *see* DOYLE, A. R., (*C*) 428–429
ROSEN, M. *see* CLYBURN, P. 55–63; SLADE, J. M. 634–638
ROSENBERG, P. H. *see* TAIVAINEN, T. 590–595
ROSS, J. A. S. *see* BRYDEN, F. M., (*ARS*) 712–713P; HIGHLEY, D. A., (*ARS*) 713P; UYANIK, A., (*ARS*) 712P
ROWBOTHAM, D. J. *see* LAMBERT, D. G., (*ARS*) 271P; NIMMO, W. S., (*R*) 870–871
ROYAL COLLEGE OF PHYSICIANS OF EDINBURGH Consensus statement on red cell transfusion 857–859
ROYSTON, B. D. *see* WHITE, D. C., (*ARS*) 720–721P
ROYSTON, D. Aprotinin therapy, (*E*) 734–737
RÜGHEIMER, E. *see* WANDEL, C. 658–661
RUHNKE, L. *see* HERZIG, S. 357–363

RUSSELL, S. H. and HIRSCH, N. P. Anaesthesia in myotonic dystrophy, (*C*) 124
RUSSELL, S. H. *see* PATERSON, I. G. 494–498
RUTHERFORD, J. S., LOGAN, M. R. and DRUMMOND, G. B. Changes in end-expiratory lung volume on induction of anaesthesia with thiopentone or propofol 579–582

SAARNIVAARA, L. *see* HONKAVAARA, P. 763–766
SAINTE-ROSE, C. *see* MEYER, P.-G. 795–800
SAITOH, J. *see* MITSUHATA, H. 779–781
SAITOH, K. *see* MITSUHATA, H. 779–781
SAITOH, Y., MASUDA, A., TOYOOKA, H. and AMAHA, K. Effect of tetanic stimulation on subsequent train-of-four responses at various levels of vecuronium-induced neuromuscular block 416–417
SAJJAD, T. Comparison of the effects of doxapram or carbon dioxide on ventilatory frequency and tidal volume during induction of anaesthesia with propofol, (*ARS*) 266P
SAKAMOTO, M., YASUMOTO, M., OHSUMI, H., CHOI, H., SHIBATA, Y. and KANO, T. Effects of midazolam and flumazenil on carotid sinus baroreflex control of circulation in rabbits 384–387
SAMUELS, S. I. *see* JAFFE, R. A., (*R*) 871–872
SANDERS, D. J. *see* MCAULIFFE, G. L. 587–589
SANDERSON, P., READ, J., LITTLEWOOD, D. G., MCKEOWN, D. and WILDSMITH, J. A. W. Interaction between baricity (glucose concentration) and other factors influencing intrathecal drug spread 744–746
SANDLER, A. N. *see* KAVANAGH, B. P. 184–189
SAPSFORD, D. J., JONES, J. G. and MUNGLANI, R. A measure of consciousness and memory during isoflurane administration: the coherent frequency, (*C*) 119
SAPSFORD, D. J. *see* PICKWORTH, A. J., (*ARS*) 723P
SARTAIN, J. *see* BELL, J. 162–166
SASADA, M. and GABBOTT, D. Blind nasotracheal intubation and trauma victims, (*C*) 428
SATOH, T. *see* HIGUCHI, H. 239–240
SAVARESE, J. J. *see* GOUDSOUZIAN, N. G., (*C*) 725
SAVVA, D. Prediction of difficult tracheal intubation 149–153
SCHINDLER, E. *see* BOLDT, J. 639–644
SCHLEDT, U. *see* LEUWER, M., (*ARS*) 716P
SCHMIDT, H., LUZ, C. M., HOLZMANN, A. and MARTIN, E. Effects of i.v. propofol on the microcirculation, (*ARS*) 273–274P
SCHMIDT, U., SCHWINGER, R. H. G., MÜLLER-EHMSEN, J., BÖHM, S., MEYER, L. v., ÜBERFUHR, P., REICHART, B., ERDMANN, E. and BÖHM, M. Influence of halothane on the effect of cAMP-dependent and cAMP-independent positive inotropic agents in human myocardium 204–208
SCHOU, J. *A Philosophical Approach to Anaesthesia*, (*R*) 727–728
SCHROEDER, J. A. *see* HEINE, M. F. 413–415
SCHWINGER, R. H. G. *see* SCHMIDT, U. 204–208
SCOTT, R. C. *see* MARSH, D. F., (*C*) 124
SCOTT, W. E., VICKERS, M. D. and DRAPER, H., (editors) *Ethical Issues in Anaesthesia*, (*R*) 728–729
SEAR, J. W., JEWKES, C., TELLEZ, J.-C. and FOËX, P. Does the choice of antihypertensive therapy influence haemodynamic responses to induction, laryngoscopy and intubation? 303–308
SEAR, J. W. *see* ALLMAN, K. G. 574–578
SECHER, N., PAWELCZYK, J. and LUDBROOK, J., (editors) *Blood Loss and Shock*, (*R*) 729
SECKER WALKER, J., (editor) *Quality and Safety in Anaesthesia*, (*R*) 871
SEDDON, S. J. Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, (*C*) 120
SELIM, M. *see* NAGUIB, M. 484–489
SELWYN, D. A., GYI, A., KEY, A., MOTTRAM, S. D. and LANGTON, J. A. Perfusion system for the *in vitro* measurement of human cilia beat frequency, (*ARS*) 269P
SERAJ, M. *see* NAGUIB, M. 484–489
SHAH, J. L. Positive lumbar extradural space pressure 309–314
SHALABLY, M. M., BASHA, H. M., RAMADAN, M. I., NARSHY, W. K. and ELAKARY, I. M. I.m. pethidine, extradural bupivacaine or fentanyl and postoperative pain relief, lung function and stress response, (*ARS*) 710P
SHANAHAN, E. *see* HUGHES, D., (*ARS*) 274P
SHANNON, P. F. Neuromuscular block and tourniquets, (*C*) 726
SHARPE, T. D. E. *see* MADDINENI, V. R. 608–612
SHERRIFF, J. *see* DENNIS, A. 450–452
SHERRY, K. M. *see* BELL, J. 162–166
SHIBATA, Y. *see* SAKAMOTO, M. 384–387
SHIMIZU, R. *see* MITSUHATA, H. 779–781
SHIMOJI, K. *see* AIDA, S. 388–394; FUJIOKA, H. 350–356
SHORT, T. G. *see* CRITCHLEY, L. A. H. 464–470
SIGURDSSON, G. H., BANIC, A., WHEATLEY, A. M. and METTLER, D. Effects of halothane and isoflurane anaesthesia on microcirculatory blood flow in musculocutaneous flaps 826–832
SIMPSON, P. M. and HUANG, K. C. Nitrous oxide and bowel function, (*C*) 124–125
SINGH, P., MURTY, G. E., MAHAJAN, R. P., KNIGHTS, D. and AITKENHEAD, A. R. The tussometer: accuracy and reproducibility 145–148
SKELLY, A. M., JOHNSON, A. L. M. and WHITWAM, J. G. Effect of Haemaccel in the pump prime on ionized plasma calcium concentrations during cardiopulmonary bypass, (*ARS*) 272–273P
SLADE, J. M., READ, M. S., KLEPPER, I. D. and ROSEN, M. Extradural sufentanil by patient-controlled analgesia or nurse-administered compared with optimal morphine in a high dependency unit: effects on oxygenation and pain relief after abdominal surgery 634–638
SMART, D. *see* CAMPBELL, D. J., (*ARS*) 274–275P
SMEULERS, N. J. *see* VAN DEN BROEK, L. 331–335
SMITH, C. and PARKIN, I. G. Facia iliaca compartment: an anatomical study, (*ARS*) 722–723P
SMITH, C. *see* SUTCLIFFE, N. P., (*ARS*) 265P
SMITH, D. C. and HOPE, A. T. Influence of serum concentrations of catecholamine and i.v. or volatile anaesthesia on evoked electromyography in the hand 342–344
SMITH, D. C. *see* FISHER, W., (*ARS*) 261–262P; O'KELLY, S. W., (*ARS*) 719–720P
SMITH, G. *see* NIMMO, W. S., (*R*) 870–871
SMITH, I. Neostigmine and postoperative nausea, (*C*) 725
SMITH, I. *see* NATHANSON, M. H., (*ARS*) 722P
SMITH, J. *see* CHAMBERS, F. A. 437–439
SMITH, M. *see* OWEN-REECE, H., (*ARS*) 267P
SMITH, P. D., HOPKINS, P. M., ELLIS, F. R. and HALSALL, P. J. Response of skinned muscle fibres from humans susceptible to malignant hyperthermia to low concentrations of calcium, (*ARS*) 714P
SMITH, S. O., MARTLEW, R. and LAURENCE, A. S. Morning or afternoon operation for day cases? Postoperative morbidity by domiciliary assessment, (*ARS*) 711–712P
SNOW, D. J. *see* GHOSH, S., (*C*) 564–565
SNOWDON, S. *see* SUTCLIFFE, N. P., (*ARS*) 265P
SOLLAZZI, L. *see* PERILLI, V. 695–696
SONI, N., OOI, R. and CAMPKIN, N. Oxygen uptake during rebreathing in a Mapleson A system, (*C*) 277
SONI, N. *see* YENTIS, S. M. 805–811
SOROKER, D. *see* EZRI, T., (*C*) 279
SOROOSHIAN, S. S., STAFFORD, M. A. and HULL, C. J. Pharmacodynamics of 51W89 in young and elderly patients, (*ARS*) 275–276P
SOUTER, M. J., ANDREWS, P. J. D., PIPER, I. R. and MILLER, J. D. Effects of alfentanil on cerebral blood flow and intracranial pressure in the rat, (*ARS*) 713–714P
SPENCER, E. M., GREEN, J. L. and WILLATTS, S. M. Continuous monitoring of depth of sedation by EEG spectral analysis in patients requiring mechanical ventilation 649–654
SPIERDIJK, J. *see* CHOPRA, V. 287–292; 293–297
STACEY, R. Combined spinal–extradural analgesia in the delivery room, (*C*) 426–427
STAFFORD, M. A. *see* SOROOSHIAN, S. S., (*ARS*) 275–276P
STAKES, A. F. *see* VALENTINE, J. 543–544
STANLEY, T. E. and ASHBURN, M. A., (editors) *Anesthesiology and Pain Management, vol. 29*, (*R*) 869
STEIB, A., GENGENWIN, N., FREYS, G., BOUDJEMA, K., LEVY, S. and OTTENI, J. C. Predictive factors of hyperfibrinolytic activity during liver transplantation in cirrhotic patients 645–648
STENQVIST, O. *see* BENGTSSON, J. 140–144
STERTMANN, W. A. *see* BOLDT, J. 639–644
STEVENS, M. *see* HOLTHUSEN, H. 440–442
STEYN, M. Tracheal intubation without neuromuscular block in children, (*C*) 432
STEYN, M. and MORTON, N. S. Tracheal intubation without neuromuscular block, (*C*) 862
STICKLE, B. *see* TEALE, K. F. H., (*ARS*) 270P
STICKLE, B. R., LETHEREN, M. A., BUNTING, P. and LAURENCE, A. S. Use of ethanol-tagged glycine irrigation with intermittent expired breath analysis to assess glycine absorption during trans-cervical resection of endometrium, (*ARS*) 709P
STODDART, P. A., BRENNAN, L., HATCH, D. J. and BINGHAM, R. Postal survey of paediatric practice and training among consultant anaesthetists in the UK 559–563
STODDART, P. A., MUNDAY, I. T., JONES, R. M., LYTLE, J. and CROSS, M. R. Serum fluoride concentration and renal concentrating ability after 6 MAC h of anaesthesia with sevoflurane or enflurane, (*ARS*) 276P
STOELTING, R. K. and DIERDORF, S. F. *Handbook for Anesthesia and Co-existing Disease*, (*R*) 283

STRICKLAND JR, T. *see* YLI-HANKALA, A. 174–179
STRUNIN, L. Mishap or negligence? (*E*) 1–2
STUART, J. C. *see* CRITCHLEY, L. A. H. 464–470
STUART-TAYLOR, M. *see* LACK, J. A. 256–260
SUGDEN, C. *see* CLARK, V., (*C*) 866
SUGIOKA, K. *Anesthetic Complications*, (*R*) 283
SUMIKURA, H. *see* HIGUCHI, H. 239–240
SURY, M. R. J. *see* JACKSON, E. 154–156
SUTCLIFFE, N. P., POTTER, F., SMITH, C. and SNOWDON, S. Ventilatory effects of propofol at varying blood concentrations, (*ARS*) 265P
SVENSSON, P. *see* PETERSEN-FELIX, S. 326–330
SZMUK, P. *see* EZRI, T., (*C*) 279

TACKLEY, R. M. *see* BANKS, I. C. 703–708
TAIVAINEN, T., TIAINEN, P., MERETOJA, O. A., RÄIHÄ, L. and ROSENBERG, P. H. Comparison of the effects of sevoflurane and halothane on the quality of anaesthesia and serum glutathione transferase alpha and fluoride in paediatric patients 590–595
TAIVAINEN, T. *see* MERETOJA, O. A. 490–493; 605–607; (*e*) 872
TAKADA, T. *see* FUJIOKA, H. 350–356
TAKAHASHI, H. and TERRAR, D. A. Effects of etomidate on whole-cell and single L-type calcium channel currents in guineapig isolated ventricular myocytes 812–819
TAKAHASHI, H. *see* FUJIOKA, H. 350–356
TAKAO, Y. *see* MIKAWA, K. 600–604
TAMMISTO, T. *see* OLKKOLA, K. T. 199–203
TAN, S., REID, J. and THORBURN, J. Extradural analgesia in labour: complications of three techniques of administration 619–623
TAN, S. *see* JACKSON, E. 154–156
TANAKA, M. and NISHIKAWA, T. Oral clonidine premedication attenuates the hypertensive response to ketamine 758–762
TARKKILA, P. *see* TÖRN, K. 411–412
TARPEY, J. and LYONS, B. Inhaled nitric oxide after cardiac surgery, (*C*) 564
TAYLOR, T. H. and MAJOR, E., (editors) *Hazards and Complications of Anaesthesia*, 2nd Edn, (*R*) 127
TAYLOR, V. *see* LEE, J. J. 421–425
TEALE, K. F. H., STICKLE, B. and LAURENCE, A. S. Gynaecological laparoscopy—day-case or overnight stay? (*ARS*) 270P
TECKLENBURG, A. *see* LACK, J. A. 256–260
TEHAN, B. The extradural sieve, (*C*) 431
TELLEZ, J.-C. *see* SEAR, J. W. 303–308
TEMPLE, M. *see* MARSH, D. F., (*ARS*) 709–710P
TERRAR, D. A. *see* TAKAHASHI, H. 812–819
TEW, D. N., BACON, P. J., PIERSON, R. N., MENON, D. and JONES, J. G. Ascorbate as an endogenous spin trap to detect free radicals during ischaemia and reperfusion of isolated working hearts, (*ARS*) 267–268P
THICK, M. *see* BAYLY, P. J. M. 840–842
THOMAS, J. D. *see* PARKER, C. J. R., (*C*) 123–124
THOMAS, S., IP-YAM, P. C., RASHID, A. and BEHL, S. Effect of temperature strategy during cardiopulmonary bypass on cerebral oxygen balance, (*ARS*) 269–270P
THOMPSON, G. E. *see* MOORE, D. C., (*E*) 435–436
THORBURN, J. *see* TAN, S. 619–623
THORNTON, C. *see* NEWTON, D. E. F., (*ARS*) 720P
THORPE, C. M., MURPHY, W. G. and LOGAN, M. Use of aprotinin in knee replacement surgery 408–410
TIAINEN, P. *see* TAIVAINEN, T. 590–595
TIGHE, K. E., CARTWRIGHT, D. P. and CROSSLEY, A. W. A. Phase of the menstrual cycle influences the incidence of post-anaesthetic shivering, (*ARS*) 721P
TILLET, E. D. *see* HEINE, M. F. 413–415
TISAVIPAT, N. *see* YOUNG, Y., (*ARS*) 271–272P
TOBITA, T. *see* FUJIOKA, H. 350–356
TOMITA, M. *see* FUJIOKA, H. 350–356
TOOLEY, M. A. and GREENSLADE, G. L. A measure of consciousness and memory during isoflurane administration: the coherent frequency, (*C*) 119
TÖRN, K., TUOMINEN, M., TARKKILA, P. and LINDGREN, L. Effects of sub-hypnotic doses of propofol on the side effects of intrathecal morphine 411–412
TOYOOKA, H. *see* SAITOH, Y. 416–417
TRINICK, T. R. *see* DARLING, J. R., (*ARS*) 268P
TSAI, Y.-C., LIN, S.-S., LEE, K.-C. and CHANG, C.-L. Cerebral effects of nitrous oxide during isoflurane-induced hypotension in the pig 667–672
TSUEDA, K. *see* HEINE, M. F. 413–415; YLI-HANKALA, A. 174–179
TUNSTALL, M. E. *see* BRYDEN, F. M., (*ARS*) 712–713P; UYANIK, A., (*ARS*) 712P
TUOMINEN, M. *see* TÖRN, K. 411–412
ÜBERFUHR, P. *see* SCHMIDT, U. 204–208
UCHIYAMA, S. *see* FUJIOKA; H. 350–356
UCHIYAMA, T. *see* KATOH, T. 322–325
UEHARA, K. *see* NOMOTO, Y. 318–321
UYANIK, A., MARR, I. L., ROSS, J. A. S. and TUNSTALL, M. E. Preparation and high-pressure behaviour of pre-mixed volatile liquid anaesthetics in Entonox, (*ARS*) 712P

VALENTINE, J., STAKES, A. F. and BELLAMY, M. C. Reflux during positive pressure ventilation through the laryngeal mask 543–544
VAUGHAN, R. S. *see* ASAI, T., (*C*) 863–865
VEALL, G. R. Q. and PEACOCK, J. E. Influence of circulation time on the onset of i.v. anaesthesia, (*ARS*) 272P
VICKERS, M. D. *see* SCOTT, W. E., (*R*) 728–729
VICTORY, R. A. *see* PACE, N. A. 688–689
VOGEL, R. L. *see* HEINE, M. F. 413–415
VOHRA, S. B., KEEGAN, M. A., MCGUINNESS, K. and CAMPBELL, I. T. Accuracy of the Deltatrac metabolic monitor in varying circumstances, (*ARS*) 723P

WAHLSTRÖM, G. *see* LARSSON, J. E. 692–694
WALKER, B. E. *see* GOODE, H. F., (*ARS*) 710–711P
WALL, C. *see* BUGGY, D. J. 767–770
WALLEY, T. J. *see* NG, H. W. K., (*C*) 119–120
WANDEL, C., BÖCKER, R., BÖHRER, H., BROWNE, A., RÜGHEIMER, E. and MARTIN, E. Midazolam is metabolized by at least three different cytochrome P450 enzymes 658–661
WANG, C. *see* KNOWLES, M. G. 517–521
WARREN, P. M. *see* FOO, I. T. H., (*ARS*) 264–265P
WASCHKE, K. F., ALBRECHT, D. M., VAN ACKERN, K. and KUSCHINSKY, W. Autoradiographic determination of regional cerebral blood flow and metabolism in conscious rats after fluid resuscitation from haemorrhage with a haemoglobin-based oxygen carrier 522–528
WEBSTER, J. *see* BENNETT, J. 180–183
WEBSTER, N. R. *see* BELLAMY, M. C., (*ARS*) 717–718P; GOODE, H. F., (*ARS*) 710–711P
WESTON, M. D. *see* PATERSON, I. G. 494–498; PLATT, M. W., (*ARS*) 263P
WHEATLEY, A. M. *see* SIGURDSSON, G. H. 826–832
WHEATLEY, R. G. *see* LEITH, S. 552–558
WHITE, D. A. *see* REITAN, J. A. 371–379
WHITE, D. C. and ROYSTON, B. D. Oxygen dilution in "trunk" ventilation of circle systems (part 2), (*ARS*) 720–721P
WHITE, J. L., MYERS, A. K., ANALOUEI, A. and KIM, Y. D. Functional recovery of stunned myocardium is greater with halothane than fentanyl anaesthesia in dogs 214–219
WHITE, P. F. *see* NATHANSON, M. H., (*ARS*) 722P; PACE, N. A. 688–689
WHITWAM, J. G., (editor) *Day-case Anaesthesia and Sedation*, (*R*) 126
WHITWAM, J. G. *see* KNOWLES, M. G. 517–521; SKELLY, A. M., (*ARS*) 272–273P
WIERDA, J. M. K.H. *see* VAN DEN BROEK, L. 331–335
WILDSMITH, J. A. W. and ARMITAGE, E. N., (editors) *The Principles and Practice of Regional Anaesthesia*, 2nd Edn, (*R*) 126
WILDSMITH, J. A. W. *see* SANDERSON, P. 744–746
WILKES, M. P., BENNETT, A., HALL, P., LEWIS, M. and CLUTTON-BROCK, T. H. Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres in patients undergoing spinal anaesthesia for lower segment Caesarean section 738–743
WILKES, M. P. *see* HALL, P. A. 471–474
WILKINSON, G. A. L. *see* BELL, J. 162–166
WILLARD, T. *see* POLLARD, B. J., (*ARS*) 716P
WILLATTS, S. M. *see* SPENCER, E. M. 649–654
WILLEMOES-LARSEN, H. *see* CHRISTENSEN, A. M. 786–787
WILLIAMS, O. A. *see* LEVY, D. M. 237–238
WILLIAMS, P. I. Neostigmine and postoperative nausea, (*C*) 725–726
WILLIAMSON, K. and MUSHAMBI, M. C. Ovarian hyperstimulation syndrome, (*E*) 731–733
WILLNOW, U. *see* HOLTHUSEN, H. 440–442
WIRTAVUORI, K. *see* MERETOJA, O. A. 490–493; 605–607; (*e*) 872
WITTSTOCK, M. *see* BOLDT, J. 639–644
WOOD, M. L. B. *see* MCHALE, S. P., (*C*) 122; (*C*) 428
WOODS, K. M. *see* HODGSON, P. E., (*ARS*) 719P
WOOLMAN, P. S. *see* MOORS, A. H. 782–785
WORTHLEY, L. I. G., (editor) *A Synopsis of Intensive Care Medicine*, (*R*) 727
WULF, H., GÖDICKE, J. and HERZIG, S. Functional interaction between local anaesthetics and calcium antagonists in

guineapig myocardium: 2. Electrophysiological studies with bupivacaine and nifedipine 364–370
WULF, H. *see* HERZIG, S. 357–363
WYATT, J. S. *see* OWEN-REECE, H., (*ARS*) 267P

XIONG, L. *see* YOUNG, J. D. 511–516

YAMAZAKI, M., KAMITANI, K., ITO, Y. and MOMOSE, Y. Effects of halothane and diltiazem on L-type calcium currents in single smooth muscle cells from rabbit portal veins 209–213
YARWOOD, G. *see* JACKSON, E. 154–156
YASUMOTO, M. *see* SAKAMOTO, M. 384–387
YENTIS, S. M., SONI, N. and RICHES, P. G. *In vitro* effects of HA-1A (Centoxin) on cytokine production in whole blood from intensive care unit patients 805–811
YLI-HANKALA, A., EDMONDS JR, H. L., HEINE, M. F., STRICKLAND JR, T. and TSUEDA, K. Auditory steady-state response, upper facial EMG, EEG and heart rate as predictors of movement during isoflurane–nitrous oxide anaesthesia 174–179
YLI-HANKALA, A. *see* HEINE, M. F. 413–415; KIRVELÄ, M. 801–804
YOROZU, S. *see* INABA, H., (*C*) 429
YOUNG, J. D. A universal nitric oxide delivery system 700–702
YOUNG, J. D., BRAMPTON, W. J., KNIGHTON, J. D. and FINFER, S. R. Inhaled nitric oxide in acute respiratory failure in adults 499–502
YOUNG, J. D., DYAR, O. J., XIONG, L., ZHANG, J. and GAVAGHAN, D. Effect of methylene blue on the vasodilator action of inhaled nitric oxide in hypoxic sheep 511–516
YOUNG, Y., TISAVIPAT, N., PICKARD, J. D., JONES, J. G. and MENON, D. K. Neuroprotection in experimental temporary focal cerebral ischaemia: propofol *vs* isoflurane, (*ARS*) 271–272P
YOUSSEF, M. E. and GHALY, R. G. Modification to facilitate suction with the laryngeal mask airway *in situ*, (*ARS*) 276P
YURINO, M. Assessment of preformed, coiled-tipped, micro spinal catheter 655–657

ZBINDEN, A. M. *see* PETERSEN-FELIX, S. 326–330
ZHANG, J. *see* YOUNG, J. D. 511–516
ZHU, J. *see* ABOULEISH, E. 336–341

SUBJECT INDEX

A Philosophical Approach to Anaesthesia, SCHOU, J., (*R*) 727–728

A Synopsis of Intensive Care Medicine, WORTHLEY, L. I. G., (editor), (*R*) 727

Age factors, Effects of midazolam and diazepam as premedication on heart rate variability in surgical patients, IKEDA, T., *et al.* 479–483

——, Mivacurium in young adult and elderly patients, PLATT, M. W., *et al.*, (*ARS*) 263P

——, Neuromuscular and haemodynamic effects of mivacurium in elderly and young adult patients, MADDINENI, V. R., *et al.* 608–612

——, Pharmacodynamics of 51W89 in young and elderly patients, SOROOSHIAN, S. S., *et al.*, (*ARS*) 275–276P

Airway, *In-vitro* comparison of the pharmacodynamics of ketamine in neonatal and adult porcine airways, HODGSON, P. E., *et al.*, (*ARS*) 714–715P

Airway, complications, Tracheal rupture after tracheal intubation, VAN KLARENBOSCH, J., *et al.* 550–551

Airway, patency, Effect of mouth opening and neck posture on peak nasal inspiratory flow rate, HODGSON, C. A., *et al.*, (*ARS*) 265–266P

Airway, reflexes, Sensitivity of upper airway reflexes in cigarette smokers: effect of abstinence, ERSKINE, R. J., *et al.* 298–302

Anaesthesia, 2nd Edn, NIMMO, W. S., *et al.*, (editors), (*R*) 870–871

Anaesthesia, audit, A standard set of terms for critical incident recording? BANKS, I. C., *et al.* 703–708

——, An anaesthetic minimum dataset and report format, LACK, J. A., *et al.* 256–260

——, Postal survey of paediatric practice and training among consultant anaesthetists in the UK, STODDART, P. A., *et al.* 559–563

——, Record-keeping in anaesthesia: what the law requires, POWERS, M. J. 22–24

——, The Confidential Enquiry into Maternal Deaths 1988–1990, MAY, A. E., (*E*) 129–131

Anaesthesia, day-case, Gynaecological laparoscopy—day-case or overnight stay? TEALE, K. F. H., *et al.*, (*ARS*) 270P

——, Minor morbidity after day-case anaesthesia: propofol–isoflurane *vs* propofol–enflurane, HUGHES, D., *et al.*, (*ARS*) 274P

——, Recovery profiles after outpatient anaesthesia: sevoflurane *vs* desflurane, NATHANSON, M. H., *et al.*, (*ARS*) 722P

Anaesthesia, depth, A measure of consciousness and memory during isoflurane administration: the coherent frequency, SAPSFORD, D. J., *et al.*, (*C*) 119

——, A measure of consciousness and memory during isoflurane administration: the coherent frequency, TOOLEY, M. A., *et al.*, (*C*) 119

——, Awareness and its medicolegal implications, PAYNE, J. P. 38–45

——, Continuous monitoring of depth of sedation by EEG spectral analysis in patients requiring mechanical ventilation, SPENCER, E. M., *et al.* 649–654

——, Perception and memory during general anaesthesia, JONES, J. G. 31–37

——, The pattern of litigation against anaesthetists, AITKENHEAD, A. R. 10–21

Anaesthesia for Thoracic Surgery, 2nd Edn, GOTHARD, J. W. W., (editor), (*R*) 728

Anaesthesia, general, Functional recovery of stunned myocardium is greater with halothane than fentanyl anaesthesia in dogs, WHITE, J. L., *et al.* 214–219

Anaesthesia, geriatric, Postoperative delirium in the elderly, O'KEEFFE, S. T., *et al.* 673–687

Anaesthesia, medicolegal, Consent to medical treatment: what should the patient be told? HENEGHAN, C. 25–28

——, Record-keeping in anaesthesia: what the law requires, POWERS, M. J. 22–24

Anaesthesia, neurosurgical, Adrenaline-induced hypotension in neurosurgery, AGARWAL, A., *et al.*, (*C*) 277

——, Adrenaline-induced hypotension in neurosurgery, PHILIPS, S., *et al.*, (*C*) 277–278

——, Prevention of venous air embolism in paediatric neurosurgical procedures performed in the sitting position by combined use of MAST suit and PEEP, MEYER, P.-G., *et al.* 795–800

——, The sitting position in neurosurgical anaesthesia: a survey of British practice in 1991, ELTON, R. J., *et al.* 247–248

Anaesthesia, obstetric, Combined spinal–extradural analgesia in the delivery room, ELDOR, J., (*C*) 426

——, Combined spinal–extradural analgesia in the delivery room, STACEY, R., (*C*) 426–427

——, Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres in patients undergoing spinal anaesthesia for lower segment Caesarean section, WILKES, M. P., *et al.* 738–743

——, Extradural analgesia in labour: complications of three techniques of administration, TAN, S., *et al.* 619–623

——, Meningitis after combined spinal–extradural anaesthesia in obstetrics, HARDING, S. A., *et al.* 545–547

——, Obstetric anaesthetic management in a patient with the Fontan circulation, COHEN, A. M., *et al.* 252–255

——, Overpressure isoflurane at Caesarean section: a study of isoflurane concentrations, GIRLING, K. J., *et al.*, (*C*) 277

——, Overpressure isoflurane at Caesarean section: a study of isoflurane concentrations, MCCRIRRICK, A., (*C*) 277

——, Posterior column sensory impairment during ambulatory extradural analgesia in labour, BUGGY, D., *et al.* 540–542

——, Problems with regional anaesthesia: hazards or negligence? MACDONALD, R. 64–68

——, Rocuronium (Org 9426) for Caesarean section, ABOULEISH, E., *et al.* 336–341

——, Speed of onset of sensory block for elective extradural Caesarean section, CLARK, V., *et al.*, (*C*) 866

——, Speed of onset of sensory block for elective extradural Caesarean section, PATEL, M., *et al.*, (*C*) 865–866

——, Spinal anaesthesia for Caesarean section: comparison of infusions of phenylephrine and ephedrine, HALL, P. A., *et al.* 471–474

——, Uteroplacental and fetal haemodynamics and cardiac function of the fetus and newborn after crystalloid and colloid preloading for extradural Caesarean section anaesthesia, KARINEN, J., *et al.* 751–757

Anaesthesia, paediatric, Assessment of intubating conditions in children after induction with propofol and varying doses of alfentanil, MCCONAGHY, P., *et al.* 596–599

——, Auditory evoked response and paediatric anaesthesia, O'KELLY, S. W., *et al.*, (*ARS*) 719–720P

——, Comparison of the effects of sevoflurane and halothane on the quality of anaesthesia and serum glutathione transferase alpha and fluoride in paediatric patients, TAIVAINEN, T., *et al.* 590–595

——, Effect of humidification on inhalation induction with isoflurane in children, MCAULIFFE, G. L., *et al.* 587–589

——, Effects of oral nizatidine on preoperative gastric fluid pH and volume in children, MIKAWA, K., *et al.* 600–604

——, Efficiency of the Carden "Ventmasta" in A and D modes during controlled ventilation in children, BARRIE, J. R., *et al.* 453–457

——, Increasing the length of the expiratory limb of the Ayre's T-piece: implications for remote mechanical ventilation in infants and young children, JACKSON, E., *et al.* 154–156

——, Pharmacodynamics of mivacurium in infants, MERETOJA, O. A., *et al.* 490–493

——, Pharmacodynamics of mivacurium in infants, MERETOJA, O. A., *et al.*, (*e*) 872

——, Postal survey of paediatric practice and training among consultant anaesthetists in the UK, STODDART, P. A., *et al.* 559–563

——, Post-sacral extradural catheter abscess in a child, EMMANUEL, E. R. 548–549

——, Preoperative fasting for paediatric anaesthesia, PHILLIPS, S., *et al.* 529–536

——, Synergism between atracurium and vecuronium in infants and children during nitrous oxide–oxygen–alfentanil anaesthesia, MERETOJA, O. A., *et al.* 605–607

Anaesthesia, perception, Perception and memory during general anaesthesia, JONES, J. G. 31–37
Anaesthetic techniques, extradural, Combined spinal–extradural analgesia in the delivery room, ELDOR, J., (*C*) 426
——, Combined spinal–extradural analgesia in the delivery room, STACEY, R., (*C*) 426–427
——, Extradural analgesia in labour: complications of three techniques of administration, TAN, S., *et al.* 619–623
——, Extradural sufentanil by patient-controlled analgesia or nurse-administered compared with optimal morphine in a high dependency unit: effects on oxygenation and pain relief after abdominal surgery, SLADE, J. M., *et al.* 634–638
——, Gastric emptying during extradural opioid–bupivacaine infusions in labour—comparison of alfentanil with diamorphine, HILL, D. A., *et al.*, (*ARS*) 266–267P
——, Positive lumbar extradural space pressure, SHAH, J. L. 309–314
——, Post-sacral extradural catheter abscess in a child, EMMANUEL, E. R. 548–549
——, Speed of onset of sensory block for elective extradural Caesarean section, CLARK, V., *et al.*, (*C*) 866
——, Speed of onset of sensory block for elective extradural Caesarean section, PATEL, M., *et al.*, (*C*) 865–866
——, The extradural sieve, GROVES, P. A., *et al.*, (*C*) 430–431
——, The extradural sieve, TEHAN, B., (*C*) 431
——, Uteroplacental and fetal haemodynamics and cardiac function of the fetus and newborn after crystalloid and colloid preloading for extradural Caesarean section anaesthesia, KARINEN, J., *et al.* 751–757
Anaesthetic techniques, hypotensive, Cerebral effects of nitrous oxide during isoflurane-induced hypotension in the pig, TSAI, Y.-C., *et al.* 667–672
Anaesthetic techniques, induction, Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion in children: prospective evaluation of two techniques, LOGAN, A. ST C., *et al.*, (*ARS*) 718–719P
——, Assessment of intubating conditions in children after induction with propofol and varying doses of alfentanil, MCCONAGHY, P., *et al.* 596–599
——, Effect of humidification on inhalation induction with isoflurane in children, MCAULIFFE, G. L., *et al.* 587–589
——, Effects of passive and active smoking on induction of anaesthesia, DENNIS, A., *et al.* 450–452
Anaesthetic techniques, inhalation, Effect of humidification on inhalation induction with isoflurane in children, MCAULIFFE, G. L., *et al.* 587–589
Anaesthetic techniques, i.v., Change in chest wall dimensions on induction of anaesthesia: a reappraisal, MORTON, C. P. J., *et al.* 135–139
——, Optimum rate of administration of propofol for induction of anaesthesia in rats, LARSSON, J. E., *et al.* 692–694
——, Propofol and fentanyl anaesthesia for patients with low cardiac output state undergoing cardiac surgery: comparison with high-dose fentanyl anaesthesia, BELL, J., *et al.* 162–166
Anaesthetic techniques, i.v. bolus, Effect of four i.v. induction agents on T-lymphocyte proliferations to PHA *in vitro*, DEVLIN, E. G., *et al.* 315–317
Anaesthetic techniques, i.v. infusion, Induction of anaesthesia with eltanolone at different rates of infusion in elderly patients, MYINT, Y., *et al.* 771–774
Anaesthetic techniques, regional, Combined spinal–extradural analgesia in the delivery room, ELDOR, J., (*C*) 426
——, Combined spinal–extradural analgesia in the delivery room, STACEY, R., (*C*) 426–427
——, Peripheral nerve damage and regional anaesthesia, MOORE, D. C., *et al.*, (*E*) 435–436
——, Problems with regional anaesthesia: hazards or negligence? MACDONALD, R. 64–68
Anaesthetic techniques, regional, intra-articular, Intra-articular morphine after arthroscopic knee operation, HEINE, M. F., *et al.* 413–415
Anaesthetic techniques, regional, lumbar plexus, Facia iliaca compartment: an anatomical study, SMITH, C., *et al.*, (*ARS*) 722–723P
Anaesthetic techniques, regional, retrobulbar, Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, BARKER, J. P., (*C*) 120–121
——, Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, SEDDON, S. J., (*C*) 120
Anaesthetic techniques, subarachnoid, Assessment of preformed, coiled-tipped, micro spinal catheter, YURINO, M. 655–657
——, Co-administration of pethidine and clonidine: a spinal anaesthetic technique for total hip replacement, GRACE, D., *et al.* 628–633
——, Combined spinal–extradural analgesia in the delivery room, ELDOR, J., (*C*) 426
——, Combined spinal–extradural analgesia in the delivery room, STACEY, R., (*C*) 426–427
——, Comparison of continuous spinal anaesthesia using a 32-gauge catheter with anaesthesia using a single-dose 24-gauge atraumatic needle in young patients, DE ANDRÉS, J., *et al.* 747–750
——, Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres in patients undergoing spinal anaesthesia for lower segment Caesarean section, WILKES, M. P., *et al.* 738–743
——, Effects of preoperative methoxamine on blood loss and haemodynamic variables during transurethral prostatic resection under spinal anaesthesia, CHAMBERS, F. A., *et al.* 624–627
——, Haemodynamic effects of subarachnoid block in elderly patients, CRITCHLEY, L. A. H., *et al.* 464–470
——, Hypertonic saline prehydration before spinal anaesthesia, AGARWAL, A., (*C*) 429
——, Hypertonic saline prehydration before spinal anaesthesia, BARAKA, A., (*C*) 429–430
——, Interaction between baricity (glucose concentration) and other factors influencing intrathecal drug spread, SANDERSON, P., *et al.* 744–746
——, Single-use "pencil point" needles that develop a "concorde nose" are not Whitacre needles, MOORE, D. C., (*C*) 280
——, Spinal anaesthesia for Caesarean section: comparison of infusions of phenylephrine and ephedrine, HALL, P. A., *et al.* 471–474
Anaesthetics gases, Oxygen dilution in "trunk" ventilation of circle systems (part 2), WHITE, D. C., *et al.*, (*ARS*) 720–721P
Anaesthetics gases, nitrous oxide, Assessment of biochemical and haematological tests as measures of occupational nitrous oxide exposure, HIGHLEY, D. A., *et al.*, (*ARS*) 713P
——, Cerebral effects of nitrous oxide during isoflurane-induced hypotension in the pig, TSAI, Y.-C., *et al.* 667–672
——, Effects of halothane and nitrous oxide on carbachol stimulated inositol(1,4,5)trisphosphate formation in SH-SY5Y cells, CAMPBELL, D. J., *et al.*, (*ARS*) 274–275P
——, Isoflurane for removal of chest drains after cardiac surgery, BRYDEN, F. M., *et al.*, (*ARS*) 712–713P
——, Nitric oxide synthase activity in peripheral blood neutrophils in sepsis, GOODE, H. F., *et al.*, (*ARS*) 710–711P
——, Nitrous oxide and bowel function, HENNEBERG, S. W., (*C*) 125
——, Nitrous oxide and bowel function, SIMPSON, P. M., *et al.*, (*C*) 124–125
——, Nitrous oxide uptake and elimination, MAPLESON, W. W., (*C*) 865
——, Preparation and high-pressure behaviour of pre-mixed volatile liquid anaesthetics in Entonox, UYANIK, A., *et al.*, (*ARS*) 712P
Anaesthetics gases, trace concentrations, Assessment of biochemical and haematological tests as measures of occupational nitrous oxide exposure, HIGHLEY, D. A., *et al.*, (*ARS*) 713P
Anaesthetics i.v., Influence of circulation time on the onset of i.v. anaesthesia, VEALL, G. R. Q., *et al.*, (*ARS*) 272P
——, Influence of serum concentrations of catecholamine and i.v. or volatile anaesthesia on evoked electromyography in the hand, SMITH, D. C., *et al.* 342–344
Anaesthetics i.v., etomidate, Do propofol and etomidate interact kinetically during induction of anaesthesia? DRUMMOND, G. B., *et al.*, (*ARS*) 272P
——, Effects of etomidate on whole-cell and single L-type calcium channel currents in guineapig isolated ventricular myocytes, TAKAHASHI, H., *et al.* 812–819
Anaesthetics i.v., ketamine, Differential regional effects of ketamine on spontaneous and glutamate-induced activities of single CNS neurones in rats, AIDA, S., *et al.* 388–394
——, Ketamine and muscle spasm, RICHARD, B. M., *et al.*, (*C*) 432
——, Oral clonidine premedication attenuates the hypertensive response to ketamine, TANAKA, M., *et al.* 758–762
Anaesthetics i.v., methohexitone, Change in chest wall dimensions on induction of anaesthesia: a reappraisal, MORTON, C. P. J., *et al.* 135–139
Anaesthetics i.v., pregnanolone, Induction of anaesthesia with eltanolone at different rates of infusion in elderly patients, MYINT, Y., *et al.* 771–774
Anaesthetics i.v., propofol, Alfentanil and propofol for difficult intubation? EZRI, T., *et al.*, (*C*) 279

——, Assessment of intubating conditions in children after induction with propofol and varying doses of alfentanil, McConaghy, P., *et al.* 596–599
——, Changes in end-expiratory lung volume on induction of anaesthesia with thiopentone or propofol, Rutherford, J. S., *et al.* 579–582
——, Comparison of the effects of doxapram or carbon dioxide on ventilatory frequency and tidal volume during induction of anaesthesia with propofol, Sajjad, T., (*ARS*) 266P
——, Comparison of the effects of thiopentone and propofol on the uptake and release of [^{3}H]noradrenaline in SH-SY5Y human neuroblastoma cells, Lambert, D. G., *et al.*, (*ARS*) 271P
——, Do propofol and etomidate interact kinetically during induction of anaesthesia? Drummond, G. B., *et al.*, (*ARS*) 272P
——, Effect of propofol on heart rate, arterial pressure and digital plethysmograph variability, Robinson, B. J., *et al.* 167–173
——, Effects of i.v. propofol on the microcirculation, Schmidt, H., *et al.*, (*ARS*) 273–274P
——, Effects of sub-hypnotic doses of propofol on the side effects of intrathecal morphine, Törn, K., *et al.* 411–412
——, Minor morbidity after day-case anaesthesia: propofol–isoflurane *vs* propofol–enflurane, Hughes, D., *et al.*, (*ARS*) 274P
——, Neuroprotection in experimental temporary focal cerebral ischaemia: propofol *vs* isoflurane, Young, Y., *et al.*, (*ARS*) 271–272P
——, Optimum rate of administration of propofol for induction of anaesthesia in rats, Larsson, J. E., *et al.* 692–694
——, Propofol and fentanyl anaesthesia for patients with low cardiac output state undergoing cardiac surgery: comparison with high-dose fentanyl anaesthesia, Bell, J., *et al.* 162–166
——, Recovery characteristics after induction with thiopentone and propofol, Rashiq, S., *et al.*, (*ARS*) 270P
——, Skin conductance responses in patients sedated with midazolam or propofol, Geddes, S. M., *et al.* 345–349
——, Ventilatory effects of propofol at varying blood concentrations, Sutcliffe, N. P., *et al.*, (*ARS*) 265P
Anaesthetics i.v., thiopentone, Awareness and its medicolegal implications, Payne, J. P. 38–45
——, Changes in end-expiratory lung volume on induction of anaesthesia with thiopentone or propofol, Rutherford, J. S., *et al.* 579–582
——, Comparison of the effects of thiopentone and propofol on the uptake and release of [^{3}H]noradrenaline in SH-SY5Y human neuroblastoma cells, Lambert, D. G., *et al.*, (*ARS*) 271P
——, Perception and memory during general anaesthesia, Jones, J. G. 31–37
——, Recovery characteristics after induction with thiopentone and propofol, Rashiq, S., *et al.*, (*ARS*) 270P
Anaesthetics local, Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, Richmond, C. E. 190–193
Anaesthetics local, bupivacaine, Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 1. Cardiodepressant effects in isolated organs, Herzig, S., *et al.* 357–363
——, Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 2. Electrophysiological studies with bupivacaine and nifedipine, Wulf, H., *et al.* 364–370
——, Gastric emptying during extradural opioid–bupivacaine infusions in labour—comparison of alfentanil with diamorphine, Hill, D. A., *et al.*, (*ARS*) 266–267P
——, Interaction between baricity (glucose concentration) and other factors influencing intrathecal drug spread, Sanderson, P., *et al.* 744–746
——, Speed of onset of sensory block for elective extradural Caesarean section, Clark, V., *et al.*, (*C*) 866
——, Speed of onset of sensory block for elective extradural Caesarean section, Patel, M., *et al.*, (*C*) 865–866
Anaesthetics local, lignocaine, Speed of onset of sensory block for elective extradural Caesarean section, Clark, V., *et al.*, (*C*) 866
——, Speed of onset of sensory block for elective extradural Caesarean section, Patel, M., *et al.*, (*C*) 865–866
Anaesthetics volatile, Influence of serum concentrations of catecholamine and i.v. or volatile anaesthesia on evoked electromyography in the hand, Smith, D. C., *et al.* 342–344
——, Inhalation anaesthetic competition at high-affinity cocaine binding sites in rat brain synaptosomes, Eckenhoff, R. G., *et al.* 820–825
——, Perception and memory during general anaesthesia, Jones, J. G. 31–37
——, Ventilatory response to hypoxia, Goodman, N. W., (*C*) 565
——, Ventilatory response to hypoxia, Lindahl, S., (*C*) 565
Anaesthetics volatile, desflurane, Recovery profiles after outpatient anaesthesia: sevoflurane *vs* desflurane, Nathanson, M. H., *et al.*, (*ARS*) 722P
Anaesthetics volatile, enflurane, A measure of consciousness and memory during isoflurane administration: the coherent frequency, Sapsford, D. J., *et al.*, (*C*) 119
——, Breathing systems: effect of fresh gas flow rate on enflurane consumption, Logan, M. 775–778
——, Minor morbidity after day-case anaesthesia: propofol–isoflurane *vs* propofol–enflurane, Hughes, D., *et al.*, (*ARS*) 274P
——, Preparation and high-pressure behaviour of pre-mixed volatile liquid anaesthetics in Entonox, Uyanik, A., *et al.*, (*ARS*) 712P
——, Serum fluoride concentration and renal concentrating ability after 6 MAC h of anaesthesia with sevoflurane or enflurane, Stoddart, P. A., *et al.*, (*ARS*) 276P
Anaesthetics volatile, halothane, Comparison of the effects of sevoflurane and halothane on the quality of anaesthesia and serum glutathione transferase alpha and fluoride in paediatric patients, Taivainen, T., *et al.* 590–595
——, Dose–response, time course of action and recovery of Org 9426 (rocuronium) in infants during halothane anaesthesia, Leuwer, M., *et al.*, (*ARS*) 716P
——, Effect of halothane on cilia beat frequency of ciliated human respiratory epithelium *in vitro*, Gyi, A., *et al.* 507–510
——, Effects of halothane and diltiazem on L-type calcium currents in single smooth muscle cells from rabbit portal veins, Yamazaki, M., *et al.* 209–213
——, Effects of halothane and isoflurane anaesthesia on microcirculatory blood flow in musculocutaneous flaps, Sigurdsson, G. H., *et al.* 826–832
——, Effects of halothane and nitrous oxide on carbachol stimulated inositol(1,4,5)trisphosphate formation in SH-SY5Y cells, Campbell, D. J., *et al.*, (*ARS*) 274–275P
——, Functional recovery of stunned myocardium is greater with halothane than fentanyl anaesthesia in dogs, White, J. L., *et al.* 214–219
——, Influence of halothane on the effect of cAMP-dependent and cAMP-independent positive inotropic agents in human myocardium, Schmidt, U., *et al.* 204–208
——, Perception and memory during general anaesthesia, Jones, J. G. 31–37
——, Preparation and high-pressure behaviour of pre-mixed volatile liquid anaesthetics in Entonox, Uyanik, A., *et al.*, (*ARS*) 712P
——, Regional myocardial function during contiguous ischaemia in an anaesthetized canine model: comparison of six methods of measurement, Reitan, J. A., *et al.* 371–379
Anaesthetics volatile, isoflurane, A measure of consciousness and memory during isoflurane administration: the coherent frequency, Tooley, M. A., *et al.*, (*C*) 119
——, Cerebral effects of nitrous oxide during isoflurane-induced hypotension in the pig, Tsai, Y.-C., *et al.* 667–672
——, Comparison of the effects of sevoflurane with those of isoflurane on hepatic glutathione-S-transferase concentrations after body surface surgery, Darling, J. R., *et al.*, (*ARS*) 268P
——, Domperidone, isoflurane and the ventilatory response to hypoxia, Foo, I. T. H., *et al.*, (*ARS*) 264–265P
——, Effect of humidification on inhalation induction with isoflurane in children, McAuliffe, G. L., *et al.* 587–589
——, Effects of halothane and isoflurane anaesthesia on microcirculatory blood flow in musculocutaneous flaps, Sigurdsson, G. H., *et al.* 826–832
——, Isoflurane for removal of chest drains after cardiac surgery, Bryden, F. M., *et al.*, (*ARS*) 712–713P
——, Minor morbidity after day-case anaesthesia: propofol–isoflurane *vs* propofol–enflurane, Hughes, D., *et al.*, (*ARS*) 274P
——, Muscle blood flow and neuromuscular block, Abdulatif, M., (*C*) 726
——, Muscle blood flow and neuromuscular block, Eger, E. I., (*C*) 726
——, Neuroprotection in experimental temporary focal cerebral ischaemia: propofol *vs* isoflurane, Young, Y., *et al.*, (*ARS*) 271–272P
——, Overpressure isoflurane at Caesarean section: a study of isoflurane concentrations, Girling, K. J., *et al.*, (*C*) 277
——, Overpressure isoflurane at Caesarean section: a study of isoflurane concentrations, McCrirrick, A., (*C*) 277
——, Perception and memory during general anaesthesia, Jones, J. G. 31–37

——, Preparation and high-pressure behaviour of pre-mixed volatile liquid anaesthetics in Entonox, UYANIK, A., *et al.*, (*ARS*) 712P
——, Regional myocardial function during contiguous ischaemia in an anaesthetized canine model: comparison of six methods of measurement, REITAN, J. A., *et al.* 371–379
——, Urine concentrating ability after prolonged sevoflurane anaesthesia, HIGUCHI, H., *et al.* 239–240
Anaesthetics volatile, sevoflurane, Comparison of the effects of sevoflurane and halothane on the quality of anaesthesia and serum glutathione transferase alpha and fluoride in paediatric patients, TAIVAINEN, T., *et al.* 590–595
——, Comparison of the effects of sevoflurane with those of isoflurane on hepatic glutathione-S-transferase concentrations after body surface surgery, DARLING, J. R., *et al.*, (*ARS*) 268P
——, Effect of fentanyl on awakening concentration of sevoflurane, KATOH, T., *et al.* 322–325
——, Effects of surgical stimulation on the apnoeic thresholds for carbon dioxide during anaesthesia with sevoflurane, NISHINO, T., *et al.* 583–586
——, Recovery profiles after outpatient anaesthesia: sevoflurane *vs* desflurane, NATHANSON, M. H., *et al.*, (*ARS*) 722P
——, Serum fluoride concentration and renal concentrating ability after 6 MAC h of anaesthesia with sevoflurane or enflurane, STODDART, P. A., *et al.*, (*ARS*) 276P
——, Urine concentrating ability after prolonged sevoflurane anaesthesia, HIGUCHI, H., *et al.* 239–240
Anaesthetist, activity, An impression of British anaesthesia by a visiting Romanian doctor, CARDAN, E., (*C*) 278
Anaesthetist, Australia, The view from North America and some comments on "Down Under", DAVIES, J. M., *et al.* 105–117
Anaesthetist, inquest, The coroner's inquest, POWERS, M. J. 78–82
Anaesthetist, medicolegal, Civil and criminal actions against anaesthetists, BODY, D. I. B. 83–92
——, Is NHS Indemnity working and is there a better way? DINGWALL, R., *et al.* 69–77
——, Mishap and negligence, MCLELLAN, I., (*C*) 726
——, Mishap or negligence? STRUNIN, L., (*E*) 1–2
——, Professional liability: what the law actually is, FINCH, J. 3–9
——, The expert report, HULL, C. J. 93–97
——, The pattern of litigation against anaesthetists, AITKENHEAD, A. R. 10–21
——, The problem of the unsafe anaesthetist, ATKINSON, R. S. 29–30
——, The role of the expert at trial, BRENNAN, D. 98–100
——, The view from North America and some comments on "Down Under", DAVIES, J. M., *et al.* 105–117
Anaesthetist, New Zealand, The view from North America and some comments on "Down Under", DAVIES, J. M., *et al.* 105–117
Anaesthetist, North America, The view from North America and some comments on "Down Under", DAVIES, J. M., *et al.* 105–117
Anaesthetist, report, The expert report, HULL, C. J. 93–97
Anaesthetist, risks, The pattern of litigation against anaesthetists, AITKENHEAD, A. R. 10–21
——, The problem of the unsafe anaesthetist, ATKINSON, R. S. 29–30
Anaesthetist, witness, The role of the expert at trial, BRENNAN, D. 98–100
Analeptics, doxapram, Comparison of the effects of doxapram or carbon dioxide on ventilatory frequency and tidal volume during induction of anaesthesia with propofol, SAJJAD, T., (*ARS*) 266P
Analgesia, obstetric, Gastric emptying during extradural opioid–bupivacaine infusions in labour—comparison of alfentanil with diamorphine, HILL, D. A., *et al.*, (*ARS*) 266–267P
——, Problems with regional anaesthesia: hazards or negligence? MACDONALD, R. 64–68
——, The extradural sieve, GROVES, P. A., *et al.*, (*C*) 430–431
——, The extradural sieve, TEHAN, B., (*C*) 431
Analgesia, paediatric, Post-circumcision analgesia: comparison of topical analgesia with dorsal nerve block using the midline and lateral approaches, CHAMBERS, F. A., *et al.* 437–439
——, Pre-emptive analgesia: comparison of preoperative with postoperative caudal block on postoperative pain in children, HOLTHUSEN, H., *et al.* 440–442
Analgesia, patient-controlled, Attenuation of emetic side effects of patient-controlled analgesia, MACKENZIE, J. W., (*C*) 281
——, Attenuation of emetic side effects of patient-controlled analgesia, MACKENZIE, J. W., (*e*) 872
——, Influence of droperidol on nausea and vomiting during patient-controlled analgesia, BARROW, P. M., *et al.*, (*C*) 567
——, Influence of droperidol on nausea and vomiting during patient-controlled analgesia, LEWIS, I. H., (*C*) 566–567
——, Patient-controlled analgesia using a miniature electrochemically driven infusion pump, O'KEEFE, D., *et al.* 843–846
Analgesia, postoperative, I.m. pethidine, extradural bupivacaine or fentanyl and postoperative pain relief, lung function and stress response, SHALABLY, M. M., *et al.*, (*ARS*) 710P
——, Isoflurane for removal of chest drains after cardiac surgery, BRYDEN, F. M., *et al.*, (*ARS*) 712–713P
——, Pre-emptive analgesia: comparison of preoperative with postoperative caudal block on postoperative pain in children, HOLTHUSEN, H., *et al.* 440–442
Analgesia, pre-emptive, Multimodal analgesia before thoracic surgery does not reduce postoperative pain, KAVANAGH, B. P., *et al.* 184–189
——, Pre-emptive analgesia: comparison of preoperative with postoperative caudal block on postoperative pain in children, HOLTHUSEN, H., *et al.* 440–442
Analgesic techniques, Multimodal analgesia before thoracic surgery does not reduce postoperative pain, KAVANAGH, B. P., *et al.* 184–189
Analgesic techniques, extradural, Extradural infusion analgesia for postoperative pain relief, LEITH, S., *et al.* 552–558
——, I.m. pethidine, extradural bupivacaine or fentanyl and postoperative pain relief, lung function and stress response, SHALABLY, M. M., *et al.*, (*ARS*) 710P
——, Posterior column sensory impairment during ambulatory extradural analgesia in labour, BUGGY, D., *et al.* 540–542
——, Pre-emptive analgesia: comparison of preoperative with postoperative caudal block on postoperative pain in children, HOLTHUSEN, H., *et al.* 440–442
Analgesic techniques, intra-articular, Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, RICHMOND, C. E. 190–193
Analgesic techniques, nasal, Administration of nebulized intranasal midazolam to healthy adult volunteers: a pilot study, HODGSON, P. E., *et al.*, (*ARS*) 719P
Analgesics non-opioid, diclofenac, Preoperative or postoperative diclofenac for laparoscopic tubal ligation, BUGGY, D. J., *et al.* 767–770
——, Suxamethonium-induced myalgia, DOLENSKA, S., (*C*) 118
——, Suxamethonium-induced myalgia, KAHRAMAN, S., (*C*) 118
Analgesics non-opioid, ketorolac, Ketorolac for post-thoracotomy pain relief, LIPPMANN, M., *et al.*, (*C*) 281
——, Ketorolac for post-thoracotomy pain relief, POWER, I., (*C*) 281
——, Use of ketorolac in the prevention of suxamethonium myalgia, LEESON-PAYNE, C. G., *et al.* 788–790
Analgesics opioid, alfentanil, Alfentanil and propofol for difficult intubation? EZRI, T., *et al.*, (*C*) 279
——, Assessment of intubating conditions in children after induction with propofol and varying doses of alfentanil, MCCONAGHY, P., *et al.* 596–599
——, Effect of ventilation on first-pass pulmonary retention of alfentanil and sufentanil in patients undergoing coronary artery surgery, BOER, F., *et al.* 458–463
——, Effects of alfentanil on cerebral blood flow and intracranial pressure in the rat, SOUTER, M. J., *et al.*, (*ARS*) 713–714P
——, Gastric emptying during extradural opioid–bupivacaine infusions in labour—comparison of alfentanil with diamorphine, HILL, D. A., *et al.*, (*ARS*) 266–267P
——, Interleukin-6 and wound healing, ASHCROFT, G. S., *et al.*, (*C*) 426
——, Interleukin-6 and wound healing, CROZIER, T. A., (*C*) 426
——, Ondansetron does not inhibit the analgesic effect of alfentanil, PETERSEN-FELIX, S., *et al.* 326–330
——, Tracheal intubation without neuromuscular block, DE CASTRO, J. L., (*C*) 862
——, Tracheal intubation without neuromuscular block, STEYN, M., *et al.*, (*C*) 862
Analgesics opioid, diamorphine, Gastric emptying during extradural opioid–bupivacaine infusions in labour—comparison of alfentanil with diamorphine, HILL, D. A., *et al.*, (*ARS*) 266–267P
——, Morphine metabolites after i.v. diamorphine and morphine in patients with renal failure, MARSH, D. F., *et al.*, (*ARS*) 709–710P
Analgesics opioid, fentanyl, Comparison of clonidine with fentanyl on phrenic nerve activity and their interaction in anaesthetized rabbits, KNOWLES, M. G., *et al.* 517–521

——, Effect of fentanyl on awakening concentration of sevoflurane, KATOH, T., *et al.* 322–325
——, Functional recovery of stunned myocardium is greater with halothane than fentanyl anaesthesia in dogs, WHITE, J. L., *et al.* 214–219
——, Memory for auditory material presented during anaesthesia, BONEBAKKER, A. E., *et al.*, (*C*) 122–123
——, Memory for auditory material presented during anaesthesia, PARKER, C. J. R., *et al.*, (*C*) 123–124
——, Propofol and fentanyl anaesthesia for patients with low cardiac output state undergoing cardiac surgery: comparison with high-dose fentanyl anaesthesia, BELL, J., *et al.* 162–166
——, Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, JAMALI, S., *et al.*, (*C*) 282
——, Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, RENWICK, S. R., *et al.*, (*C*) 282
——, Selective reduction in leucocyte antigen expression after high-dose fentanyl administration at cardiac surgery, MCBRIDE, W. T., *et al.*, (*ARS*) 717P
——, The extradural sieve, GROVES, P. A., *et al.*, (*C*) 430–431
——, The extradural sieve, TEHAN, B., (*C*) 431
——, Tracheal intubation without neuromuscular block in children, HUMPHRIES, C., *et al.*, (*C*) 431–432
——, Tracheal intubation without neuromuscular block in children, STEYN, M., (*C*) 432
Analgesics opioid, morphine, Effects of sub-hypnotic doses of propofol on the side effects of intrathecal morphine, TÖRN, K., *et al.* 411–412
——, Extradural sufentanil by patient-controlled analgesia or nurse-administered compared with optimal morphine in a high dependency unit: effects on oxygenation and pain relief after abdominal surgery, SLADE, J. M., *et al.* 634–638
——, Intra-articular morphine after arthroscopic knee operation, HEINE, M. F., *et al.* 413–415
——, Morphine metabolites after i.v. diamorphine and morphine in patients with renal failure, MARSH, D. F., *et al.*, (*ARS*) 709–710P
——, Patient-controlled analgesia using a miniature electrochemically driven infusion pump, O'KEEFE, D., *et al.* 843–846
Analgesics opioid, pethidine, Co-administration of pethidine and clonidine: a spinal anaesthetic technique for total hip replacement, GRACE, D., *et al.* 628–633
Analgesics opioid, remifentanil, Remifentanil reduces auditory and somatosensory evoked responses during isoflurane anaesthesia in a dose-dependent manner, NEWTON, D. E. F., *et al.*, (*ARS*) 720P
Analgesics opioid, sufentanil, Effect of ventilation on first-pass pulmonary retention of alfentanil and sufentanil in patients undergoing coronary artery surgery, BOER, F., *et al.* 458–463
——, Extradural sufentanil by patient-controlled analgesia or nurse-administered compared with optimal morphine in a high dependency unit: effects on oxygenation and pain relief after abdominal surgery, SLADE, J. M., *et al.* 634–638
——, Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, JAMALI, S., *et al.*, (*C*) 282
——, Role of hypotension in the cerebral haemodynamic effects of sufentanil and fentanyl, RENWICK, S. R., *et al.*, (*C*) 282
Anesthesia for Orthopedic Surgery, CONROY, J. M., *et al.*, (editors), (*R*) 870
Anesthesiologists Manual of Surgical Procedures, JAFFE, R. A., *et al.*, (editors), (*R*) 871–872
Anesthesiology and Pain Management, vol. 29, STANLEY, T. E., *et al.*, (editors), (*R*) 869
Anesthetic Complications, SUGIOKA, K., (*R*) 283
Anesthetic Toxicity, RICE, S. A., *et al.*, (editors), (*R*) 868–869
Antacids, famotidine, Effects of oral ranitidine, famotidine and omeprazole on gastric volume and pH at induction and recovery from general anaesthesia, BOULAY, K., *et al.* 475–478
Antacids, omeprazole, Effects of oral ranitidine, famotidine and omeprazole on gastric volume and pH at induction and recovery from general anaesthesia, BOULAY, K., *et al.* 475–478
Antacids, ranitidine, Effects of oral ranitidine, famotidine and omeprazole on gastric volume and pH at induction and recovery from general anaesthesia, BOULAY, K., *et al.* 475–478
Antagonists benzodiazepine, flumazenil, Effects of midazolam and flumazenil on carotid sinus baroreflex control of circulation in rabbits, SAKAMOTO, M., *et al.* 384–387
Antagonists neuromuscular block, edrophonium, Antagonism of mivacurium block with edrophonium from various degrees of spontaneous recovery, CONNOLLY, F. M., *et al.*, (*ARS*) 723–724P
——, Cholinesterase inhibitors do not prolong neuromuscular block produced by mivacurium, FLEMING, N. W., *et al.* 241–243
Antagonists neuromuscular block, neostigmine, Antagonizing residual neuromuscular block with neostigmine and atropine, GOUDSOUZIAN, N. G., *et al.*, (*C*) 725
——, Cholinesterase inhibitors do not prolong neuromuscular block produced by mivacurium, FLEMING, N. W., *et al.* 241–243
——, Comparison of neostigmine-induced recovery with spontaneous recovery from mivacurium-induced neuromuscular block, BAURAIN, M. J., *et al.* 791–794
——, Neostigmine and postoperative nausea, BOEKE, A. J., (*C*) 726
——, Neostigmine and postoperative nausea, SMITH, I., (*C*) 725
——, Neostigmine and postoperative nausea, WILLIAMS, P. I., (*C*) 725–726
Antagonists neuromuscular block, pyridostigmine, Cholinesterase inhibitors do not prolong neuromuscular block produced by mivacurium, FLEMING, N. W., *et al.* 241–243
Arterial pressure, hypotension, Adrenaline-induced hypotension in neurosurgery, AGARWAL, A., *et al.*, (*C*) 277
——, Adrenaline-induced hypotension in neurosurgery, PHILIPS, S., *et al.*, (*C*) 277–278
——, Effects of i.v. propofol on the microcirculation, SCHMIDT, H., *et al.*, (*ARS*) 273–274P
——, Spinal anaesthesia for Caesarean section: comparison of infusions of phenylephrine and ephedrine, HALL, P. A., *et al.* 471–474
Arterial pressure, measurement, Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres in patients undergoing spinal anaesthesia for lower segment Caesarean section, WILKES, M. P., *et al.* 738–743

Blood, anticoagulants, Influence of different anticoagulation regimens on platelet function during cardiac surgery, BOLDT, J., *et al.* 639–644
Blood, anticoagulants, heparin, Influence of different anticoagulation regimens on platelet function during cardiac surgery, BOLDT, J., *et al.* 639–644
Blood, coagulation, Predictive factors of hyperfibrinolytic activity during liver transplantation in cirrhotic patients, STEIB, A., *et al.* 645–648
——, Reversal of post-reperfusion coagulopathy by protamine sulphate in orthotopic liver transplantation, BAYLY, P. J. M., *et al.* 840–842
——, Use of aprotinin in knee replacement surgery, THORPE, C. M., *et al.* 408–410
Blood, endotoxin, Plasma endotoxin-like activity during cardiopulmonary bypass, DOYLE, A. R., *et al.*, (*C*) 428–429
——, Plasma endotoxin-like activity during cardiopulmonary bypass, INABA, H., *et al.*, (*C*) 429
Blood, erythrocytes, Effects of i.v. propofol on the microcirculation, SCHMIDT, H., *et al.*, (*ARS*) 273–274P
Blood, flow, Effects of halothane and isoflurane anaesthesia on microcirculatory blood flow in musculocutaneous flaps, SIGURDSSON, G. H., *et al.* 826–832
——, Effects of i.v. propofol on the microcirculation, SCHMIDT, H., *et al.*, (*ARS*) 273–274P
——, Influence of circulation time on the onset of i.v. anaesthesia, VEALL, G. R. Q., *et al.*, (*ARS*) 272P
Blood flow, feto–uteroplacental, Uteroplacental and fetal haemodynamics and cardiac function of the fetus and newborn after crystalloid and colloid preloading for extradural Caesarean section anaesthesia, KARINEN, J., *et al.* 751–757
Blood, leucocytes, Selective reduction in leucocyte antigen expression after high-dose fentanyl administration at cardiac surgery, MCBRIDE, W. T., *et al.*, (*ARS*) 717P
Blood Loss and Shock, SECHER, N., *et al.*, (editors), (*R*) 729
Blood, lymphocytes, Effect of four i.v. induction agents on T-lymphocyte proliferations to PHA *in vitro*, DEVLIN, E. G., *et al.* 315–317
Blood, platelets, Influence of different anticoagulation regimens on platelet function during cardiac surgery, BOLDT, J., *et al.* 639–644
Blood, replacement, Effect of Haemaccel in the pump prime on ionized plasma calcium concentrations during cardiopulmonary bypass, SKELLY, A. M., *et al.*, (*ARS*) 272–273P
——, Effects of artificial blood (FC-43 emulsion) on myocardial energy metabolism in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 380–383
Blood, transfusion, Consensus statement on red cell

transfusion, ROYAL COLLEGE OF PHYSICIANS OF EDINBURGH, 857–859
Book Reviews
A Philosophical Approach to Anaesthesia, SCHOU, J., (*R*) 727–728
A Synopsis of Intensive Care Medicine, WORTHLEY, L. I. G., (editor), (*R*) 727
Anaesthesia, 2nd Edn, NIMMO, W. S., *et al.*, (editors), (*R*) 870–871
Anaesthesia for Thoracic Surgery, 2nd Edn, GOTHARD, J. W. W., (editor), (*R*) 728
Anesthesia for Orthopedic Surgery, CONROY, J. M., *et al.*, (editors), (*R*) 870
Anesthesiologists Manual of Surgical Procedures, JAFFE, R. A., *et al.*, (editors), (*R*) 871–872
Anesthesiology and Pain Management, vol. 29, STANLEY, T. E., *et al.*, (editors), (*R*) 869
Anesthetic Complications, SUGIOKA, K., (*R*) 283
Anesthetic Toxicity, RICE, S. A., *et al.*, (editors), (*R*) 868–869
Blood Loss and Shock, SECHER, N., *et al.*, (editors), (*R*) 729
Capnography, O'FLAHERTY, D., (*R*) 868
Clinical Anesthesia Practice, KIRBY, R. R., *et al.*, (editors), (*R*) 872
Crisis Management in Anesthesiology, GABA, D. M., *et al.*, (*R*) 568
Current Topics in Intensive Care 1, DOBB, G. J. , *et al.*, (editors), (*R*) 433
Day-case Anaesthesia and Sedation, WHITWAM, J. G., (editor), (*R*) 126
Ethical Issues in Anaesthesia, SCOTT, W. E., *et al.*, (editors), (*R*) 728–729
Going Under: Preparing Yourself for Anaesthesia, ESSMAN, E. T., *et al.*, (*R*) 126–127
Handbook for Anesthesia and Co-existing Disease, STOELTING, R. K., *et al.*, (*R*) 283
Hazards and Complications of Anaesthesia, 2nd Edn, TAYLOR, T. H., *et al.*, (editors), (*R*) 127
MCQ Tutor in Anaesthesia: Part I. FRCA, PINNOCK, C. A., *et al.*, (*R*) 870
600 MCQ's in Anaesthesia: Basic Sciences, 2nd Edn, GOODMAN, N. W., *et al.*, (*R*) 126
Monitoring in Anaesthesia and Intensive Care, HUTTON, P., *et al.*, (editors), (*R*) 568
Orthopaedic Anaesthesia, 2nd Edn, LOACH, A., (editor), (*R*) 869–870
Pharmacological Approaches to the Treatment of Chronic Pain: New Concepts and Critical Issues, FIELDS, H. L., *et al.*, (editors), (*R*) 728
Pharmacology for Anaesthetists, CASS, N., *et al.*, (*R*) 283
Pulmonary Function: A Guide for Clinicians, LASZLO, G., (*R*) 868
Quality and Safety in Anaesthesia, SECKER WALKER, J., (editor), (*R*) 871
The Principles and Practice of Regional Anaesthesia, 2nd Edn, WILDSMITH, J. A. W., *et al.*, (editors), (*R*) 126
Understanding Anesthesia Equipment: Construction, Care and Complications, 3rd Edn, DORSCH, J. A., *et al.*, (*R*) 433
Brain, blood flow, Autoradiographic determination of regional cerebral blood flow and metabolism in conscious rats after fluid resuscitation from haemorrhage with a haemoglobin-based oxygen carrier, WASCHKE, K. F., *et al.* 522–528
——, Cerebral effects of nitrous oxide during isoflurane-induced hypotension in the pig, TSAI, Y.-C., *et al.* 667–672
——, Effects of alfentanil on cerebral blood flow and intracranial pressure in the rat, SOUTER, M. J., *et al.*, (*ARS*) 713–714P
——, Use of near infra-red spectroscopy to estimate cerebral blood flow in conscious subjects and during general anaesthesia, OWEN-REECE, H., *et al.*, (*ARS*) 267P
Brain, evoked potentials, Auditory evoked response and paediatric anaesthesia, O'KELLY, S. W., *et al.*, (*ARS*) 719–720P
——, Characteristics of the steady-state auditory evoked potential in awake subjects, PICKWORTH, A. J., *et al.*, (*ARS*) 723P
——, Remifentanil reduces auditory and somatosensory evoked responses during isoflurane anaesthesia in a dose-dependent manner, NEWTON, D. E. F., *et al.*, (*ARS*) 720P
Brain, injury, Near-infrared spectroscopy in adults: effects of extracranial ischaemia and intracranial hypoxia on estimation of cerebral oxygenation, GERMON, T. J., *et al.* 503–506
——, Neuroprotection in experimental temporary focal cerebral ischaemia: propofol *vs* isoflurane, YOUNG, Y., *et al.*, (*ARS*) 271–272P
Brain, intracranial pressure, Cerebral effects of nitrous oxide during isoflurane-induced hypotension in the pig, TSAI, Y.-C., *et al.* 667–672
Brain, ischaemia, Neuroprotection in experimental temporary focal cerebral ischaemia: propofol *vs* isoflurane, YOUNG, Y., *et al.*, (*ARS*) 271–272P
Brain, metabolism, Autoradiographic determination of regional cerebral blood flow and metabolism in conscious rats after fluid resuscitation from haemorrhage with a haemoglobin-based oxygen carrier, WASCHKE, K. F., *et al.* 522–528
Burns, A brief historical review of non-anaesthetic causes of fires and explosions in the operating room, MACDONALD, A. G. 847–856

Calcium channel block, diltiazem, Effects of halothane and diltiazem on L-type calcium currents in single smooth muscle cells from rabbit portal veins, YAMAZAKI, M., *et al.* 209–213
Calcium channel block, nifedipine, Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 1. Cardiodepressant effects in isolated organs, HERZIG, S., *et al.* 357–363
——, Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 2. Electrophysiological studies with bupivacaine and nifedipine, WULF, H., *et al.* 364–370
Capnography, O'FLAHERTY, D., (*R*) 868
Carbon dioxide, partial pressure, End-tidal partial pressure of carbon dioxide does not accurately reflect Pa_{CO_2} in rabbits treated with acetazolamide during anaesthesia, LEE, T.-S. 225–226
Carbon dioxide, ventilatory response, Comparison of the effects of doxapram or carbon dioxide on ventilatory frequency and tidal volume during induction of anaesthesia with propofol, SAJJAD, T., (*ARS*) 266P
Cardiovascular system, effects, Does the choice of antihypertensive therapy influence haemodynamic responses to induction, laryngoscopy and intubation? SEAR, J. W., *et al.* 303–308
——, Effects of midazolam and flumazenil on carotid sinus baroreflex control of circulation in rabbits, SAKAMOTO, M., *et al.* 384–387
——, Haemodynamic effect of mivacurium under high dose fentanyl anaesthesia: comparison with atracurium, LOAN, P. B., *et al.*, (*ARS*) 715P
——, Haemodynamic effects of subarachnoid block in elderly patients, CRITCHLEY, L. A. H., *et al.* 464–470
——, QT dispersion and autonomic function in diabetic and non-diabetic patients with renal failure, KIRVELÄ, M., *et al.* 801–804
Clinical Anesthesia Practice, KIRBY, R. R., *et al.*, (editors), (*R*) 872
Complications, The pattern of litigation against anaesthetists, AITKENHEAD, A. R. 10–21
Complications, abscess, Post-sacral extradural catheter abscess in a child, EMMANUEL, E. R. 548–549
Complications, airway obstruction, Total tracheal obliteration after intubation with a low-pressure cuffed tracheal tube, MESSAHEL, B. F. 697–699
Complications, aspiration, Risk of aspiration with the laryngeal mask, BERRY, A., *et al.*, (*C*) 565–566
——, Risk of aspiration with the laryngeal mask, BRAIN, A. I. J., (*C*) 278–279
——, Risk of aspiration with the laryngeal mask, BRAIN, A. I. J., (*e*) (*C*) 729
——, Risk of aspiration with the laryngeal mask, CROOKE, J. W., (*C*) 279
Complications, burns, A brief historical review of non-anaesthetic causes of fires and explosions in the operating room, MACDONALD, A. G. 847–856
Complications, carcinoid syndrome, Carcinoid syndrome and anaesthesia, LIPPMANN, M., (*C*) 282
Complications, coagulopathy, Reversal of post-reperfusion coagulopathy by protamine sulphate in orthotopic liver transplantation, BAYLY, P. J. M., *et al.* 840–842
Complications, diabetes, Intraoperative glycaemic control in non-insulin-dependent and insulin-dependent diabetes, RAUCOULES-AIMÉ, M., *et al.* 443–449
——, Perioperative management of diabetes mellitus, MCCONAGHY, P., *et al.*, (*C*) 866–867
——, QT dispersion and autonomic function in diabetic and non-diabetic patients with renal failure, KIRVELÄ, M., *et al.* 801–804
Complications, embolism, Prevention of venous air embolism in paediatric neurosurgical procedures performed in the sitting position by combined use of MAST suit and PEEP, MEYER, P.-G., *et al.* 795–800
Complications, headache, ACTH treatment for post-lumbar puncture headache, FOSTER, P., (*C*) 429
Complications, hernia, Cardiac tamponade after

intrapericardial diaphragmatic hernia, FLEYFEL, M., *et al.* 249–251
Complications, hypertension, Oral clonidine premedication attenuates the hypertensive response to ketamine, TANAKA, M., *et al.* 758–762
——, Resistant hypertension and preoperative silent myocardial ischaemia in surgical patients, ALLMAN, K. G., *et al.* 574–578
Complications, hyperthermia, Response of skinned muscle fibres from humans susceptible to malignant hyperthermia to low concentrations of calcium, SMITH, P. D., *et al.*, (*ARS*) 714P
Complications, hypotension, Methylmethacrylate bone cement does not release histamine in patients undergoing prosthetic replacement of the femoral head, MITSUHATA, H., *et al.* 779–781
——, Spinal anaesthesia for Caesarean section: comparison of infusions of phenylephrine and ephedrine, HALL, P. A., *et al.* 471–474
Complications, hypothermia, Effect of hypothermia on the *in vitro* potencies of neuromuscular blocking agents and on their antagonism by neostigmine, AZIZ, L., *et al.* 662–666
Complications, hypoxaemia, Arterial oxygen saturation during induction of anaesthesia and laryngeal mask insertion in children: prospective evaluation of two techniques, LOGAN, A. ST C., *et al.*, (*ARS*) 718–719P
Complications, intubation tracheal, Accidental oesophageal intubation, CLYBURN, P., *et al.* 55–63
Complications, meningitis, Meningitis after combined spinal–extradural anaesthesia in obstetrics, HARDING, S. A., *et al.* 545–547
Complications, morbidity, Infusion or inhalation anaesthesia for day-case cystoscopy, HENDLEY, B., *et al.*, (*ARS*) 711P
——, Morning or afternoon operation for day cases? Postoperative morbidity by domiciliary assessment, SMITH, S. O., *et al.*, (*ARS*) 711–712P
Complications, myalgia, Suxamethonium-induced myalgia, DOLENSKA, S., (*C*) 118
——, Suxamethonium-induced myalgia, KAHRAMAN, S., (*C*) 118
——, Use of ketorolac in the prevention of suxamethonium myalgia, LEESON-PAYNE, C. G., *et al.* 788–790
Complications, myotonias, Anaesthesia in myotonic dystrophy, MARSH, D. F., *et al.*, (*C*) 124
——, Anaesthesia in myotonic dystrophy, RUSSELL, S. H., *et al.*, (*C*) 124
Complications, neuropathy, Peripheral nerve damage and regional anaesthesia, MOORE, D. C., *et al.*, (*E*) 435–436
Complications, obesity, Changes in end-expiratory lung volume on induction of anaesthesia with thiopentone or propofol, RUTHERFORD, J. S., *et al.* 579–582
Complications, ovarian hyperstimulation syndrome, Ovarian hyperstimulation syndrome, WILLIAMSON, K., *et al.*, (*E*) 731–733
Complications, respiratory, Auto-PEEP, high frequency jet ventilation, HWANG, N. C., (*C*) 430
——, Auto-PEEP, high frequency jet ventilation, MANSFIELD, M., *et al.*, (*C*) 430
——, End-tidal partial pressure of carbon dioxide does not accurately reflect Pa_{CO_2} in rabbits treated with acetazolamide during anaesthesia, LEE, T.-S. 225–226
Complications, sepsis, Nitric oxide synthase activity in peripheral blood neutrophils in sepsis, GOODE, H. F., *et al.*, (*ARS*) 710–711P
Complications, shivering, Phase of the menstrual cycle influences the incidence of post-anaesthetic shivering, TIGHE, K. E., *et al.*, (*ARS*) 721P
Complications, smokers, Effects of passive and active smoking on induction of anaesthesia, DENNIS, A., *et al.* 450–452
——, Plasma antioxidant activity in smokers, BACON, P. J., *et al.*, (*ARS*) 721–722P
Complications, sore throat, Postoperative throat complaints after tracheal intubation, CHRISTENSEN, A. M., *et al.* 786–787
Complications, spinal injury, Blind nasotracheal intubation and trauma victims, MCHALE, S. P., *et al.*, (*C*) 428
——, Blind nasotracheal intubation and trauma victims, SASADA, M., *et al.*, (*C*) 428
——, Nasotracheal intubating skills, MCHALE, S. P., *et al.*, (*C*) 122
——, Nasotracheal intubating skills, RILEY, B., (*C*) 122
Complications, thrombosis, Aprotinin therapy, ROYSTON, D., (*E*) 734–737
Complications, trauma, Nasotracheal intubating skills, MCHALE, S. P., *et al.*, (*C*) 122
——, Nasotracheal intubating skills, RILEY, B., (*C*) 122
Complications, tuberous sclerosis, Anaesthesia and tuberous sclerosis, LEE, J. J., *et al.* 421–425
Complications, TURP syndrome, Hypertonic saline prehydration before spinal anaesthesia, AGARWAL, A., (*C*) 429
——, Hypertonic saline prehydration before spinal anaesthesia, BARAKA, A., (*C*) 429–430
Complications, uraemia, QT dispersion and autonomic function in diabetic and non-diabetic patients with renal failure, KIRVELÄ, M., *et al.* 801–804
Complications, uterine rupture, The extradural sieve, GROVES, P. A., *et al.*, (*C*) 430–431
——, The extradural sieve, TEHAN, B., (*C*) 431
Computers, An anaesthetic minimum dataset and report format, LACK, J. A., *et al.* 256–260
——, Anaesthetic simulators, ASBURY, A. J., (*C*) 867
——, Anaesthetic simulators, BYRNE, A. J., (*C*) 867
——, Does training on an anaesthesia simulator lead to improvement in performance? CHOPRA, V., *et al.* 293–297
——, Simulators for general anaesthesia, ASBURY, A. J, (*E*) 285–286
——, The Leiden anaesthesia simulator, CHOPRA, V., *et al.* 287–292
Crisis Management in Anesthesiology, GABA, D. M., *et al.*, (*R*) 568
Current Topics in Intensive Care 1, DOBB, G. J. , *et al.*, (editors), (*R*) 433

Day-case Anaesthesia and Sedation, WHITWAM, J. G., (editor), (*R*) 126
Diabetes, QT dispersion and autonomic function in diabetic and non-diabetic patients with renal failure, KIRVELÄ, M., *et al.* 801–804
Dog, Functional recovery of stunned myocardium is greater with halothane than fentanyl anaesthesia in dogs, WHITE, J. L., *et al.* 214–219
——, Regional myocardial function during contiguous ischaemia in an anaesthetized canine model: comparison of six methods of measurement, REITAN, J. A., *et al.* 371–379
Drug delivery, A universal nitric oxide delivery system, YOUNG, J. D. 700–702
Drug delivery, transdermal, Prevention of nausea and vomiting with transdermal hyoscine in adults after middle ear surgery during general anaesthesia, HONKAVAARA, P., *et al.* 763–766

Embolism, air, Prevention of venous air embolism in paediatric neurosurgical procedures performed in the sitting position by combined use of MAST suit and PEEP, MEYER, P.-G., *et al.* 795–800
Enzymes, cholinesterase, Cholinesterase inhibitors do not prolong neuromuscular block produced by mivacurium, FLEMING, N. W., *et al.* 241–243
Enzymes, cytochrome P450, Midazolam is metabolized by at least three different cytochrome P450 enzymes, WANDEL, C., *et al.* 658–661
Enzymes, glutathione S-transferase, Comparison of the effects of sevoflurane with those of isoflurane on hepatic glutathione-S-transferase concentrations after body surface surgery, DARLING, J. R., *et al.*, (*ARS*) 268P
Equipment, breathing systems, Breathing system disconnections, ADAMS, A. P. 46–54
——, Breathing systems: effect of fresh gas flow rate on enflurane consumption, LOGAN, M. 775–778
——, Determination of rebreathing for the M & IE Carden Ventmasta during spontaneous ventilation in "A" mode, BARRIE, J. R., *et al.*, (*ARS*) 275P
——, Efficiency of the Carden "Ventmasta" in A and D modes during controlled ventilation in children, BARRIE, J. R., *et al.* 453–457
——, Fresh gas requirements during spontaneous ventilation, MEAKIN, G., *et al.*, (*C*) 121–122
——, Increasing the length of the expiratory limb of the Ayre's T-piece: implications for remote mechanical ventilation in infants and young children, JACKSON, E., *et al.* 154–156
——, Oxygen uptake during rebreathing in a Mapleson A system, SONI, N., *et al.*, (*C*) 277
Equipment, catheters extradural, Withdrawal forces during removal of lumbar extradural catheters, BOEY, S. K., *et al.* 833–835
Equipment, catheters subarachnoid, Assessment of preformed, coiled-tipped, micro spinal catheter, YURINO, M. 655–657
——, Comparison of continuous spinal anaesthesia using a 32-gauge catheter with anaesthesia using a single-dose 24-gauge atraumatic needle in young patients, DE ANDRÉS, J., *et al.* 747–750
Equipment, cuffs tracheal, Total tracheal obliteration after intubation with a low-pressure cuffed tracheal tube, MESSAHEL, B. F. 697–699

Equipment, filters, Heat and moisture exchangers and breathing filters, HEDLEY, R. M., *et al.* 227–236
Equipment, Finapres, Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres in patients undergoing spinal anaesthesia for lower segment Caesarean section, WILKES, M. P., *et al.* 738–743
Equipment, heat–moisture exchangers, Heat and moisture exchangers and breathing filters, HEDLEY, R. M., *et al.* 227–236
Equipment, infusion systems, patient-controlled, Patient-controlled analgesia using a miniature electrochemically driven infusion pump, O'KEEFE, D., *et al.* 843–846
Equipment, masks anaesthesia, Cricoid pressure and the LMA: efficacy and interpretation, ASAI, T., *et al.*, (*C*) 863–865
——, Cricoid pressure and the LMA: efficacy and interpretation, BRIMACOMBE, J., *et al.*, (*C*) 862–863
——, Laparoscopy and the laryngeal mask airway, BRIMACOMBE, J., (*C*) 121
——, Laparoscopy and the laryngeal mask airway, MALINS, A. F., *et al.*, (*C*) 121
——, Modification to facilitate suction with the laryngeal mask airway *in situ*, YOUSSEF, M. E., *et al.*, (*ARS*) 276P
——, Reflux during positive pressure ventilation through the laryngeal mask, VALENTINE, J., *et al.* 543–544
——, Risk of aspiration with the laryngeal mask, BERRY, A., *et al.*, (*C*) 565–566
——, Risk of aspiration with the laryngeal mask, BRAIN, A. I. J., (*C*) 278–279
——, Risk of aspiration with the laryngeal mask, BRAIN, A. I. J., (*e*) (*C*) 729
——, Risk of aspiration with the laryngeal mask, CROOKE, J. W., (*C*) 279
——, Use of the laryngeal mask airway after oesophageal intubation, PACE, N. A., *et al.* 688–689
Equipment, needles, Single-use "pencil point" needles that develop a "concorde nose" are not Whitacre needles, MOORE, D. C., (*C*) 280
Equipment, tussometer, The tussometer: accuracy and reproducibility, SINGH, P., *et al.* 145–148
Equipment, warming devices, Convective warming after hypothermic cardiopulmonary bypass, MOORS, A. H., *et al.* 782–785
——, Prevention of hypothermia during hip surgery: effect of passive compared with active skin surface warming, BENNETT, J., *et al.* 180–183
Errata, Antiemetics in laparoscopic surgery, RAPHAEL, J. H., *et al.*, (*e*) 125
——, Attenuation of emetic side effects of patient-controlled analgesia, MACKENZIE, J. W., (*e*) 872
——, Hypoxaemia and myocardial ischaemia on the night before coronary bypass surgery, KEYL, C., *et al.*, (*e*) 872
——, Pharmacodynamics of mivacurium in infants, MERETOJA, O. A., *et al.*, (*e*) 872
——, Risk of aspiration with the laryngeal mask, BRAIN, A. I. J., (*e*) (*C*) 729
Ethical Issues in Anaesthesia, SCOTT, W. E., *et al.*, (editors), (*R*) 728–729
Explosions, A brief historical review of non-anaesthetic causes of fires and explosions in the operating room, MACDONALD, A. G. 847–856

Gastrointestinal tract, emptying, Gastric emptying during extradural opioid–bupivacaine infusions in labour—comparison of alfentanil with diamorphine, HILL, D. A., *et al.*, (*ARS*) 266–267P
——, Gastric emptying is delayed at 8–12 weeks' gestation, LEVY, D. M., *et al.* 237–238
Gastrointestinal tract, pH, Effects of oral nizatidine on preoperative gastric fluid pH and volume in children, MIKAWA, K., *et al.* 600–604
——, Effects of oral ranitidine, famotidine and omeprazole on gastric volume and pH at induction and recovery from general anaesthesia, BOULAY, K., *et al.* 475–478
——, Reflux during positive pressure ventilation through the laryngeal mask, VALENTINE, J., *et al.* 543–544
Gastrointestinal tract, reflux, Reflux during positive pressure ventilation through the laryngeal mask, VALENTINE, J., *et al.* 543–544
Gastrointestinal tract, volume, Effects of oral nizatidine on preoperative gastric fluid pH and volume in children, MIKAWA, K., *et al.* 600–604
Going Under: Preparing Yourself for Anaesthesia, ESSMAN, E. T., *et al.*, (*R*) 126–127
Guineapig, Effects of etomidate on whole-cell and single L-type calcium channel currents in guineapig isolated ventricular myocytes, TAKAHASHI, H., *et al.* 812–819
——, Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 1. Cardiodepressant effects in isolated organs, HERZIG, S., *et al.* 357–363
——, Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 2. Electrophysiological studies with bupivacaine and nifedipine, WULF, H., *et al.* 364–370

Hamster, Effects of i.v. propofol on the microcirculation, SCHMIDT, H., *et al.*, (*ARS*) 273–274P
Handbook for Anesthesia and Co-existing Disease, STOELTING, R. K., *et al.*, (*R*) 283
Hazards and Complications of Anaesthesia, 2nd Edn, TAYLOR, T. H., *et al.*, (editors), (*R*) 127
Heart, angiography, Influence of circulation time on the onset of i.v. anaesthesia, VEALL, G. R. Q., *et al.*, (*ARS*) 272P
Heart, cardiac massage, Intra-tracheal adrenaline, AHMED, K., (*C*) 427–428
——, Intra-tracheal adrenaline, BASKETT, P., *et al.*, (*C*) 427
——, Intra-tracheal adrenaline, MCCRIRRICK, A., *et al.*, (*C*) 427
Heart, cardiopulmonary bypass, Effect of Haemaccel in the pump prime on ionized plasma calcium concentrations during cardiopulmonary bypass, SKELLY, A. M., *et al.*, (*ARS*) 272–273P
——, Effect of temperature strategy during cardiopulmonary bypass on cerebral oxygen balance, THOMAS, S., *et al.*, (*ARS*) 269–270P
——, Selective reduction in leucocyte antigen expression after high-dose fentanyl administration at cardiac surgery, MCBRIDE, W. T., *et al.*, (*ARS*) 717P
Heart, congenital defects, Obstetric anaesthetic management in a patient with the Fontan circulation, COHEN, A. M., *et al.* 252–255
Heart, heart rate, Auditory steady-state response, upper facial EMG, EEG and heart rate as predictors of movement during isoflurane–nitrous oxide anaesthesia, YLI-HANKALA, A., *et al.* 174–179
——, Effect of propofol on heart rate, arterial pressure and digital plethysmograph variability, ROBINSON, B. J., *et al.* 167–173
——, Effects of midazolam and diazepam as premedication on heart rate variability in surgical patients, IKEDA, T., *et al.* 479–483
——, Leg elevation compared with Trendelenburg position: effects on autonomic cardiac control, MCHUGH, G. J., *et al.* 836–837
Heart, inotropism, Influence of halothane on the effect of cAMP-dependent and cAMP-independent positive inotropic agents in human myocardium, SCHMIDT, U., *et al.* 204–208
Heart, ischaemia, Ascorbate as an endogenous spin trap to detect free radicals during ischaemia and reperfusion of isolated working hearts, TEW, D. N., *et al.*, (*ARS*) 267–268P
——, Functional recovery of stunned myocardium is greater with halothane than fentanyl anaesthesia in dogs, WHITE, J. L., *et al.* 214–219
——, Hypoxaemia and myocardial ischaemia on the night before coronary bypass surgery, KEYL, C., *et al.* 157–161
——, Hypoxaemia and myocardial ischaemia on the night before coronary bypass surgery, KEYL, C., *et al.*, (*e*) 872
——, Myocardial ischaemia during tracheal intubation and extubation, EDWARDS, N. D., *et al.* 537–539
——, Regional myocardial function during contiguous ischaemia in an anaesthetized canine model: comparison of six methods of measurement, REITAN, J. A., *et al.* 371–379
——, Resistant hypertension and preoperative silent myocardial ischaemia in surgical patients, ALLMAN, K. G., *et al.* 574–578
Heart, isolated preparation, Ascorbate as an endogenous spin trap to detect free radicals during ischaemia and reperfusion of isolated working hearts, TEW, D. N., *et al.*, (*ARS*) 267–268P
——, Effects of artificial blood (FC-43 emulsion) on myocardial energy metabolism in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 380–383
——, Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 1. Cardiodepressant effects in isolated organs, HERZIG, S., *et al.* 357–363
——, Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 2. Electrophysiological studies with bupivacaine and nifedipine, WULF, H., *et al.* 364–370
——, Influence of halothane on the effect of cAMP-dependent and cAMP-independent positive inotropic agents in human myocardium, SCHMIDT, U., *et al.* 204–208

Heart, metabolism, Effects of artificial blood (FC-43 emulsion) on myocardial energy metabolism in the rat heart–lung preparation, KASHIMOTO, S., *et al.* 380–383
Heart, myocardial function, Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 1. Cardiodepressant effects in isolated organs, HERZIG, S., *et al.* 357–363
——, Functional interaction between local anaesthetics and calcium antagonists in guineapig myocardium: 2. Electrophysiological studies with bupivacaine and nifedipine, WULF, H., *et al.* 364–370
——, Regional myocardial function during contiguous ischaemia in an anaesthetized canine model: comparison of six methods of measurement, REITAN, J. A., *et al.* 371–379
Heart, myocytes, Effects of etomidate on whole-cell and single L-type calcium channel currents in guineapig isolated ventricular myocytes, TAKAHASHI, H., *et al.* 812–819
Heart, preservation, Functional recovery of stunned myocardium is greater with halothane than fentanyl anaesthesia in dogs, WHITE, J. L., *et al.* 214–219
Heart, tamponade, Cardiac tamponade after intrapericardial diaphragmatic hernia, FLEYFEL, M., *et al.* 249–251
Histamine, Methylmethacrylate bone cement does not release histamine in patients undergoing prosthetic replacement of the femoral head, MITSUHATA, H., *et al.* 779–781
Hormones, glucocorticoid, Effects of hydrocortisone and adrenaline on natural killer cell activity, NOMOTO, Y., *et al.* 318–321
——, Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, BARKER, J. P., (*C*) 120–121
——, Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, SEDDON, S. J., (*C*) 120
Hormones, insulin, Perioperative management of diabetes mellitus, MCCONAGHY, P., *et al.*, (*C*) 866–867
Hormones, progesterone, Phase of the menstrual cycle influences the incidence of post-anaesthetic shivering, TIGHE, K. E., *et al.*, (*ARS*) 721P
Hypnotics benzodiazepine, midazolam, Administration of nebulized intranasal midazolam to healthy adult volunteers: a pilot study, HODGSON, P. E., *et al.*, (*ARS*) 719P
——, Effects of midazolam and flumazenil on carotid sinus baroreflex control of circulation in rabbits, SAKAMOTO, M., *et al.* 384–387
——, Memory for auditory material presented during anaesthesia, BONEBAKKER, A. E., *et al.*, (*C*) 122–123
——, Memory for auditory material presented during anaesthesia, PARKER, C. J. R., *et al.*, (*C*) 123–124
——, Skin conductance responses in patients sedated with midazolam or propofol, GEDDES, S. M., *et al.* 345–349
Hypothermia, Effect of hypothermia on the *in vitro* potencies of neuromuscular blocking agents and on their antagonism by neostigmine, AZIZ, L., *et al.* 662–666
——, Effect of temperature strategy during cardiopulmonary bypass on cerebral oxygen balance, THOMAS, S., *et al.*, (*ARS*) 269–270P
——, Influence of surface cooling and rewarming on whole-body oxygen supply–demand balance, BARAKA, A. 418–420
——, Prevention of hypothermia during hip surgery: effect of passive compared with active skin surface warming, BENNETT, J., *et al.* 180–183
Hypoxaemia, Hypoxaemia and myocardial ischaemia on the night before coronary bypass surgery, KEYL, C., *et al.* 157–161
——, Hypoxaemia and myocardial ischaemia on the night before coronary bypass surgery, KEYL, C., *et al.*, (*e*) 872
——, Postoperative delirium, BROCK-UTNE, J. G., (*C*) 565
——, Postoperative delirium, DOB, D., (*C*) 431
Hypoxia, Domperidone, isoflurane and the ventilatory response to hypoxia, FOO, I. T. H., *et al.*, (*ARS*) 264–265P
——, Nitrous oxide uptake and elimination, MAPLESON, W. W., (*C*) 865

Immune response, natural killer cells, Effects of hydrocortisone and adrenaline on natural killer cell activity, NOMOTO, Y., *et al.* 318–321
Induction, anaesthesia, Do propofol and etomidate interact kinetically during induction of anaesthesia? DRUMMOND, G. B., *et al.*, (*ARS*) 272P
——, Effects of passive and active smoking on induction of anaesthesia, DENNIS, A., *et al.* 450–452
——, Recovery characteristics after induction with thiopentone and propofol, RASHIQ, S., *et al.*, (*ARS*) 270P
Infants, Dose–response, time course of action and recovery of Org 9426 (rocuronium) in infants during halothane anaesthesia, LEUWER, M., *et al.*, (*ARS*) 716P
Intensive care, *In vitro* effects of HA-1A (Centoxin) on cytokine production in whole blood from intensive care unit patients, YENTIS, S. M., *et al.* 805–811
Intensive care, infection, *In vitro* effects of HA-1A (Centoxin) on cytokine production in whole blood from intensive care unit patients, YENTIS, S. M., *et al.* 805–811
Intubation nasotracheal, technique, Blind nasotracheal intubation and trauma victims, MCHALE, S. P., *et al.*, (*C*) 428
——, Blind nasotracheal intubation and trauma victims, SASADA, M., *et al.*, (*C*) 428
Intubation nasotracheal, training, Blind nasotracheal intubation and trauma victims, MCHALE, S. P., *et al.*, (*C*) 428
——, Blind nasotracheal intubation and trauma victims, SASADA, M., *et al.*, (*C*) 428
——, Nasotracheal intubating skills, MCHALE, S. P., *et al.*, (*C*) 122
——, Nasotracheal intubating skills, RILEY, B., (*C*) 122
Intubation tracheal, Alfentanil and propofol for difficult intubation? EZRI, T., *et al.*, (*C*) 279
——, Assessment of intubating conditions in children after induction with propofol and varying doses of alfentanil, MCCONAGHY, P., *et al.* 596–599
——, Laparoscopy and the laryngeal mask airway, BRIMACOMBE, J., (*C*) 121
——, Laparoscopy and the laryngeal mask airway, MALINS, A. F., *et al.*, (*C*) 121
——, Myocardial ischaemia during tracheal intubation and extubation, EDWARDS, N. D., *et al.* 537–539
——, Postoperative throat complaints after tracheal intubation, CHRISTENSEN, A. M., *et al.* 786–787
——, Total tracheal obliteration after intubation with a low-pressure cuffed tracheal tube, MESSAHEL, B. F. 697–699
——, Tracheal intubation without neuromuscular block, DE CASTRO, J. L., (*C*) 862
——, Tracheal intubation without neuromuscular block, STEYN, M., *et al.*, (*C*) 862
——, Tracheal intubation without neuromuscular block in children, HUMPHRIES, C., *et al.*, (*C*) 431–432
——, Tracheal intubation without neuromuscular block in children, STEYN, M., (*C*) 432
——, Tracheal rupture after tracheal intubation, VAN KLARENBOSCH, J., *et al.* 550–551
——, Use of the laryngeal mask airway after oesophageal intubation, PACE, N. A., *et al.* 688–689
Intubation tracheal, complications, Accidental oesophageal intubation, CLYBURN, P., *et al.* 55–63
——, Use of the laryngeal mask airway after oesophageal intubation, PACE, N. A., *et al.* 688–689
Intubation tracheal, difficult, Prediction of difficult tracheal intubation, SAVVA, D. 149–153
Intubation tracheal, extubation, Myocardial ischaemia during tracheal intubation and extubation, EDWARDS, N. D., *et al.* 537–539
Intubation tracheal, responses, Does the choice of antihypertensive therapy influence haemodynamic responses to induction, laryngoscopy and intubation? SEAR, J. W., *et al.* 303–308
Intubation tracheal, training, Tracheal intubation in a manikin: comparison of supine and left lateral positions, NATHANSON, M. H., *et al.* 690–691
Ions, calcium, Effect of Haemaccel in the pump prime on ionized plasma calcium concentrations during cardiopulmonary bypass, SKELLY, A. M., *et al.*, (*ARS*) 272–273P
——, Effect of suxamethonium on intracellular calcium ion concentration of isolated rat skeletal muscle, HOPKINS, P. M., (*ARS*) 717P
——, Effects of etomidate on whole-cell and single L-type calcium channel currents in guineapig isolated ventricular myocytes, TAKAHASHI, H., *et al.* 812–819
——, Response of skinned muscle fibres from humans susceptible to malignant hyperthermia to low concentrations of calcium, SMITH, P. D., *et al.*, (*ARS*) 714P
Ions, ion channels, Effects of etomidate on whole-cell and single L-type calcium channel currents in guineapig isolated ventricular myocytes, TAKAHASHI, H., *et al.* 812–819

Kidney, failure, Morphine metabolites after i.v. diamorphine and morphine in patients with renal failure, MARSH, D. F., *et al.*, (*ARS*) 709–710P
Kidney, function, Serum fluoride concentration and renal concentrating ability after 6 MAC h of anaesthesia with sevoflurane or enflurane, STODDART, P. A., *et al.*, (*ARS*) 276P

Larynx, cricoid pressure, Cricoid pressure and the LMA: efficacy and interpretation, ASAI, T., *et al.*, (*C*) 863–865
——, Cricoid pressure and the LMA: efficacy and interpretation, BRIMACOMBE, J., *et al.*, (*C*) 862–863
Larynx, laryngoscopy, Does the choice of antihypertensive therapy influence haemodynamic responses to induction, laryngoscopy and intubation? SEAR, J. W., *et al.* 303–308
——, Prediction of difficult tracheal intubation, SAVVA, D. 149–153
Liver, Changes in cytokines and cardiovascular variables with liver graft reperfusion in humans, BELLAMY, M. C., *et al.*, (*ARS*) 717–718P
Liver, cirrhosis, Clearance of the three isomers of mivacurium in hepatic cirrhosis, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 262–263P
——, Pharmacodynamics of rocuronium in patients with hepatic cirrhosis, BOYD, A. H., *et al.*, (*ARS*) 262P
——, Pharmacokinetics of the three isomers of mivacurium and pharmacodynamics of the chiral mixture in hepatic cirrhosis, HEAD-RAPSON, A. G., *et al.* 613–618
——, Predictive factors of hyperfibrinolytic activity during liver transplantation in cirrhotic patients, STEIB, A., *et al.* 645–648
Liver, transplantation, Predictive factors of hyperfibrinolytic activity during liver transplantation in cirrhotic patients, STEIB, A., *et al.* 645–648
——, Pulmonary gas exchange during orthotopic liver transplantation, PERILLI, V., *et al.* 695–696
——, Reversal of post-reperfusion coagulopathy by protamine sulphate in orthotopic liver transplantation, BAYLY, P. J. M., *et al.* 840–842
Lung, blood flow, Effect of methylene blue on the vasodilator action of inhaled nitric oxide in hypoxic sheep, YOUNG, J. D., *et al.* 511–516
——, Inhaled nitric oxide after cardiac surgery, GHOSH, S., *et al.*, (*C*) 564–565
——, Inhaled nitric oxide after cardiac surgery, JENKINS, I. R., (*C*) 564
——, Inhaled nitric oxide after cardiac surgery, TARPEY, J., *et al.*, (*C*) 564
Lung, bronchus, Perfusion system for the *in vitro* measurement of human cilia beat frequency, SELWYN, D. A., *et al.*, (*ARS*) 269P
Lung, cilia, Effect of halothane on cilia beat frequency of ciliated human respiratory epithelium *in vitro*, GYI, A., *et al.* 507–510
Lung, functional residual capacity, Change in chest wall dimensions on induction of anaesthesia: a reappraisal, MORTON, C. P. J., *et al.* 135–139
——, Changes in end-expiratory lung volume on induction of anaesthesia with thiopentone or propofol, RUTHERFORD, J. S., *et al.* 579–582
Lung, gas exchange, Pulmonary gas exchange during orthotopic liver transplantation, PERILLI, V., *et al.* 695–696
Lung, metabolic function, Plasma antioxidant activity in smokers, BACON, P. J., *et al.*, (*ARS*) 721–722P
Lung, pathophysiology, Inhaled nitric oxide in acute respiratory failure in adults, YOUNG, J. D., *et al.* 499–502
Lung, tidal volume, Comparison of the effects of doxapram or carbon dioxide on ventilatory frequency and tidal volume during induction of anaesthesia with propofol, SAJJAD, T., (*ARS*) 266P
——, Ventilatory effects of propofol at varying blood concentrations, SUTCLIFFE, N. P., *et al.*, (*ARS*) 265P
Lung, trachea, Perfusion system for the *in vitro* measurement of human cilia beat frequency, SELWYN, D. A., *et al.*, (*ARS*) 269P
Lung, volume, Lung volume changes after partial paralysis with vecuronium *vs* tubocurarine priming in healthy patients, GIRLING, K. J., *et al.*, (*ARS*) 263–264P

Malignant hyperthermia, Response of skinned muscle fibres from humans susceptible to malignant hyperthermia to low concentrations of calcium, SMITH, P. D., *et al.*, (*ARS*) 714P
MCQ Tutor in Anaesthesia: Part I. FRCA, PINNOCK, C. A., *et al.*, (*R*) 870
600 MCQ's in Anaesthesia: Basic Sciences, 2nd Edn, GOODMAN, N. W., *et al.*, (*R*) 126
Measurement techniques, airway reflexes, Sensitivity of upper airway reflexes in cigarette smokers: effect of abstinence, ERSKINE, R. J., *et al.* 298–302
Measurement techniques, arterial pressure, Comparison of invasive and non-invasive measurement of continuous arterial pressure using the Finapres in patients undergoing spinal anaesthesia for lower segment Caesarean section, WILKES, M. P., *et al.* 738–743
Measurement techniques, autoradiography, Autoradiographic determination of regional cerebral blood flow and metabolism in conscious rats after fluid resuscitation from haemorrhage with a haemoglobin-based oxygen carrier, WASCHKE, K. F., *et al.* 522–528
Measurement techniques, calorimetry, Accuracy of the Deltatrac metabolic monitor in varying circumstances, VOHRA, S. B., *et al.*, (*ARS*) 723P
Measurement techniques, carbon dioxide, End-tidal partial pressure of carbon dioxide does not accurately reflect Pa_{CO_2} in rabbits treated with acetazolamide during anaesthesia, LEE, T.-S. 225–226
Measurement techniques, cardiac output, Comparison of thermodilution, thoracic electrical bioimpedance and Doppler ultrasound cardiac output measurement, NG, H. W. K., *et al.*, (*C*) 119–120
Measurement techniques, Doppler echocardiography, Comparison of thermodilution, thoracic electrical bioimpedance and Doppler ultrasound cardiac output measurement, NG, H. W. K., *et al.*, (*C*) 119–120
Measurement techniques, electromyography, EEMG response in awake subjects, FISHER, W., *et al.*, (*ARS*) 261–262P
——, Influence of serum concentrations of catecholamine and i.v. or volatile anaesthesia on evoked electromyography in the hand, SMITH, D. C., *et al.* 342–344
Measurement techniques, electrophysiology, *In vitro* potency and mode of action of Anq 9040, a novel fast acting neuromuscular blocking agent, LEES, G., *et al.*, (*ARS*) 261P
Measurement techniques, flowmetry, Effects of halothane and isoflurane anaesthesia on microcirculatory blood flow in musculocutaneous flaps, SIGURDSSON, G. H., *et al.* 826–832
——, Muscle blood flow and neuromuscular block, ABDULATIF, M., (*C*) 726
——, Muscle blood flow and neuromuscular block, EGER, E. I., (*C*) 726
Measurement techniques, neuromuscular block, Influence of duration of stimulation on measurement of the onset of neuromuscular block, MCCOY, E. P., *et al.*, (*ARS*) 264P
Measurement techniques, oximeters, Near-infrared spectroscopy in adults: effects of extracranial ischaemia and intracranial hypoxia on estimation of cerebral oxygenation, GERMON, T. J., *et al.* 503–506
Measurement techniques, plethysmography, Effect of propofol on heart rate, arterial pressure and digital plethysmograph variability, ROBINSON, B. J., *et al.* 167–173
Measurement techniques, skin conductance, Skin conductance responses in patients sedated with midazolam or propofol, GEDDES, S. M., *et al.* 345–349
Measurement techniques, spectral analysis, Effect of propofol on heart rate, arterial pressure and digital plethysmograph variability, ROBINSON, B. J., *et al.* 167–173
Measurement techniques, spectroscopy, Use of near infrared spectroscopy to estimate cerebral blood flow in conscious subjects and during general anaesthesia, OWEN-REECE, H., *et al.*, (*ARS*) 267P
Measurement techniques, thermodilution, Comparison of thermodilution, thoracic electrical bioimpedance and Doppler ultrasound cardiac output measurement, NG, H. W. K., *et al.*, (*C*) 119–120
Measurement techniques, thoracic impedance cardiography, Comparison of thermodilution, thoracic electrical bioimpedance and Doppler ultrasound cardiac output measurement, NG, H. W. K., *et al.*, (*C*) 119–120
Measurement techniques, transthoracic electrical impedance, Haemodynamic effects of subarachnoid block in elderly patients, CRITCHLEY, L. A. H., *et al.* 464–470
Measurement techniques, tussometry, The tussometer: accuracy and reproducibility, SINGH, P., *et al.* 145–148
Medicolegal, Accidental oesophageal intubation, CLYBURN, P., *et al.* 55–63
——, Awareness and its medicolegal implications, PAYNE, J. P. 38–45
——, Consent to medical treatment: what should the patient be told? HENEGHAN, C. 25–28
——, Mishap and negligence, MCLELLAN, I., (*C*) 726
——, Professional liability: what the law actually is, FINCH, J. 3–9
——, The expert report, HULL, C. J. 93–97
——, The view from North America and some comments on "Down Under", DAVIES, J. M., *et al.* 105–117
Medicolegal, European law, The impact of European legislation, HUGHES, C. G. 101–104
Medicolegal, inquest, The coroner's inquest, POWERS, M. J. 78–82
Membrane, cell, Effects of etomidate on whole-cell and single L-type calcium channel currents in guineapig isolated ventricular myocytes, TAKAHASHI, H., *et al.* 812–819

Memory, Awareness and its medicolegal implications, PAYNE, J. P. 38–45
——, Memory for auditory material presented during anaesthesia, BONEBAKKER, A. E., *et al.*, (*C*) 122–123
——, Memory for auditory material presented during anaesthesia, PARKER, C. J. R., *et al.*, (*C*) 123–124
——, Perception and memory during general anaesthesia, JONES, J. G. 31–37
——, The pattern of litigation against anaesthetists, AITKENHEAD, A. R. 10–21
Metabolism, fasting, Preoperative fasting for paediatric anaesthesia, PHILLIPS, S., *et al.* 529–536
Metabolism, glucose, Intraoperative glycaemic control in non-insulin-dependent and insulin-dependent diabetes, RAUCOULES-AIMÉ, M., *et al.* 443–449
——, Perioperative management of diabetes mellitus, MCCONAGHY, P., *et al.*, (*C*) 866–867
Metabolism, glycine, Use of ethanol-tagged glycine irrigation with intermittent expired breath analysis to assess glycine absorption during trans-cervical resection of endometrium, STICKLE, B. R., *et al.*, (*ARS*) 709P
Metabolism, insulin, Intraoperative glycaemic control in non-insulin-dependent and insulin-dependent diabetes, RAUCOULES-AIMÉ, M., *et al.* 443–449
——, Perioperative management of diabetes mellitus, MCCONAGHY, P., *et al.*, (*C*) 866–867
Metabolism, oxygen consumption, Influence of surface cooling and rewarming on whole-body oxygen supply–demand balance, BARAKA, A. 418–420
Model, computer simulation, Anaesthetic simulators, ASBURY, A. J., (*C*) 867
——, Anaesthetic simulators, BYRNE, A. J., (*C*) 867
——, Does training on an anaesthesia simulator lead to improvement in performance? CHOPRA, V., *et al.* 293–297
——, Simulators for general anaesthesia, ASBURY, A. J, (*E*) 285–286
——, The Leiden anaesthesia simulator, CHOPRA, V., *et al.* 287–292
Model, lung, Increasing the length of the expiratory limb of the Ayre's T-piece: implications for remote mechanical ventilation in infants and young children, JACKSON, E., *et al.* 154–156
Model, neuroblastoma cells, Comparison of the effects of thiopentone and propofol on the uptake and release of [^{3}H]noradrenaline in SH-SY5Y human neuroblastoma cells, LAMBERT, D. G., *et al.*, (*ARS*) 271P
——, Effects of halothane and nitrous oxide on carbachol stimulated inositol(1,4,5)trisphosphate formation in SH-SY5Y cells, CAMPBELL, D. J., *et al.*, (*ARS*) 274–275P
Monitoring, electroencephalography, Auditory steady-state response, upper facial EMG, EEG and heart rate as predictors of movement during isoflurane–nitrous oxide anaesthesia, YLI-HANKALA, A., *et al.* 174–179
——, Continuous monitoring of depth of sedation by EEG spectral analysis in patients requiring mechanical ventilation, SPENCER, E. M., *et al.* 649–654
Monitoring, evoked potentials, A measure of consciousness and memory during isoflurane administration: the coherent frequency, SAPSFORD, D. J., *et al.*, (*C*) 119
——, A measure of consciousness and memory during isoflurane administration: the coherent frequency, TOOLEY, M. A., *et al.*, (*C*) 119
——, Auditory evoked response and paediatric anaesthesia, O'KELLY, S. W., *et al.*, (*ARS*) 719–720P
——, Auditory steady-state response, upper facial EMG, EEG and heart rate as predictors of movement during isoflurane–nitrous oxide anaesthesia, YLI-HANKALA, A., *et al.* 174–179
——, Spinal cord potential recordings from the extradural space during scoliosis surgery, FUJIOKA, H., *et al.* 350–356
Monitoring in Anaesthesia and Intensive Care, HUTTON, P., *et al.*, (editors), (*R*) 568
Monitoring, neuromuscular function, Assessment of the interaction between atracurium and suxamethonium at 50% neuromuscular block using closed-loop feedback control of infusion of atracurium, OLKKOLA, K. T., *et al.* 199–203
——, Effect of tetanic stimulation on subsequent train-of-four responses at various levels of vecuronium-induced neuromuscular block, SAITOH, Y., *et al.* 416–417
——, Varying stimulus train patterns during neuromuscular block with atracurium and vecuronium, POLLARD, B. J., *et al.*, (*ARS*) 716P
Monitoring, temperature, Prevention of hypothermia during hip surgery: effect of passive compared with active skin surface warming, BENNETT, J., *et al.* 180–183
Muscle skeletal, Anaesthesia in myotonic dystrophy, MARSH, D. F., *et al.*, (*C*) 124
——, Anaesthesia in myotonic dystrophy, RUSSELL, S. H., *et al.*, (*C*) 124
Muscle skeletal, damage, Influence of dose on suxamethonium-induced muscle damage, MCLOUGHLIN, C., *et al.* 194–198
Myasthenia gravis, Mivacurium in the myasthenic patient, PATERSON, I. G., *et al.* 494–498

Nerve, damage, Ketamine and muscle spasm, RICHARD, B. M., *et al.*, (*C*) 432
——, Peripheral nerve damage and regional anaesthesia, MOORE, D. C., *et al.*, (*E*) 435–436
Nerve, synaptosome, Inhalation anaesthetic competition at high-affinity cocaine binding sites in rat brain synaptosomes, ECKENHOFF, R. G., *et al.* 820–825
Neuromuscular block, Awareness and its medicolegal implications, PAYNE, J. P. 38–45
Neuromuscular block, Anq 9040, *In vitro* potency and mode of action of Anq 9040, a novel fast acting neuromuscular blocking agent, LEES, G., *et al.*, (*ARS*) 261P
Neuromuscular block, antagonism, Antagonizing residual neuromuscular block with neostigmine and atropine, GOUDSOUZIAN, N. G., *et al.*, (*C*) 725
——, Effect of hypothermia on the *in vitro* potencies of neuromuscular blocking agents and on their antagonism by neostigmine, AZIZ, L., *et al.* 662–666
Neuromuscular block, atracurium, Assessment of the interaction between atracurium and suxamethonium at 50% neuromuscular block using closed-loop feedback control of infusion of atracurium, OLKKOLA, K. T., *et al.* 199–203
——, Haemodynamic effect of mivacurium under high dose fentanyl anaesthesia: comparison with atracurium, LOAN, P. B., *et al.*, (*ARS*) 715P
——, Influence of duration of stimulation on measurement of the onset of neuromuscular block, MCCOY, E. P., *et al.*, (*ARS*) 264P
——, Interactions between mivacurium and atracurium, NAGUIB, M., *et al.* 484–489
——, Neuromuscular block and tourniquets, SHANNON, P. F., (*C*) 726
——, Pharmacodynamics of 51W89 in young and elderly patients, SOROOSHIAN, S. S., *et al.*, (*ARS*) 275–276P
——, Synergism between atracurium and vecuronium in infants and children during nitrous oxide–oxygen–alfentanil anaesthesia, MERETOJA, O. A., *et al.* 605–607
——, Varying stimulus train patterns during neuromuscular block with atracurium and vecuronium, POLLARD, B. J., *et al.*, (*ARS*) 716P
Neuromuscular block, measurement of response, Comparison of neostigmine-induced recovery with spontaneous recovery from mivacurium-induced neuromuscular block, BAURAIN, M. J., *et al.* 791–794
——, EEMG response in awake subjects, FISHER, W., *et al.*, (*ARS*) 261–262P
——, Effect of tetanic stimulation on subsequent train-of-four responses at various levels of vecuronium-induced neuromuscular block, SAITOH, Y., *et al.* 416–417
——, Influence of duration of stimulation on measurement of the onset of neuromuscular block, MCCOY, E. P., *et al.*, (*ARS*) 264P
Neuromuscular block, mivacurium, Antagonism of mivacurium block with edrophonium from various degrees of spontaneous recovery, CONNOLLY, F. M., *et al.*, (*ARS*) 723–724P
——, Cholinesterase inhibitors do not prolong neuromuscular block produced by mivacurium, FLEMING, N. W., *et al.* 241–243
——, Clearance of the three isomers of mivacurium in hepatic cirrhosis, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 262–263P
——, Comparison of neostigmine-induced recovery with spontaneous recovery from mivacurium-induced neuromuscular block, BAURAIN, M. J., *et al.* 791–794
——, Haemodynamic effect of mivacurium under high dose fentanyl anaesthesia: comparison with atracurium, LOAN, P. B., *et al.*, (*ARS*) 715P
——, Interactions between mivacurium and atracurium, NAGUIB, M., *et al.* 484–489
——, Mivacurium in the myasthenic patient, PATERSON, I. G., *et al.* 494–498
——, Mivacurium in young adult and elderly patients, PLATT, M. W., *et al.*, (*ARS*) 263P
——, Neuromuscular and haemodynamic effects of mivacurium in elderly and young adult patients, MADDINENI, V. R., *et al.* 608–612
——, Pharmacodynamics of mivacurium in infants, MERETOJA, O. A., *et al.* 490–493
——, Pharmacodynamics of mivacurium in infants, MERETOJA, O. A., *et al.*, (*e*) 872

——, Pharmacokinetics of the three isomers of mivacurium and pharmacodynamics of the chiral mixture in hepatic cirrhosis, HEAD-RAPSON, A. G., *et al.* 613–618
Neuromuscular block, Org 9426, Dose–response, time course of action and recovery of Org 9426 (rocuronium) in infants during halothane anaesthesia, LEUWER, M., *et al.*, (*ARS*) 716P
Neuromuscular block, Org 9487, Pharmacodynamics and pharmacokinetics of an infusion of Org 9487, a new short-acting steroidal neuromuscular blocking agent, VAN DEN BROEK, L., *et al.* 331–335
Neuromuscular block, priming, Lung volume changes after partial paralysis with vecuronium *vs* tubocurarine priming in healthy patients, GIRLING, K. J., *et al.*, (*ARS*) 263–264P
Neuromuscular block, recovery, Comparison of neostigmine-induced recovery with spontaneous recovery from mivacurium-induced neuromuscular block, BAURAIN, M. J., *et al.* 791–794
Neuromuscular block, rocuronium, Dose–response, time course of action and recovery of Org 9426 (rocuronium) in infants during halothane anaesthesia, LEUWER, M., *et al.*, (*ARS*) 716P
——, Pharmacodynamics of rocuronium in patients with hepatic cirrhosis, BOYD, A. H., *et al.*, (*ARS*) 262P
——, Rocuronium (Org 9426) for Caesarean section, ABOULEISH, E., *et al.* 336–341
Neuromuscular block, suxamethonium, Assessment of the interaction between atracurium and suxamethonium at 50% neuromuscular block using closed-loop feedback control of infusion of atracurium, OLKKOLA, K. T., *et al.* 199–203
——, Influence of dose on suxamethonium-induced muscle damage, MCLOUGHLIN, C., *et al.* 194–198
——, Suxamethonium-induced myalgia, DOLENSKA, S., (*C*) 118
——, Suxamethonium-induced myalgia, KAHRAMAN, S., (*C*) 118
——, Tracheal intubation without neuromuscular block, DE CASTRO, J. L., (*C*) 862
——, Tracheal intubation without neuromuscular block, STEYN, M., *et al.*, (*C*) 862
——, Tracheal intubation without neuromuscular block in children, HUMPHRIES, C., *et al.*, (*C*) 431–432
——, Tracheal intubation without neuromuscular block in children, STEYN, M., (*C*) 432
——, Use of ketorolac in the prevention of suxamethonium myalgia, LEESON-PAYNE, C. G., *et al.* 788–790
Neuromuscular block, tubocurarine, Lung volume changes after partial paralysis with vecuronium *vs* tubocurarine priming in healthy patients, GIRLING, K. J., *et al.*, (*ARS*) 263–264P
Neuromuscular block, vecuronium, Effect of tetanic stimulation on subsequent train-of-four responses at various levels of vecuronium-induced neuromuscular block, SAITOH, Y., *et al.* 416–417
——, Lung volume changes after partial paralysis with vecuronium *vs* tubocurarine priming in healthy patients, GIRLING, K. J., *et al.*, (*ARS*) 263–264P
——, Muscle blood flow and neuromuscular block, ABDULATIF, M., (*C*) 726
——, Muscle blood flow and neuromuscular block, EGER, E. I., (*C*) 726
——, Neostigmine and postoperative nausea, BOEKE, A. J., (*C*) 726
——, Neostigmine and postoperative nausea, SMITH, I., (*C*) 725
——, Neostigmine and postoperative nausea, WILLIAMS, P. I., (*C*) 725–726
——, Synergism between atracurium and vecuronium in infants and children during nitrous oxide–oxygen–alfentanil anaesthesia, MERETOJA, O. A., *et al.* 605–607
——, Varying stimulus train patterns during neuromuscular block with atracurium and vecuronium, POLLARD, B. J., *et al.*, (*ARS*) 716P
Neuromuscular function, synapses, Does 5-HT affect the rat phrenic nerve diaphragm preparation? HINDLE, A. T., *et al.*, (*ARS*) 268–269P
Neuromuscular transmission, EEMG response in awake subjects, FISHER, W., *et al.*, (*ARS*) 261–262P

Operating rooms, contamination, Assessment of biochemical and haematological tests as measures of occupational nitrous oxide exposure, HIGHLEY, D. A., *et al.*, (*ARS*) 713P
Operating rooms, personnel, A brief historical review of non-anaesthetic causes of fires and explosions in the operating room, MACDONALD, A. G. 847–856
Orthopaedic Anaesthesia, 2nd Edn, LOACH, A., (editor), (*R*) 869–870

Oxygen, consumption, Influence of surface cooling and rewarming on whole-body oxygen supply–demand balance, BARAKA, A. 418–420
——, Oxygen uptake during rebreathing in a Mapleson A system, SONI, N., *et al.*, (*C*) 277
Oxygen, inspired concentration, Effects of hyperventilation on the inspiratory to end-tidal oxygen difference, BENGTSSON, J., *et al.* 140–144
Oxygen, uptake, Effects of hyperventilation on the inspiratory to end-tidal oxygen difference, BENGTSSON, J., *et al.* 140–144

Pain, Perception and memory during general anaesthesia, JONES, J. G. 31–37
Pain, chronic, Chronic pelvic pain, CAMPBELL, F., *et al.*, (*E*) 571–573
Pain, postoperative, Extradural infusion analgesia for postoperative pain relief, LEITH, S., *et al.* 552–558
——, Multimodal analgesia before thoracic surgery does not reduce postoperative pain, KAVANAGH, B. P., *et al.* 184–189
——, Pre-emptive analgesia: comparison of preoperative with postoperative caudal block on postoperative pain in children, HOLTHUSEN, H., *et al.* 440–442
Parasympathetic nervous system, hyoscine, Prevention of nausea and vomiting with transdermal hyoscine in adults after middle ear surgery during general anaesthesia, HONKAVAARA, P., *et al.* 763–766
Partial pressure, arterial–end-tidal, End-tidal partial pressure of carbon dioxide does not accurately reflect Pa_{CO_2} in rabbits treated with acetazolamide during anaesthesia, LEE, T.-S. 225–226
Partial pressure, carbon dioxide, End-tidal partial pressure of carbon dioxide does not accurately reflect Pa_{CO_2} in rabbits treated with acetazolamide during anaesthesia, LEE, T.-S. 225–226
Partial pressure, end-tidal, End-tidal partial pressure of carbon dioxide does not accurately reflect Pa_{CO_2} in rabbits treated with acetazolamide during anaesthesia, LEE, T.-S. 225–226
Pharmacodynamics, *In-vitro* comparison of the pharmacodynamics of ketamine in neonatal and adult porcine airways, HODGSON, P. E., *et al.*, (*ARS*) 714–715P
——, Neuromuscular and haemodynamic effects of mivacurium in elderly and young adult patients, MADDINENI, V. R., *et al.* 608–612
——, Pharmacodynamics of mivacurium in infants, MERETOJA, O. A., *et al.* 490–493
——, Pharmacodynamics of mivacurium in infants, MERETOJA, O. A., *et al.*, (***e***) 872
Pharmacokinetics, ketamine, *In-vitro* comparison of the pharmacodynamics of ketamine in neonatal and adult porcine airways, HODGSON, P. E., *et al.*, (*ARS*) 714–715P
Pharmacokinetics, mivacurium, Clearance of the three isomers of mivacurium in hepatic cirrhosis, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 262–263P
——, Pharmacokinetics of the three isomers of mivacurium and pharmacodynamics of the chiral mixture in hepatic cirrhosis, HEAD-RAPSON, A. G., *et al.* 613–618
Pharmacokinetics, Org 9487, Pharmacodynamics and pharmacokinetics of an infusion of Org 9487, a new short-acting steroidal neuromuscular blocking agent, VAN DEN BROEK, L., *et al.* 331–335
Pharmacokinetics, rocuronium, Pharmacodynamics of rocuronium in patients with hepatic cirrhosis, BOYD, A. H., *et al.*, (*ARS*) 262P
Pharmacokinetics, stereoisomers, Clearance of the three isomers of mivacurium in hepatic cirrhosis, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 262–263P
——, Pharmacodynamics of 51W89 in young and elderly patients, SOROOSHIAN, S. S., *et al.*, (*ARS*) 275–276P
——, Pharmacokinetics of the three isomers of mivacurium and pharmacodynamics of the chiral mixture in hepatic cirrhosis, HEAD-RAPSON, A. G., *et al.* 613–618
Pharmacokinetics, suxamethonium, Effect of suxamethonium on intracellular calcium ion concentration of isolated rat skeletal muscle, HOPKINS, P. M., (*ARS*) 717P
Pharmacokinetics, synergy, Do propofol and etomidate interact kinetically during induction of anaesthesia? DRUMMOND, G. B., *et al.*, (*ARS*) 272P
Pharmacological Approaches to the Treatment of Chronic Pain: New Concepts and Critical Issues, FIELDS, H. L., *et al.*, (editors), (*R*) 728
Pharmacology, 5-hydroxytryptamine, Recent developments in the physiology and pharmacology of 5-hydroxytryptamine, HINDLE, A. T. 395–407
Pharmacology, Anq 9040, *In vitro* potency and mode of action of Anq 9040, a novel fast acting neuromuscular blocking agent, LEES, G., *et al.*, (*ARS*) 261P

Pharmacology, clonidine, Comparison of clonidine with fentanyl on phrenic nerve activity and their interaction in anaesthetized rabbits, KNOWLES, M. G., *et al.* 517–521
——, Oral clonidine premedication attenuates the hypertensive response to ketamine, TANAKA, M., *et al.* 758–762
Pharmacology, domperidone, Domperidone, isoflurane and the ventilatory response to hypoxia, FOO, I. T. H., *et al.*, (*ARS*) 264–265P
Pharmacology, dose–response, Dose–response relation of ornipressin with regard to vasoconstriction in human skin, FRUHSTORFER, H., *et al.* 220–224
Pharmacology for Anaesthetists, CASS, N., *et al.*, (*R*) 283
Pharmacology, metoclopramide, Antiemetics in laparoscopic surgery, RAPHAEL, J. H., *et al.*, (*e*) 125
Pharmacology, midazolam, Midazolam is metabolized by at least three different cytochrome P450 enzymes, WANDEL, C., *et al.* 658–661
Pharmacology, nitric oxide, A universal nitric oxide delivery system, YOUNG, J. D. 700–702
——, Effect of methylene blue on the vasodilator action of inhaled nitric oxide in hypoxic sheep, YOUNG, J. D., *et al.* 511–516
——, Inhaled nitric oxide after cardiac surgery, GHOSH, S., *et al.*, (*C*) 564–565
——, Inhaled nitric oxide after cardiac surgery, JENKINS, I. R., (*C*) 564
——, Inhaled nitric oxide after cardiac surgery, TARPEY, J., *et al.*, (*C*) 564
——, Inhaled nitric oxide in acute respiratory failure in adults, YOUNG, J. D., *et al.* 499–502
Pharmacology, ondansetron, Antiemetics in laparoscopic surgery, RAPHAEL, J. H., *et al.*, (*e*) 125
Pharmacology, synergism, Recovery characteristics after induction with thiopentone and propofol, RASHIQ, S., *et al.*, (*ARS*) 270P
——, Synergism between atracurium and vecuronium in infants and children during nitrous oxide–oxygen–alfentanil anaesthesia, MERETOJA, O. A., *et al.* 605–607
Physics, baricity, Interaction between baricity (glucose concentration) and other factors influencing intrathecal drug spread, SANDERSON, P., *et al.* 744–746
Pig, Ascorbate as an endogenous spin trap to detect free radicals during ischaemia and reperfusion of isolated working hearts, TEW, D. N., *et al.*, (*ARS*) 267–268P
——, Cerebral effects of nitrous oxide during isoflurane-induced hypotension in the pig, TSAI, Y.-C., *et al.* 667–672
——, Effects of halothane and isoflurane anaesthesia on microcirculatory blood flow in musculocutaneous flaps, SIGURDSSON, G. H., *et al.* 826–832
Polypeptides, aprotinin, Aprotinin therapy, ROYSTON, D., (*E*) 734–737
——, Influence of different anticoagulation regimens on platelet function during cardiac surgery, BOLDT, J., *et al.* 639–644
——, Use of aprotinin in knee replacement surgery, THORPE, C. M., *et al.* 408–410
Polypeptides, cytokines, Changes in cytokines and cardiovascular variables with liver graft reperfusion in humans, BELLAMY, M. C., *et al.*, (*ARS*) 717–718P
——, *In vitro* effects of HA-1A (Centoxin) on cytokine production in whole blood from intensive care unit patients, YENTIS, S. M., *et al.* 805–811
——, Interleukin-6 and wound healing, ASHCROFT, G. S., *et al.*, (*C*) 426
——, Interleukin-6 and wound healing, CROZIER, T. A., (*C*) 426
——, Plasma endotoxin-like activity during cardiopulmonary bypass, DOYLE, A. R., *et al.*, (*C*) 428–429
——, Plasma endotoxin-like activity during cardiopulmonary bypass, INABA, H., *et al.*, (*C*) 429
——, Selective reduction in leucocyte antigen expression after high-dose fentanyl administration at cardiac surgery, MCBRIDE, W. T., *et al.*, (*ARS*) 717P
Position, effects, Leg elevation compared with Trendelenburg position: effects on autonomic cardiac control, MCHUGH, G. J., *et al.* 836–837
——, The sitting position in neurosurgical anaesthesia: a survey of British practice in 1991, ELTON, R. J., *et al.* 247–248
Position, head, Effect of mouth opening and neck posture on peak nasal inspiratory flow rate, HODGSON, C. A., *et al.*, (*ARS*) 265–266P
Position, intubation, Tracheal intubation in a manikin: comparison of supine and left lateral positions, NATHANSON, M. H., *et al.* 690–691
Position, mouth, Effect of mouth opening and neck posture on peak nasal inspiratory flow rate, HODGSON, C. A., *et al.*, (*ARS*) 265–266P
Position, neck, Effect of mouth opening and neck posture on peak nasal inspiratory flow rate, HODGSON, C. A., *et al.*, (*ARS*) 265–266P
Position, sitting, The sitting position in neurosurgical anaesthesia: a survey of British practice in 1991, ELTON, R. J., *et al.* 247–248
Position, Trendelenburg, Leg elevation compared with Trendelenburg position: effects on autonomic cardiac control, MCHUGH, G. J., *et al.* 836–837
Potency, anaesthetic, ED_{50}, Interactions between mivacurium and atracurium, NAGUIB, M., *et al.* 484–489
Potency, anaesthetic, MAC, Effect of fentanyl on awakening concentration of sevoflurane, KATOH, T., *et al.* 322–325
Pregnancy, Gastric emptying is delayed at 8–12 weeks' gestation, LEVY, D. M., *et al.* 237–238
——, Hyperventilation-induced unconsciousness during labour, BURDEN, R. J., *et al.* 838–839
——, Ovarian hyperstimulation syndrome, WILLIAMSON, K., *et al.*, (*E*) 731–733
Premedication, diazepam, Effects of midazolam and diazepam as premedication on heart rate variability in surgical patients, IKEDA, T., *et al.* 479–483
Premedication, midazolam, Effects of midazolam and diazepam as premedication on heart rate variability in surgical patients, IKEDA, T., *et al.* 479–483
Psychological responses, postoperative, Postoperative delirium, BROCK-UTNE, J. G., (*C*) 565
——, Postoperative delirium, DOB, D., (*C*) 431
——, Postoperative delirium in the elderly, O'KEEFFE, S. T., *et al.* 673–687
Pulmonary Function: A Guide for Clinicians, LASZLO, G., (*R*) 868

Quality and Safety in Anaesthesia, SECKER WALKER, J., (editor), (*R*) 871

Rabbit, Comparison of clonidine with fentanyl on phrenic nerve activity and their interaction in anaesthetized rabbits, KNOWLES, M. G., *et al.* 517–521
——, Effects of halothane and diltiazem on L-type calcium currents in single smooth muscle cells from rabbit portal veins, YAMAZAKI, M., *et al.* 209–213
——, Effects of midazolam and flumazenil on carotid sinus baroreflex control of circulation in rabbits, SAKAMOTO, M., *et al.* 384–387
——, End-tidal partial pressure of carbon dioxide does not accurately reflect Pa_{CO_2} in rabbits treated with acetazolamide during anaesthesia, LEE, T.-S. 225–226
Rat, Autoradiographic determination of regional cerebral blood flow and metabolism in conscious rats after fluid resuscitation from haemorrhage with a haemoglobin-based oxygen carrier, WASCHKE, K. F., *et al.* 522–528
——, Differential regional effects of ketamine on spontaneous and glutamate-induced activities of single CNS neurones in rats, AIDA, S., *et al.* 368–394
——, Does 5-HT affect the rat phrenic nerve diaphragm preparation? HINDLE, A. T., *et al.*, (*ARS*) 268–269P
——, Effect of hypothermia on the *in vitro* potencies of neuromuscular blocking agents and on their antagonism by neostigmine, AZIZ, L., *et al.* 662–666
——, Inhalation anaesthetic competition at high-affinity cocaine binding sites in rat brain synaptosomes, ECKENHOFF, R. G., *et al.* 820–825
——, Optimum rate of administration of propofol for induction of anaesthesia in rats, LARSSON, J. E., *et al.* 692–694
Receptors, opioid, Update on opioid receptors, ATCHESON, R., *et al.*, (*E*) 132–134
Records, anaesthesia, Record-keeping in anaesthesia: what the law requires, POWERS, M. J. 22–24
Recovery, postoperative, Auditory steady-state response, upper facial EMG, EEG and heart rate as predictors of movement during isoflurane–nitrous oxide anaesthesia, YLI-HANKALA, A., *et al.* 174–179
——, Postoperative delirium in the elderly, O'KEEFFE, S. T., *et al.* 673–687
——, Recovery profiles after outpatient anaesthesia: sevoflurane *vs* desflurane, NATHANSON, M. H., *et al.*, (*ARS*) 722P

Sedation, Administration of nebulized intranasal midazolam to healthy adult volunteers: a pilot study, HODGSON, P. E., *et al.*, (*ARS*) 719P
——, Skin conductance responses in patients sedated with midazolam or propofol, GEDDES, S. M., *et al.* 345–349
Serotonin (5-hydroxytryptamine), Does 5-HT affect the rat phrenic nerve diaphragm preparation? HINDLE, A. T., *et al.*, (*ARS*) 268–269P
——, Recent developments in the physiology and pharmacology of 5-hydroxytryptamine, HINDLE, A. T. 395–407
Sheep, Effect of methylene blue on the vasodilator action of inhaled nitric oxide in hypoxic sheep, YOUNG, J. D., *et al.* 511–516

Skin, blood flow, Dose–response relation of ornipressin with regard to vasoconstriction in human skin, FRUHSTORFER, H., *et al.* 220–224
——, Effects of halothane and isoflurane anaesthesia on microcirculatory blood flow in musculocutaneous flaps, SIGURDSSON, G. H., *et al.* 826–832
Spinal cord, evoked potentials, Spinal cord potential recordings from the extradural space during scoliosis surgery, FUJIOKA, H., *et al.* 350–356
Surgery, abdominal, Extradural sufentanil by patient-controlled analgesia or nurse-administered compared with optimal morphine in a high dependency unit: effects on oxygenation and pain relief after abdominal surgery, SLADE, J. M., *et al.* 634–638
——, Nitrous oxide and bowel function, HENNEBERG, S. W., (*C*) 125
——, Nitrous oxide and bowel function, SIMPSON, P. M., *et al.*, (*C*) 124–125
Surgery, cardiovascular, Convective warming after hypothermic cardiopulmonary bypass, MOORS, A. H., *et al.* 782–785
——, Hypoxaemia and myocardial ischaemia on the night before coronary bypass surgery, KEYL, C., *et al.* 157–161
——, Hypoxaemia and myocardial ischaemia on the night before coronary bypass surgery, KEYL, C., *et al.*, (***e***) 872
——, Plasma endotoxin-like activity during cardiopulmonary bypass, DOYLE, A. R., *et al.*, (*C*) 428–429
——, Plasma endotoxin-like activity during cardiopulmonary bypass, INABA, H., *et al.*, (*C*) 429
——, Propofol and fentanyl anaesthesia for patients with low cardiac output state undergoing cardiac surgery: comparison with high-dose fentanyl anaesthesia, BELL, J., *et al.* 162–166
Surgery, day-case, Infusion or inhalation anaesthesia for day-case cystoscopy, HENDLEY, B., *et al.*, (*ARS*) 711P
——, Morning or afternoon operation for day cases? Postoperative morbidity by domiciliary assessment, SMITH, S. O., *et al.*, (*ARS*) 711–712P
——, Post-circumcision analgesia: comparison of topical analgesia with dorsal nerve block using the midline and lateral approaches, CHAMBERS, F. A., *et al.* 437–439
Surgery, gynaecological, Effect of nabilone on nausea and vomiting after total abdominal hysterectomy, LEWIS, I. H., *et al.* 244–246
——, Gynaecological laparoscopy—day-case or overnight stay? TEALE, K. F. H., *et al.*, (*ARS*) 270P
——, Preoperative or postoperative diclofenac for laparoscopic tubal ligation, BUGGY, D. J., *et al.* 767–770
——, Use of ethanol-tagged glycine irrigation with intermittent expired breath analysis to assess glycine absorption during trans-cervical resection of endometrium, STICKLE, B. R., *et al.*, (*ARS*) 709P
Surgery, hepatic, Reversal of post-reperfusion coagulopathy by protamine sulphate in orthotopic liver transplantation, BAYLY, P. J. M., *et al.* 840–842
Surgery, laparoscopy, Antiemetics in laparoscopic surgery, RAPHAEL, J. H., *et al.*, (***e***) 125
——, Gynaecological laparoscopy—day-case or overnight stay? TEALE, K. F. H., *et al.*, (*ARS*) 270P
Surgery, ophthalmological, Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, BARKER, J. P., (*C*) 120–121
——, Retrobulbar block fails to prevent an increase in serum cortisol concentration on emergence from anaesthesia after cataract surgery, SEDDON, S. J., (*C*) 120
Surgery, orthopaedic, Alkalinization of local anaesthetic for intra-articular instillation during arthroscopy, RICHMOND, C. E. 190–193
——, Anaesthesia and tuberous sclerosis, LEE, J. J., *et al.* 421–425
——, Intra-articular morphine after arthroscopic knee operation, HEINE, M. F., *et al.* 413–415
——, Methylmethacrylate bone cement does not release histamine in patients undergoing prosthetic replacement of the femoral head, MITSUHATA, H., *et al.* 779–781
——, Use of aprotinin in knee replacement surgery, THORPE, C. M., *et al.* 408–410
Surgery, postoperative period, Extradural infusion analgesia for postoperative pain relief, LEITH, S., *et al.* 552–558
Surgery, spinal, Spinal cord potential recordings from the extradural space during scoliosis surgery, FUJIOKA, H., *et al.* 350–356
Surgery, thoracic, Ketorolac for post-thoracotomy pain relief, LIPPMANN, M., *et al.*, (*C*) 281
——, Ketorolac for post-thoracotomy pain relief, POWER, I., (*C*) 281
——, Multimodal analgesia before thoracic surgery does not reduce postoperative pain, KAVANAGH, B. P., *et al.* 184–189
——, Postoperative delirium, BROCK-UTNE, J. G., (*C*) 565
Surgery, transplantation, Changes in cytokines and cardiovascular variables with liver graft reperfusion in humans, BELLAMY, M. C., *et al.*, (*ARS*) 717–718P
——, Predictive factors of hyperfibrinolytic activity during liver transplantation in cirrhotic patients, STEIB, A., *et al.* 645–648
——, Pulmonary gas exchange during orthotopic liver transplantation, PERILLI, V., *et al.* 695–696
——, Reversal of post-reperfusion coagulopathy by protamine sulphate in orthotopic liver transplantation, BAYLY, P. J. M., *et al.* 840–842
Surgery, urological, Effects of preoperative methoxamine on blood loss and haemodynamic variables during transurethral prostatic resection under spinal anaesthesia, CHAMBERS, F. A., *et al.* 624–627
Sympathetic nervous system, adrenaline, Adrenaline-induced hypotension in neurosurgery, AGARWAL, A., *et al.*, (*C*) 277
——, Adrenaline-induced hypotension in neurosurgery, PHILIPS, S., *et al.*, (*C*) 277–278
——, Effects of hydrocortisone and adrenaline on natural killer cell activity, NOMOTO, Y., *et al.* 318–321
——, Intra-tracheal adrenaline, AHMED, K., (*C*) 427–428
——, Intra-tracheal adrenaline, BASKETT, P., *et al.*, (*C*) 427
——, Intra-tracheal adrenaline, MCCRIRRICK, A., *et al.*, (*C*) 427
Sympathetic nervous system, catecholamines, Influence of serum concentrations of catecholamine and i.v. or volatile anaesthesia on evoked electromyography in the hand, SMITH, D. C., *et al.* 342–344
Sympathetic nervous system, clonidine, Co-administration of pethidine and clonidine: a spinal anaesthetic technique for total hip replacement, GRACE, D., *et al.* 628–633
Sympathetic nervous system, methoxamine, Effects of preoperative methoxamine on blood loss and haemodynamic variables during transurethral prostatic resection under spinal anaesthesia, CHAMBERS, F. A., *et al.* 624–627
Sympathetic nervous system, noradrenaline, Comparison of the effects of thiopentone and propofol on the uptake and release of [^{3}H]noradrenaline in SH-SY5Y human neuroblastoma cells, LAMBERT, D. G., *et al.*, (*ARS*) 271P
Sympathetic nervous system, ornipressin, Dose–response relation of ornipressin with regard to vasoconstriction in human skin, FRUHSTORFER, H., *et al.* 220–224

Temperature, monitoring, Prevention of hypothermia during hip surgery: effect of passive compared with active skin surface warming, BENNETT, J., *et al.* 180–183
Temperature, regulation, Convective warming after hypothermic cardiopulmonary bypass, MOORS, A. H., *et al.* 782–785
The Principles and Practice of Regional Anaesthesia, 2nd Edn, WILDSMITH, J. A. W., *et al.*, (editors), (*R*) 126
Toxicity, Urine concentrating ability after prolonged sevoflurane anaesthesia, HIGUCHI, H., *et al.* 239–240
Toxicity, hepatic, Comparison of the effects of sevoflurane with those of isoflurane on hepatic glutathione-S-transferase concentrations after body surface surgery, DARLING, J. R., *et al.*, (*ARS*) 268P
Transfusion, Consensus statement on red cell transfusion, ROYAL COLLEGE OF PHYSICIANS OF EDINBURGH, 857–859

Understanding Anesthesia Equipment: Construction, Care and Complications, 3rd Edn, DORSCH, J. A., *et al.*, (*R*) 433

Ventilation, anaesthetics, effects of, Comparison of the effects of doxapram or carbon dioxide on ventilatory frequency and tidal volume during induction of anaesthesia with propofol, SAJJAD, T., (*ARS*) 266P
——, Ventilatory effects of propofol at varying blood concentrations, SUTCLIFFE, N. P., *et al.*, (*ARS*) 265P
Ventilation, apnoea, Extradural sufentanil by patient-controlled analgesia or nurse-administered compared with optimal morphine in a high dependency unit: effects on oxygenation and pain relief after abdominal surgery, SLADE, J. M., *et al.* 634–638
Ventilation, artificial, Oxygen dilution in "trunk" ventilation of circle systems (part 2), WHITE, D. C., *et al.*, (*ARS*) 720–721P
Ventilation, carbon dioxide response, Effects of surgical stimulation on the apnoeic thresholds for carbon dioxide during anaesthesia with sevoflurane, NISHINO, T., *et al.* 583–586
Ventilation, dead space, Determination of rebreathing for the M & IE Carden Ventmasta during spontaneous ventilation in "A" mode, BARRIE, J. R., *et al.*, (*ARS*) 275P

Ventilation, effects, Effect of ventilation on first-pass pulmonary retention of alfentanil and sufentanil in patients undergoing coronary artery surgery, BOER, F., *et al.* 458–463
Ventilation, fresh gas flow, Determination of rebreathing for the M & IE Carden Ventmasta during spontaneous ventilation in "A" mode, BARRIE, J. R., *et al.*, (*ARS*) 275P
——, Fresh gas requirements during spontaneous ventilation, MEAKIN, G., *et al.*, (*C*) 121–122
Ventilation, high frequency jet, Auto-PEEP, high frequency jet ventilation, HWANG, N. C., (*C*) 430
——, Auto-PEEP, high frequency jet ventilation, MANSFIELD, M., *et al.*, (*C*) 430
Ventilation, hyperventilation, Effects of hyperventilation on the inspiratory to end-tidal oxygen difference, BENGTSSON, J., *et al.* 140–144
——, Hyperventilation-induced unconsciousness during labour, BURDEN, R. J., *et al.* 838–839
Ventilation, hypoventilation, Nitrous oxide uptake and elimination, MAPLESON, W. W., (*C*) 865
Ventilation, hypoxic response, Domperidone, isoflurane and the ventilatory response to hypoxia, FOO, I. T. H., *et al.*, (*ARS*) 264–265P
——, Nitrous oxide uptake and elimination, MAPLESON, W. W., (*C*) 865
——, Ventilatory response to hypoxia, GOODMAN, N. W., (*C*) 565
——, Ventilatory response to hypoxia, LINDAHL, S., (*C*) 565
Ventilation, mechanical, Efficiency of the Carden "Ventmasta" in A and D modes during controlled ventilation in children, BARRIE, J. R., *et al.* 453–457
Ventilation, positive end-expiratory pressure, Auto-PEEP, high frequency jet ventilation, HWANG, N. C., (*C*) 430
——, Auto-PEEP, high frequency jet ventilation, MANSFIELD, M., *et al.*, (*C*) 430
Vomiting, antiemetics, Attenuation of emetic side effects of patient controlled analgesia, MACKENZIE, J. W., (*C*) 281
——, Attenuation of emetic side effects of patient-controlled analgesia, MACKENZIE, J. W., (*e*) 872
——, Effect of nabilone on nausea and vomiting after total abdominal hysterectomy, LEWIS, I. H., *et al.* 244–246
——, Influence of droperidol on nausea and vomiting during patient-controlled analgesia, BARROW, P. M., *et al.*, (*C*) 567
——, Influence of droperidol on nausea and vomiting during patient-controlled analgesia, LEWIS, I. H., (*C*) 566–567
——, Laparoscopy and the laryngeal mask airway, BRIMACOMBE, J., (*C*) 121
——, Laparoscopy and the laryngeal mask airway, MALINS, A. F., *et al.*, (*C*) 121
——, Ondansetron does not inhibit the analgesic effect of alfentanil, PETERSEN-FELIX, S., *et al.* 326–330
——, Prevention of nausea and vomiting with transdermal hyoscine in adults after middle ear surgery during general anaesthesia, HONKAVAARA, P., *et al.* 763–766
——, Which routine antiemetic: ondansetron or prochlorperazine? VAN DEN BERG, A. A., (*C*) 280
Vomiting, nausea, Antiemetics in laparoscopic surgery, RAPHAEL, J. H., *et al.*, (*e*) 125
——, Attenuation of emetic side effects of patient controlled analgesia, MACKENZIE, J. W., (*C*) 281
——, Attenuation of emetic side effects of patient-controlled analgesia, MACKENZIE, J. W., (*e*) 872
——, Effect of nabilone on nausea and vomiting after total abdominal hysterectomy, LEWIS, I. H., *et al.* 244–246
——, Effects of sub-hypnotic doses of propofol on the side effects of intrathecal morphine, TÖRN, K., *et al.* 411–412
——, Influence of droperidol on nausea and vomiting during patient-controlled analgesia, BARROW, P. M., *et al.*, (*C*) 567
——, Influence of droperidol on nausea and vomiting during patient-controlled analgesia, LEWIS, I. H., (*C*) 566–567
——, Laparoscopy and the laryngeal mask airway, BRIMACOMBE, J., (*C*) 121
——, Laparoscopy and the laryngeal mask airway, MALINS, A. F., *et al.*, (*C*) 121
——, Neostigmine and postoperative nausea, BOEKE, A. J., (*C*) 726
——, Neostigmine and postoperative nausea, SMITH, I., (*C*) 725
——, Neostigmine and postoperative nausea, WILLIAMS, P. I., (*C*) 725–726